

3M DENTAL PRODUCTS DIV -- 5702DG SILUX PLUS RESTORATIVE MATERIAL IN S

=====  
MSDS Safety Information  
=====

FSC: 6520  
NIIN: 01-317-8727  
MSDS Date: 04/16/1992  
MSDS Num: BPPQW  
Product ID: 5702DG SILUX PLUS RESTORATIVE MATERIAL IN S  
MFN: 01  
Responsible Party  
Cage: 0K0U5  
Name: 3M DENTAL PRODUCTS DIV  
Address: 3M CTR  
City: ST PAUL  
MN 55144-1000  
Info Phone Number: 612-737-4114  
Emergency Phone Number: 612-737-4114  
Review Ind: Y  
Published: Y

=====  
Contractor Summary  
=====

Cage: 76381  
Name: MINNESOTA MINING AND MFG CO, DBA 3M  
Address: 3M CENTER BLDG 224-5S-04  
City: SAINT PAUL MN 55144-1000  
Phone: 866-556 5712 / 612-733-1110  
Cage: 0K0U5  
Name: MINNESOTA MINING AND MFG CO DENTAL PRODUCTS DIV  
Address: 3M CENTER  
City: SAINT PAUL  
MN 55144-1000  
Phone: 800-364-3577/651-737-6501

=====  
Item Description Information  
=====

Item Manager: S9M  
Item Name: RESIN,RESTORATIVE,DENTAL  
Specification Number: UNKNOWN  
Type/Grade/Class: UNKNOWN  
Unit of Issue: EA  
UI Container Qty: 1  
Type of Container: SYRINGE

=====  
Ingredients  
=====

Cas: 11294

5-52-5  
RTECS #: VV7310000  
Name: SILICA GEL  
% Wt: 50-60  
Other REC Limits: NONE RECOMMENDED  
OSHA PEL: 6 MG/M3 TDUST  
ACGIH TLV: 10 MG/M3 TDUST

-----  
Cas: 1565-94-2  
Name: BISPHENOL A DIGLYCIDYL ETHER DIMETHACRYLATE  
% Wt: 15-20  
Other REC Limits: NONE RECOMMENDED  
OSHA PEL: NOT ESTABLISHED  
ACGIH TLV: NOT ESTABLISHED

-----  
Cas: 109-16-0  
RTECS #: OZ4100000  
Name: TRIETHYLENE GLYCOL DIMETHACRYLATE  
% Wt: 15-20  
Other REC Limits: NONE RECOMMENDED  
OSHA PEL: NOT  
ESTABLISHED  
ACGIH TLV: NOT ESTABLISHED

-----  
Cas: 2530-85-0  
RTECS #: UC0230000  
Name: METHACRYLOXYPROPYLTRIMETHOXYSILANE  
% Wt: &lt;7  
Other REC Limits: NONE RECOMMENDED  
OSHA PEL: NOT ESTABLISHED  
ACGIH TLV: NOT ESTABLISHED

-----  
Cas: 1344-28-1  
RTECS #: BD1200000  
Name: ALPHA-ALUMINA (ALUMINUM OXIDE) (EPA LISTS ONLY FIBROUS FORMS) (SARA  
III)  
% Wt: &lt;1  
Other REC Limits: NONE RECOMMENDED  
OSHA PEL: 15 MG/M3 TDUST  
ACGIH TLV: 10 MG/M3 TDUST; 9293

==

=====  
Health Hazards Data  
=====

LD50 LC50 Mixture: ORAL LD50 (RAT) IS UNKNOWN

Route Of Entry Inds - Inhalation: NO

Skin: YES

Ingestion: NO

Carcinogenicity Inds - NTP: NO

IARC: NO

OSHA: NO

Effects of Exposure: NOT HARMFUL IF INHALED OR INGESTED. ACUTE: MAY CAUSE EYE IRRITATION ON CONTACT. MAY CAUSE ALLERGIC SKIN REACTION ON CONTACT. CHRONIC: PROLONGED OR REPEATED CONTACT MAY CAUSE SKIN IRRITATIO

N.

Explanation Of Carcinogenicity: NONE

Signs And Symptoms Of Overexposure: EYE: REDNESS, SWELLING, PAIN AND TEARING.

SKIN: REDNESS, SWELLING, BLISTERING, ITCHING, AND DRYNESS.

Medical Cond Aggravated By Exposure: NONE SPECIFIED BY MANUFACTURER.

First Aid: EYES: FLUSH WITH LOTS OF WATER FOR 15 MINUTES. SEE DOCTOR. SKIN: FLUSH WITH LOTS OF WATER. INGESTED: DO NOT INDUCE VOMITING. IF CONSCIOUS, GIVE 2 GLASSES OF WATER. CALL A DOCTOR.

=====  
H

Handling and Disposal  
=====

Spill Release Procedures: CONTAIN SPILL. COLLECT SPILLED MATERIAL AND PLACE IN A CONTAINER FOR LATER DISPOSAL. CLEAN-UP RESIDUE.

Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

Waste Disposal Methods: DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS. MANUFACTURER RECOMMENDS DISPOSAL IN A SANITARY LANDFILL.

Handling And Storage Precautions: STORE OUT OF DIRECT SUNLIGHT.

Other Precautions: NONE S

PECIFIED BY MANUFACTURER.  
=====

Fire and Explosion Hazard Information  
=====

Extinguishing Media: CARBON DIOXIDE, DRY CHEMICAL, WATER

Fire Fighting Procedures: WEAR SELF-CONTAINED BREATHING APPARATUS AND BUNKER GEAR.

Unusual Fire/Explosion Hazard: NONE  
=====

Control Measures  
=====

Respiratory Pro

tection: NONE NORMALLY REQUIRED.  
Ventilation: NONE NORMALLY REQUIRED.  
Protective Gloves: RUBBER  
Eye Protection: SAFETY GLASSES  
Other Protective Equipment: NONE NORMALLY REQUIRED.  
Work Hygienic Practices: WASH HANDS AFTER USE AND BEFORE EATING, DRINKING, OR SMOKING. LAUNDRER CONTAMINATED CLOTHES BEFORE REUSE.

=====  
Physical/Chemical Properties  
=====

HCC: V7  
Decomp Text: UNKNOWN  
Spec Gravity: 1.6  
Solubility in Water: INSOLUBLE  
Appearance and Odor: DARK GREY COLORED PASTE, VERY SLIGHT ACRYLATE ODOR  
Percent Volatiles by Volume: NIL

=====  
Reactivity Data  
=====

Stability Indicator: YES  
Stability Condition To Avoid: CONTACT WITH INCOMPATIBLES.  
Materials To Avoid: ZINC OXIDE EUGENOL DENTAL PREPARATIONS  
Hazardous Decomposition Products: NONE  
Hazardous Polymerization Indicator: NO  
Conditions To Avoid Polymerization: NONE

=====  
Toxicological Information  
=====

=====  
Ecological Information  
=====

=====  
MSDS Transport Information  
=====

=====  
Regulatory Information  
=====

=====  
Other Information  
=====

=====  
Transportation Information  
=====

Responsible Party Code: 0K0U5  
Trans ID NO: 124947  
Product ID: 5702DG SILUX PLUS RESTORATIVE MATERIAL IN S  
MSDS Prepared Date: 04/16/1992  
Review Date: 12

/30/1992  
MFN: 1  
Net Unit Weight: 3 GRAMS  
Multiple KIT Number: 0  
Review IND: Y  
Unit Of Issue: EA  
Container QTY: 1  
Type Of Container: SYRINGE

=====  
Detail DOT Information  
=====

DOT PSN Code: ZZZ  
DOT Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION  
=====

=====  
Detail IMO Information  
=====

IMO PSN Code: ZZZ  
IMO Proper Shipping Name: NOT REGULATED FOR THIS MODE OF TRANSPORTATION  
=====

=====  
Detail IATA Information  
=====

IATA PSN Code: ZZZ  
IATA Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION  
=====

=====  
Detail AFI Information  
=====

AFI PSN Code: ZZZ  
AFI Proper Shipping Name: N  
OT REGULATED BY THIS MODE OF TRANSPORTATION  
=====

=====  
HAZCOM Label  
=====

Product ID: 5702DG SILUX PLUS RESTORATIVE MATERIAL IN S  
Cage: 0K0U5  
Company Name: MINNESOTA MINING AND MFG CO DENTAL PRODUCTS DIV  
Street: 3M CENTER  
City: SAINT PAUL MN  
Zipcode: 55144-1000  
Health Emergency Phone: 612-737-4114  
Date Of Label Review: 12/30/1992  
Status Code: C  
Label Date: 12/30/1992  
Origination Code: Z  
=====

=====

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of th

e United

States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.