View NSN Online: https://aerobasegroup.com/nsn/6750-01-353-9746

Product ID:413-210; 421-90; PHOTO PRINT STOP BATH

MSDS Date:07/27/1992

FSC:6750

NIIN:01-353-9746

MSDS Number: BPPRD === Responsible Party ===

Company Name: CLAYTON CHEMICAL COMPANY

Address:13310 S. FIGUEROA ST.

City:LOS ANGELES

State:CA ZIP:90061 Country:US

Info Phone Num:213-5

38-9530

Emergency Phone Num:213-538-9530

CAGE:61803

=== Contractor Identification ===

Company Name: CLAYTON CHEMICAL CO. Address: 13310 S. FIGUEROA STREET

Box:City:LOS ANGELES

State:CA ZIP:90061 Country:US

Phone:310-538-9530/800-424-9300(CHEMTREC)

CAGE:61803

Company Name: CLAYTON CHEMICAL CO., A DIV OF VARICHEM CORP

Address:RR 1 Box:276-Z

City:HEATHSVILLE

State:VA ZIP:22473 Country:US

Phone:703-759-9399

CAGE:6W820

====== Composition/Information on Ingredients ========

Ingred Name:AC

ETIC ACID (SARA III) CAS:64-19-7 RTECS #:AF1225000 Fraction by Wt: 15-20% Other REC Limits: NONE RECOMMENDED **OSHA PEL:10 PPM** ACGIH TLV:10 PPM/15 STEL; 9293 EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS Ingred Name: NON HAZARDOUS INGREDIENTS Fraction by Wt: 80-85% Other REC Limits: NONE RECOMMENDED ========= Hazards Identification =============== Routes of Entry: Inhalation:NO Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Ch ronic:PRODUCT MAY CAUSE SEVERE IRRITATION AND BURNS TO BODY TISSUES WHICH IT CONTACTS. INHALATION OF MISTS OR VAPORS IS HIGHLY UNLIKELY DURING ANY NORMAL USEAGE. CHRONIC EFFECTS:NONE FOUND BY MANUFACTURER. Explanation of Carcinogenicity: THIS CHEMICAL IS NOT LISTED BY IARC, NTP, OR OSHA AS A CARCINOGEN. Effects of Overexposure: EYES: SEVERE IRRITATION OR BURNS. SKIN: POSSIBLE IRRITATION, BURNS. INHALED: UNLIKELY EXPOSURE BUT MAY CAUSE RESPIRATORY IRRITATION IF MISTS ARE INHAL **ED. INGESTED:SEVERE**

IRRITATION OF THE DIGESTIVE TRAC T.

Medical Cond Aggravated by Exposure:NO INFORMATION GIVEN ON MSDS BY MFR.

First Aid:INHALATION:REMOVE TO FRESH AIR. EYES: IMMEDIATELY FLUSH WITH PLENTY OF WATER FOR 15 MINUTES. GET PROMPT MEDICAL ATTENTION. SKIN:REMOVE CONTAMINATED CLOTHING. WASH WITH PLENTY OF WATER FOR 15 MINUTES. INGESTION:DO NOT INDUCE VOMITING. GET IMMEDIATE MEDICAL ATTENTION

======================================
Flash Point:NON-FLAMMABLE Extinguishing Media:WATER SPRAY, DRY CHEMICAL, OR CARBON DIOXIDE Fire Fighting Procedures:EVACUATE PERSONNEL TO A SAFE AREA. KEEP PERSONNEL REMOVED AND UPWIND OF FIRE. WEAR SELF-CONTAINED BREATHING APPARATUS. Unusual Fire/Explosion Hazard:WHEN HEATED TO DECOMPOSITION, EMISSION OF TOXIC FUMES IS POSSIBLE.
========= Accidental Release Measures ==========
Spill Release Procedures:USE APPROPRIATE PERSONAL PROTECTIVE EQUIPMEMT. DIKE SPLL. PREVENT FROM ENTERING SEWERS, WATERWAYS OR LOW AREAS. SOAK UP WITH SAND, OIL DRY OR OTHER ABSORBENT MATERIAL. Neutralizing Agent:POWDERED SODIUM BICARBONATE
=========== Handling and Storage ============
Handling and Storage Precautions:STORE IN WELL VENTILATED AREA. KEEP CONTAINERS TIGHTLY CLOSED. DO NOT STORE WITH INCOMPATABLE MATERIALS. Other Precautions:DO NOT STORE OR CONSUME FOOD, D RINK OR TOBACCO IN
AREA WHERE THEY MAY BECOME CONTAMINATED WITH THIS MATERIAL.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:NO INFORMATION GIVEN ON MSDS BY MFR. SUFFICIENT ROOM VENTILATION Ventilation:SUFFICIENT ROOM VENTILATION Protective Gloves:RECOMMENDED Eye Protection:EYEGLASSES W/ SIDE SHIELDS Other Protective Equipment:APRON. (SPLASH PROTECTION IS ALL THAT IS RECOMMENDED BY MANUFACTURER.) Work Hygienic Practices:MFR: ? HMIS:USE G OOD CHEMICAL HYGIENE PRACTICE. AVOID UNNECESSARY CONTACT. WASH THOROUGHLY BEFORE EATING OR DRINKING. Supplemental Safety and Health THE MSDS REPORTS THE FLASH POINT AS "109F" AND TRANSPORTATION AS "CORROSIVE". A PHONE CALL TO CLAYTON CHEMICAL PRODUCED THE COMMENT THAT THE FLASH POINT IS IN ERROR. THEY INDICATE THE PRODUCT IS NON-F LAMMABLE.
========== Physical/Chemical Properties ==========
HCC:C2 NRC/State Lic Num:NONE Boiling Pt:B.P. Text:>212F,>100C Spe

c Gravity:1.02 pH:2.0 Evaporation Rate & Evaporatio