

STIC-ADHESIVE PRODUCTS CO INC -- LATEX PAINT -- 8010-00-055-5100

=====
Product Identification
=====

Product ID:LATEX PAINT

MSDS Date:01/01/1987

FSC:8010

NIIN:00-055-5100

MSDS Number: BPRBR

=== Responsible Party ===

Company Name:STIC-ADHESIVE PRODUCTS CO INC

Address:3950 E MEDFORD ST

City:LOS ANGELES

State:CA

ZIP:90063

Country:US

Info Phone Num:213-268-2956

Emergency Phone Num:213-268-2956

CAGE:1B

H90

=== Contractor Identification ===

Company Name:STIC-ADHESIVE PRODUCTS CO INC

Address:3950 MEDFORD ST

Box:City:LOS ANGELES

State:CA

ZIP:90063-1675

Country:US

CAGE:1BH90

=====
Composition/Information on Ingredients
=====

Ingred Name:NON-HAZARDOUS INGREDIENTS

Other REC Limits:NONE SPECIFIED

=====
Hazards Identification
=====

Routes of Entry: Inhalation:UNKNOWN Skin:UNKNOWN Ingestion:YES

Health Hazards Acute and Chronic:SWALLOWING MAY CAU

SE SOME NAUSEA.

=====
First Aid Measures
=====

First Aid:SWALLOWING: GIVE 2 GLASSES OF WATER AND INDUCE VOMITING BY
PUTTING FINGER DOWN THROAT. EYES & SKIN: FLUSH WITH WATER.

INHALATION: NO EMERGENCY CARE ANTICIPATED.

=====
Fire Fighting Measures
=====

Fire Fighting Procedures:NONE

Unusual Fire/Explosion Hazard:NONE

=====
Accidental Release Measures
=====

Spill Release Procedures:CLE

AN UP WITH WATER BEFORE ALLOWING TO DRY
OUT. SODIUM CHLORIDE OR CALCIUM CHLORIDE CAN ALSO BE SPRINKLED ON
THE SPILL WHICH WILL COAGULATE THE LATEX AND FACILITATE CLEANING
WITH WATER.

=====
Handling and Storage
=====

Handling and Storage Precautions:PRODUCT SHOULD BE USED WITH ADEQUATE
VENTILATION AND REMOVED FROM SKIN AS SOON AS PRACTICAL AFTER
CONTACT. STORE MATERIAL BETWEEN 40 & 100F.

Other Precautions:IT SHOULD NOT BE SWALLOWED OR BE AL
LOWED TO COME IN

CONTACT WITH THE EYES. PIPELINES SHOULD REMAIN FILLED AT ALL TIMES,
OR AFTER USE THOROUGHLY RINSED WITH WATER. STORAGE CONTAINERS
SHOULD BE KEPT TIG HTLY CLOSED TO PREVENT SKINNING.

=====
Exposure Controls/Personal Protection
=====

Ventilation:MECHANICAL (GENERAL): NORMAL

Protective Gloves:DESIRABLE, RUBBER OR PLASTIC

Eye Protection:SAFETY GLASSES OR GOGGLES

Other Protective Equipment:EYE BATH

Supplemental Safety and Health

=====
Ph
ysical/Chemical Properties
=====

HCC:N1

Spec Gravity:1.4-1.42(WTR=1)

Evaporation Rate & Reference:>1 (BU AC=1)

Solubility in Water:INFINITE

Appearance and Odor:OFF WHITE OPAQUE LIQUID; BLAND ODOR

Percent Volatiles by Volume:0

=====
Stability and Reactivity Data
=====

Stability Indicator/Materials to Avoid:YES

NONE

Hazardous Decomposition Products:WHEN WATER IS EVAPORATED, POLYMER CAN
BURN AND PRODUCE CARBON MONOXIDE AND CARBON DIOXIDE.

=====

===== Disposal Considerations =====

Waste Disposal Methods: MAY BE DISPOSED OF IN ACCORDANCE WITH STANDARD PROCEDURES USED WITH LATEX PRODUCTS. BURY IN LANDFILL WHERE PERMITTED UNDER APPROPRIATE GOVERNMENT REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.