

HERNON MANUFACTURING, INC -- NUTS N' BOLTS 248 -- 8030-00-081-2329

=====
Product Identification
=====

Product ID:NUTS N' BOLTS 248

MSDS Date:12/01/1989

FSC:8030

NIIN:00-081-2329

MSDS Number: BPRCC

=== Responsible Party ===

Company Name:HERNON MANUFACTURING, INC

Address:865 ESSEX STREET

City:BROOKLYN

State:NY

ZIP:11208-5220

Country:US

Info Phone Num:718-649-3000

Emergency Phone Num:718-649-3000

CA

GE:DO346

=== Contractor Identification ===

Company Name:HERNON MANUFACTURING

Address:121 TECH DRIVE

Box:City:SANFORD

State:FL

ZIP:32771

Country:US

Phone:407-322-4000/800-255-3924

CAGE:61603

Company Name:HERNON MANUFACTURING INC.

Address:865 ESSEX STREET

City:BROOKLYN

State:NY

ZIP:11208-5220

Phone:718-649-3000

CAGE:DO346

=====
Composition/Information on Ingredients
=====

Ingred Name:POLYGLYCOL DIMETHACRYLATE

CAS:25852-47-5

Fraction by Wt: 50-55%

Other REC Limits:NONE SPECIFIED

Ingred Name:POLYGLYCOL DIOCTOATES

Fraction by Wt: 40-55%

Other REC Limits:NONE SPECIFIED

Ingred Name:CUMENE HYDROPEROXIDE (SARA III)

CAS:80-15-9

RTECS #:MX2450000

Fraction by Wt: 4%

Other REC Limits:NONE SPECIFIED

EPA Rpt Qty:10 LBS

DOT Rpt Qty:10 LBS

Ingred Name:TRIALKYLAMINE

Fraction by Wt: 3%

Other REC Limits:NONE SPECIFIED

===== Hazards Identification =====

LD50 LC50 Mixture:MG/KG EST:ORAL LD50>5000;DERM LD50>2000.

Health Hazards Acute and Chronic:MAY

CAUSE DERMATITIS ON PROLONGED

CONTACT IN SENSITIVE INDIVIDUALS.

Explanation of Carcinogenicity:CUMENE HYDROPEROXIDE CAUSED TUMORS IN 1
OF 30 ANIMALS IN SINGLE TEST.DUE TO LOW CORE FLUS PROD SHLD NOT
POSE SUCH HAZARD

===== First Aid Measures =====

First Aid:INGESTION: DO NOT INDUCE VOMITING. KEEP INDIVIDUAL CALM.

OBTAIN MEDICAL ATTENTION. INHALATION: DOES NOT APPLY. SKIN CONTACT:
FLUSH WITH WATER. EYE CONTACT: FLUSH WITH WATER.

=====

===== Fire Fighting Measures =====

Flash Point Method:TCC

Flash Point:>200F,>93C

Extinguishing Media:CO2, FOAM, DRY CHEMICAL

Unusual Fire/Explosion Hazard:NONE

===== Accidental Release Measures =====

Spill Release Procedures:SOAK UP IN AN INERT ABSORBENT. STORE IN
PARTLY-FILLED, CLOSED CONTAINER UNTIL DISPOSAL.

===== Handling and Storage =====

Handling and Storage Precautions:STORE BELOW 110F TO PRE

SERVE
SHELF-LIFE.

Other Precautions:AVOID PROLONGED SKIN CONTACT.

===== Exposure Controls/Personal Protection =====

Ventilation:NOT NORMALLY NECESSARY
Protective Gloves:RUBBER OR PLASTIC GLOVES RECOMMENDED
Eye Protection:SAFETY GLASSES OR GOGGLES RECOMMENDED
Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:N1
Boiling Pt:B.P. Text:>300F,>149C
Vapor Pres: