View NSN Online: https://aerobasegroup.com/nsn/8040-00-118-2695 R.H.CARLSON COMPANY, INC. -- NORSIL SILICONE PRIMER -- 8010-00-118-2695 Product ID:NORSIL SILICONE PRIMER MSDS Date:09/18/1991 FSC:8010 NIIN:00-118-2695 Kit Part:Y MSDS Number: BPRCG === Responsible Party === Company Name: R.H. CARLSON COMPANY, INC. Address:41-CHESTNUT STREET City:GREENWICH State:CT ZIP:06830 Country:US Info Phone Num:203-531-5500 Emergency Phone Nu m:800-424-9300(CHEMTREC) CAGE:33530 === Contractor Identification === Company Name: R.H.CARLSON COMPANY, INC. Address:41-CHESTNUT STREET Box:1687 City:GREENWICH State:CT ZIP:06830-5921 Country:US Phone:203-531-5500 CAGE:33530

======= Composition/Information on Ingredients ========

Ingred Name: NO INGREDIENT FOR THIS FORMULATION_INGREDIENT

========== Hazards Identification ===============

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Health Hazards Acut

e and Chronic:WARNING! MAY CAUSE IRRITATION. AVOID CONTACT WITH SKIN, EYES AND CLOTHING. DIRECT CONTACT WITH UNCURED PRODUCT MAY CAUSE IRRITATION. PROLONGED SKIN CONTACT MAY CAUSE DERMATITIS. INHALATION OF THE VAPO RS MAY PRODUCE RESPIRATORY IRRITATION, DIZZINESS, HEADACHE, NAUSEA, AND MENTAL CONFUSION. INGESTION: OF THE MATERIAL Effects of Overexposure:IS HARMFUL AND MAY PRODUCE ABDOMINAL PAIN AND DIARRHEA.
======================================
====
First Aid:INGEST: DONT INDUCE VOMIT. IF VOMIT OCCURS, GIVE MORE FLUID. PHYSICIAN DETERMINE IF CONDITION OF PATIENT PERMITS EVACUATION OF STOMACH/INDUCTION OF VOMIT. DONT GIVE FLUID TO AN UNCONSCIOUS PERSON. SKI N: FLUSH W/WATER 15 MIN. REMOVE CONTAM CLOTHES/SHOES. MED ATTEN IF IRRITATE OCCURS. EYE: IMMED FLUSH W/WATER 15 MIN/HOLD LIDS OPEN. DONT ATTEMPT TO NEUTRALIZE CHEMICAL. GET MED AID IMMED. INHALE
======================================
=====
Flash Point Method:CC Flash Point:-4F,-20C Lower Limits:1.1 Upper Limits:7.5 Extinguishing Media:FOAM, CARBON DIOXIDE, DRY CHEMICAL. USE STANDARD FIREFIGHTING TECHNIQUES. Fire Fighting Procedures:PREVENT EXPOSURE-FIRE/SMOKE/FUMES/COMBUSTION PRODUCTS. FULL-FACE SCBA/IMPERV PROTECT CLOTHES. AVOID SPARKS/FIRE/HOT METAL SURFACES. Unusual Fire/Explosion Hazard:USE WATER SPRAY TO COOL ADJACENT SURFACES/ EXPOSED CONTAINERS ONLY. HIGHLY FLAMMABLE DUE TO SOLVENT; VAPORS WILL F ORM EXPLOSIVE MIXTURES WITH AIR.
======== Accidental Release Measures =========
Spill Release Procedures:NO IGNITE SOURCES. CONTAIN SPILL/LEAK/SOAK UP W/SUITABLE ABSORBENT: SAWDUST/CLAY/OIL ABSORBER. SWEEP UP ABSORBED MATERIAL/PLACE IN CHEMICAL WASTE DRUM FOR DISPOSAL. WASH AREA W/DETERGENT/ FLUSH W/WATE R. LARGE: DIKE/PUMP INTO DRUM FOR SALVAGE/DISPOSAL
============ Handling and Storage =============
Handling and Storage Precautions:N

O CONTACT W/SKIN/EYES/USE IN WELL VENTILATED AREA/NO HEAT/KEEP CONTAINERS CLOSED. NEVER LAY CONTAINERS ON THEIR SIDES. Other Precautions:CONTACT LENS WEARERS TAKE PRECAUTIONS. USE NON-SPARKING TOOLS WHEN CLEANING UP SPILLS. STATIC ELECTRICITY MAY ACCUMULATE AND CAUSE A FIRE HAZARD.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:WHERE ADEQUATE VENTILATION IS NOT AVAILABLE, USE NIOSH APPROVED ORGANIC VAPOR RESPIRATORS WHERE EXPOSURE
NECCESITATES A HIGHER LEVEL OF PROTECTION, A POSITIVE PRESSURE AIR SUPPLY RESPIRATOR IS RECOMME NDED. Ventilation:LOCAL EXHAUST IS REQUIRED AND GENERAL MECHANICAL VENTILATION IS SUGGESTED IN A CLOSED AREA. Protective Gloves:PLASTIC FILM/RUBBER GLOVES Eye Protection:PROTECTIVE GOGGLES/GLASSES Other Protective Equipment:SAFETY SHOWERS/EYE BATH STATIONS AVAILABLE. Work Hygienic Practices:FOLLOW GOOD INDUSTRIAL HYGIENE PRACTICES. NO HEAT/SPARKS/FLAME. NO PROLONGED VAPOR BREATHING/CO NTACT W/SKIN/EYES. Supplemental Safety and Health FROM AREA. GET MED AID IF BREATHING DIFFICULT. OXYGEN ON PHYSICIAN'S ADVICE. IF NOT BREATHING, ARTIFICIAL RESPIRATION, PREFERRABLY MOUTH TO MOUTH.
========= Physical/Chemical Properties ==========
HCC:F2 Boiling Pt:B.P. Text:156F,69C Vapor Pres:1 (BU AC=1) Solubility in Water:NOT SOLUBLE Appearance and Odor:COLORLESS, TRANSPARENT LIQUID W/SOLVENT ODOR. ===================================
=====
Stability Indicator/Materials to Avoid:NO WATER, ACIDS AND ALKALIS. Stability Condition to Avoid:ACTIVE INGREDIENTS REACT WITH WATER/ACIDS/ ALKALIS, BUT DO NOT PRESENT A HAZARD. Hazardous Decomposition Products:METHANOL (FLAMMABLE/POISONOUS LIQUID) AND 2- PROPANOL (FLAMMABLE LIQUID). ===================================

Waste Disposal Methods:UNUSABLE MATERIAL SHOULD BE DISPOSED OF IN EPA AUTHORIZED FACILITY. DISPOSE OF EMPTY CONTAINERS ACCORD

ING TO

APPLICABLE REGULATIONS UNDER THE RESOURCE CONCERVATION AND RECOVERY ACT.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and a

ssume responsibility for the suitability of this information to their particular situation.