View NSN Online: https://aerobasegroup.com/nsn/6850-00-294-0860

GENERAL ELECTRIC CO SILICONE PRODUCT DIV. -- G661 POLYSILOXANE GREASE

6850-00-294-0860

============= Product Identification =================

Product ID:G661 POLYSILOXANE GREASE

MSDS Date:10/21/1985

FSC:6850

NIIN:00-294-0860

MSDS Number: BPRGF === Responsible Party ===

Company Name: GENERAL ELECTRIC CO SILICONE PRODUCT DIV.

Address: HUDSON RIVER ROAD

City:WATERFORD

State:NY ZIP:12188 Country:US

Info Phone Num:518-2

37-3330

Emergency Phone Num:518-237-3330 Preparer's Name:DA POLSINELLI

CAGE:01139

=== Contractor Identification ===

Company Name: GENERAL ELECTRIC CO, SILICONE PRODUCTS BUSINESS DEPT

Address: 260 HUDSON RIVER RD

Box:City:WATERFORD

State:NY ZIP:12188 Country:US

Phone:518-237-3330/800-332-3390

CAGE:01139

Company Name: THE SMITH GROUP INC.

Address:811 E. CAYUGA STREET

Box:City:PHILADELPHIA

State:PA

ZIP:19124-3893 Country:US

Phone:215-743-8200

CAGE:2B613

====== Composition/Information on Ingre

Ingred Name:NON HAZARDOUS INGREDIENTS Fraction by Wt: 100% Other REC Limits:NONE RECOMMENDED
======================================
Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:ACUTE: MAY CAUSE MILD SKIN AND EYE IRRITATION ON CONTACT. CHRONIC: NONE KNOWN. Explanation of Carcinogenicity:NONE Effects of Overexposure:EYES: REDNESS, TEARING, DISCOMF ORT. SKIN: REDNESS, ITCHING. Medical Cond Aggravated by Exposure:NONE KNOWN
======================================
First Aid:INHALED: MOVE TO FRESH AIR. EYES: FLUSH WITH LOTS OF WATER FOR 15 MINUTES. SKIN: WASH WITH SOAP AND WATER. INGESTED: RINSE MOUTH SEVERAL TIMES WITH WATER.
======================================
Flash Point Method:COC Flash Point:>400F,>204C Extinguishing Media:MEDIA APPROPRIATE FOR SURROUNDING FIRE
. Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS AND BUNKER GEAR.
Unusual Fire/Explosion Hazard:NONE SPECIFIED BY MANUFACTURER.
========= Accidental Release Measures ==========
Spill Release Procedures:WEAR PROTECTIVE CLOTHING/EQUIPMENT. WIPE OR SOAK UP MATERIAL AND PLACE IN A CONTAINER FOR DISPOSAL. WASH WALKING SURFACE WITH SOAP AND WATER TO REDUCE SLPPING HAZARD Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.
======================================
. 13.13.

dients =======

ing and Storage ===========
Handling and Storage Precautions:AVOID CONTACT WITH SKIN AND EYES. Other Precautions:NONE SPECIFIED BY MANUFACTURER.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:NONE NORMALLY REQUIRED.  Ventilation:NONE NORMALLY REQUIRED.  Protective Gloves:CLOTH  Eye Protection:SAFETY GLASSES  Other Protective Equipment:NONE NORMALLY REQUIRED.  Work Hygienic Practices:WASH HANDS AFTER USE AND BEFORE EATING, DRINKING, OR SMO  KING.  Supplemental Safety and Health
======== Physical/Chemical Properties ==========
HCC:N1 Vapor Pres:NIL Vapor Density:NIL Spec Gravity:1.01 Evaporation Rate & Samp; Reference:>1 (N-BUTYL ACETATE=1) Solubility in Water:INSOLUBLE Appearance and Odor:WHITE SOLID Percent Volatiles by Volume: