View NSN Online: https://aerobasegroup.com/nsn/4210-00-843-2790

Product ID: PURPLE K DRY CHEMICAL (NITROGEN) MSDS Date:01/01/1987 FSC:4210 NIIN:00-843-2790 MSDS Number: BPRKP === Responsible Party === Company Name: AMEREX CORP Address:7595 GADSDEN HWY E Box:81 City:TRUSSVILLE State:AL ZIP:35173-0081 Country:US Info Phone Num:205-655-3271 **Emergency Phone Num:20** 5-655-3271 CAGE:DO025 === Contractor Identification === Company Name: AMEREX CORP Box:81 City:TRUSSVILLE Phone:205-655-3271/800-424-9300(CHEMTREC) CAGE:DO025 **Company Name: AMEREX CORPORATION** Address:7595 GADSDEN HWY E Box:81 City:TRUSSVILLE State:AL ZIP:35173-0081 Country:US Phone:205-655-3271 CAGE:54905

Ingred Name:NITROGEN CAS:7727-37-9 RTECS #:QW9700000 Fraction by Wt: 100% Other REC Limits:NONE RECOMMENDED ACGIH TLV:ASPHYXI ANT; 9293

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE: ASPHYXIATION. CHRONIC: NONE. Explanation of Carcinogenicity:NONE

Effects of Overexposure:INHALATION: SHORTNESS OF BREATH, DIFFICULTY BREATHING, UNCONSCIOUSNESS.

Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

====== First Aid Me

First Aid:INHALATION: REMOVE TO FRESH AIR. RESUSCITATE IF NEEDED.

Flash Point:NONE

Extinguishing Media: USE MEDIA FOR SURROUNDING FIRE.

Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE GEAR. COOL CONTAINERS WITH FLOODING AMOUNTS OF WATER UNTIL WELL AFTER FIRE IS OUT.

Unusual Fire/Explosion Hazard:GAS UNDER PRESSURE. CYLINDER MAY EXPLODE IF EXPOSED

TO FIRE OR HIGH TEMPERATURES.

Spill Release Procedures: TRY TO STOP LEAK IF IT CAN BE DONE AT NO RISK. VENTILATE AREA. DISPELL VAPORS WITH WATER. Neutralizing Agent: NONE

Handling and Storage Precautions:STORE IN A COOL, DRY AREA. Other Precautions:NONE

======= Exposure Controls/Personal Protection ==========

Respiratory Protection:NONE NORMA

LLY REQUIRED. IF IDLH CONDITIONS ARE PRESENT WEAR SELF-CONTAINED BREATHING APPARATUS. Ventilation:USE ADEQUATE MECHANICAL VENTILATION. Protective Gloves:LEATHER Eye Protection:SAFETY GLASSES/CHEMICAL SPLASH GOGGLES Other Protective Equipment:NONE Work Hygienic Practices:WASH HANDS AFTER USE AND BEFORE EATING, DRINKING, OR SMOKING. Supplemental Safety and Health PART B OF 2 PARTS. PART A IS FOR EXTINGUISHING AGENT. MFR (AMEREX) PROVIDED MSDS FROM ALABAMA OXYGEN FOR THE NITROGEN GAS WH ICH IS USED AS CARRIER OR PROPELLENT IN EXTINGUISHER. MSDS PROVIDED IS OSHA 20, MFR DID NOT HAVE ANOTHER ONE AVAILABLE.

HCC:G3 Boiling Pt:B.P. Text:-320F,-196C Melt/Freeze Pt:M.P/F.P Text:-346F,-210C Vapor Density: