

EATON CORP INDUST. DRIVES, OPERATIONS AIRFLEX DIV -- AIRFLEX PRODUCT MODELS:
AR,AS,CH -- 2530-01-007-5985

=====
Product Identification
=====

Product ID: AIRFLEX PRODUCT MODELS: AR,AS,CH

MSDS Date: 06/22/1988

FSC: 2530

NIIN: 01-007-5985

MSDS Number: BPRMM

=== Responsible Party ===

Company Name: EATON CORP INDUST. DRIVES, OPERATIONS AIRFLEX DIV

Address: 9919 CLINTON RD

City: CLEVELAND

State: OH

ZIP: 44144-1

035

Country: US

Info Phone Num: 216-281-2211

Emergency Phone Num: 216-281-2211

CAGE: 99185

=== Contractor Identification ===

Company Name: EATON CORP INDUSTRIAL DRIVES OPERATION AIRFLEX DIV

Address: 9919 CLINTON ROAD

Box: City: CLEVELAND

State: OH

ZIP: 44144-1035

Country: US

Phone: 216-281-2211

CAGE: 99185

=====
Composition/Information on Ingredients
=====

Ingred Name: COPPER (SARA III)

CAS: 7440-50-8

RTECS #: GL5325000

Other REC Limits: NONE RECOMMENDED

OSHA PEL: 0.1MG/M3 FUME/1 DUST

ACGIH T

LV:0.2MG/M3 FUME; 9293
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

Ingred Name:LEAD (SARA III)
CAS:7439-92-1
RTECS #:OF7525000
Other REC Limits:NONE RECOMMENDED
OSHA PEL:0.05 MG/M3;1910.1025
ACGIH TLV:0.15 MG/M3;DUST 9293
EPA Rpt Qty:1 LB
DOT Rpt Qty:1 LB

Ingred Name:GRAPHITE, NATURAL
CAS:7782-42-5
RTECS #:MD9659600
Other REC Limits:NONE RECOMMENDED
OSHA PEL:15 MPPCF RDUST
ACGIH TLV:2 MG/M3 RDUST; 9293

=====
===== Hazards Identification =====

Routes of Entry: Inhalation: YES Skin: NO Ingestion: YES
Reports of Carcinogenicity: NTP: NO IARC: NO OSHA: NO
Health Hazards Acute and Chronic: COPPER-METALLIC TASTE, DISCOLORATION OF SKIN & HAIR, "METAL FUME FEVER". COPPER DUST CAN IRRITATE THE UPPER RESPIRATORY TRACT AND MUCOUS MEMBRANES. LEAD-METALLIC TASTE. SEVERE OVEREXPOSURE CAN CAUSE COMA AND DEATH VIA CARDIAC OR RESPIRATORY ARREST. CHRONIC OVEREXPOSURE CAN RESULT IN LEAD POISONING.
Explanation of Carcinogenicity: LEAD IS A PROBABLE HUMAN CARCINOGEN.
Effects of Overexposure: COPPER-NAUSEA AND GASTROINTESTINAL DISTRESS. LEAD-STOMACH CRAMPS, VOMITING AND ANEMIA, LOSS OF APPETITE, METALLIC TASTE, INDIGESTION, ABDOMINAL CRAMPS, NERVOUSNESS, INSOMNIA, WEAK WRISTS AND ANKLES, AND A LEAD-LINE ON THE GUMS. LEAD EXPOSURE CAN INJURE A DEVELOPING FETUS.
Medical Conditions Aggravated by Exposure: RESPIRATORY PROBLEMS IN GENERAL, DERMATITIS AND WILSON'S DISEASE.

=====
===== First Aid Measures =====

First Aid:INHALATION-REMOVE VICTIM TO FRESH AIR, OBTAIN MEDICAL ATTENTION. EYES-FLUSH WITH WATER TO REMOVE PARTICULATE, OBTAIN MEDICAL ATTENTION. SKIN-WASH THOROUGHLY WITH SOAP AND WATER; IF IRRITATION DEVELOPS , OBTAIN MEDICAL ATTENTION. INGESTION-OBTAIN MEDICAL ATTENTION IF QUANTITIES ARE INGESTED.

=====
Fire Fighting Measures
=====

Extinguishing Media:DRY CHEMICAL.

Fire Fighting Procedures:FULL PROTECTIVE EQUIPMENT WITH SELF-CONTAINED BREATHING APPARATUS.

Unusual Fire/Explosion Hazard:DUST MAY PRESENT AN EXPLOSION HAZARD IF FINELY DIVIDED, DISPERSED IN AIR, AND EXPOSED TO A SOURCE OF IGNITION.

=====
Accidental Release Measures
=====

Spill Release Procedures:ANY RELEASE OR SPILL WHICH MAY INVOLVE DUST SHOULD BE VACUUMED OR WET-SWEPT TO AVOID GENERATING AIRBORNE DUST.

=====
Handling and Storage
=====

Handling and Storage Precautions:IN GENERAL NO SPECIAL PRECAUTIONS IN

HANDLING AND STORAGE REQUIRED. HOWEVER, GOOD HOUSEKEEPING PRACTICES SHOULD BE OBSERVED TO PREVENT DUST ACCUMULATE

Other Precautions:NONE

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:USE NIOSH APPROVED RESPIRATOR IF EXPOSURE TO DUST OR FUME IS POSSIBLE.

Ventilation:LOCAL AND/OR GENERAL EXHAUST SHOULD BE USED TO KEEP AIRBORNE CONTAMINANTS BELOW TLV'S.

Protective Gloves:GLOVES OR BARRIER CREAMS MAY BE NEEDED.

Eye Protection:

WEAR APPROVED GOGGLES OR SAFETY GLASSES.

Other Protective Equipment:EYE WASH STATION & SAFETY SHOWER.

Work Hygienic Practices:GOOD HOUSEKEEPING SHOULD BE PRACTICED.

Supplemental Safety and Health

NONE

=====
Physical/Chemical Properties
=====

HCC:N1

Boiling Pt:B.P. Text:3137F,1725C

Melt/Freeze Pt:M.P/F.P Text:621F,327C

Vapor Pres:973 MMHG

Spec Gravity:11.36

Solubility in Water:INSOLUBLE

Appearance and Odor:LEAD

=====
Stability and Reactivity Dat

a =====

Stability Indicator/Materials to Avoid: YES
STRONG OXIDIZERS.

Stability Condition to Avoid: THIS MATERIAL IS STABLE UNDER NORMAL
CONDITIONS OF STORAGE, HANDLING AND USE.

Hazardous Decomposition Products: LEAD OR COPPER FUMES AT HIGH
TEMPERATURES OR ABOVE MELTING POINT.

===== Disposal Considerations =====

Waste Disposal Methods: CONSULT AND FOLLOW LOCAL, STATE AND FEDERAL
REGULATIONS FOR DISPOSAL OF SOLID, ENCAPSULATED OR POWDERED (W
EAR
DEBRIS-TYPICALY DUST) WASTE CONTAINING SPECIFIED HAZARDOUS
INGREDIENTS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assum
e responsibility for the suitability of this information to their
particular situation.