View NSN Online: https://aerobasegroup.com/nsn/8040-00-515-2245

TACC INTERNATIONAL CORP. -- ACCELERATOR -- 8040-00-515-2245

======== Product Identification ===========

Product ID:ACCELERATOR MSDS Date:01/01/1987

FSC:8040

NIIN:00-515-2245

Kit Part:Y

MSDS Number: BPTZP === Responsible Party ===

Company Name:TACC INTERNATIONAL CORP. Address:AIR STATION INDUSTRIAL PARK

Box:390

City:ROCKLAND

State:MA ZIP:02370 Country:US

Info Phone Num:617-878-7015 Emergency Phone Num:617-

878-7015 CAGE:0HZU1

=== Contractor Identification ===

Company Name: TACC INTERNATIONAL CORP Address: AIR STATION INDUSTRIAL PARK

Box:City:ROCKLAND

State:MA ZIP:02370 Country:US

Phone:781-878-7015

CAGE:0HZU1

======= Composition/Information on Ingredients ========

Ingred Name: POLYMERIC ALIPHATIC AMINE

CAS:63512-71-0 Fraction by Wt: 20%

Other REC Limits: NONE SPECIFIED

Ingred Name:ETHANOL

CAS:64-17-5

RTECS #:KQ6300000 Fraction by Wt: 80%

Other REC Limits: NONE SPECIFIED

OSHA PEL:1000 PP

STORE AT 60-95F OUT OF SUN. USE ADEQUATE VENTILATION TO AVOID

BREATHING VAPOR WHEN COVER REMOVED.

Other Precautions: NONE

====== Exposure Con

trols/Personal Protection	=========
---------------------------	-----------

Respiratory Protection:IF VAPORS EXCEED TLV, USE SELF CONTAINED ORGANIC MASK NIOSH APPROVED.

Ventilation:SUFFICIENT TO KEEP WORKROOM CONCENTRATION BELOW TLV.

Protective Gloves: CHEMICAL RESISTANT GLOVES.

Eye Protection: SAFETY GLASSES OR FACE SHIELD.

Other Protective Equipment: BARRIER CREAM FOR SENSITIVE SKIN.

Supplemental Safety and Health

NK

======== Physical/Chemical Properties ==========

HCC:F3

Boiling Pt:B.P. Text:173F,78C

Va

por Pres:44 MM HG Vapor Density:>1 Spec Gravity:0.86

Evaporation Rate & Evaporation R

Solubility in Water:YES

Appearance and Odor:BROWN, AMMONIA LIKE ODOR

Percent Volatiles by Volume:80

======== Stability and Reactivity Data =========

Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS, STRONG ACIDS AND BASES Stability Condition to Avoid:FIRE, SPARKS, STATIC ELECTRICITY Hazardous Decomposition Products:CO AND CO2.

====== Disposal Considerati ons ==========

Waste Disposal Methods:MATERIAL IS DESIGNATED AS HAZARDOUS WASTE UNTIL ALL SOLVENTS AND VAPORS HAVE EVAPORATED. DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS. DRIED ADHESIVE MAY BE DISPOSED OF AS ORDINA RY WASTE.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or im

plied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.