View NSN Online: https://aerobasegroup.com/nsn/8040-00-515-2246

TACC INTERNATIONAL CORP. -- ACCELERATOR AC 102 -- 8040-00-515-2246

Product ID:ACCELERATOR AC 102

MSDS Date:01/01/1987

FSC:8040

NIIN:00-515-2246

Kit Part:Y

MSDS Number: BPTZR === Responsible Party ===

Company Name: TACC INTERNATIONAL CORP. Address: AIR STATION INDUSTRIAL PARK

City:ROCKLAND

State:MA ZIP:02370 Country:US

Info Phone Num:617-878-7015

Emergency Phone Nu

m:617-878-7015/800-424-9300

CAGE:0HZU1

=== Contractor Identification ===

Company Name: TACC INTERNATIONAL CORP Address: AIR STATION INDUSTRIAL PARK

Box:City:ROCKLAND

State:MA ZIP:02370 Country:US

Phone:781-878-7015

CAGE:0HZU1

======= Composition/Information on Ingredients ========

Ingred Name: POLYMERIC ALIPHATIC AMINE


CAS:63512-71-0 Fraction by Wt: 20%

Other REC Limits: NONE SPECIFIED

Ingred Name: ETHYL ALCOHOL (ETHANOL)

CAS:64-17-5

RTECS #:KQ6300000 Fraction by Wt: 80% Other REC Lim



APPROPRIATE ABSORBENT.

=========== Handling and Storage ============================

Handling and Storage Precautions: KEEP CONTAINER CLOSED WHEN NOT IN USE. STORE AT 60-95F OUT OF SUN. USE ADEQUATE VENTILATION TO AVOID BREATHING VAPOR WHEN COVER REMOVED.

Other Precautions:NON

		210 0011110107	i oroonari r			
Respiratory	Protection:IF	VAPORS EX	XCEED TLV	, USE SE	LF CONTAINE	D ORGANIC

====== Fxposure Controls/Personal Protection =========

MASK NIOSH APPROVED.
Ventilation:SUFFICIENT TO KEEP WORKROOM CONCENTRATION BELOW TLV.

Protective Gloves: CHEMICAL RESISTANT GLOVES.

Eve Protection: SAFETY GLASSES OR FACE SHIELD.

Other Protective Equipment: BARRIER CREAM FOR SENSITIVE SKIN.

Supplemental Safety and Health

KEY1:F3.

======== Physical/Chemical Properties ==========

HCC :F3

Boiling Pt:B.P. Text:173F,78C

Vapor Pres:44 @ 20C Vapor Density:>1

Spec Gravity:0.86

Evaporation Rate & Evaporation R

Solubility in Water:YES

Appearance and Odor:BROWN, AMMONIA LIKE ODOR

Percent Volatiles by Volume:80

======== Stability and Reactivity Data ==========

Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS, STRONG ACIDS AND BASES Stability Condition to Avoid:FIRE, SPARKS, STATIC ELECTRICITY Hazardous Decomposition Products:CO AND CO 2.

======= Disposal Considerations ============

Waste Disposal Methods:MATERIAL IS DESIGNATED AS HAZARDOUS WASTE UNTIL ALL SOLVENTS AND VAPORS HAVE EVAPORATED. DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS. DRIED ADHESIVE MAY BE DISPOSED OF AS ORDINA RY WASTE.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of Ame

rica in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.