View NSN Online: https://aerobasegroup.com/nsn/8040-00-714-8223
CLIFTON ADHESIVE INC -- E-1293 -- 8040-00-714-8223

============ Product Identification =========================

Product ID:E-1293 MSDS Date:09/14/1988

FSC:8040

NIIN:00-714-8223

MSDS Number: BPVCH === Responsible Party ===

Company Name: CLIFTON ADHESIVE INC

Address:BURGESS PL

Box:282 City:WAYNE State:NJ ZIP:07470 Country:US

Info Phone Num:201-694-0845

Emergency Phone Num:201-694-0845

CAGE:79833

=== Contractor Identification

===

Company Name: CLIFTON ADHESIVE INC

Address:BURGESS PL

Box:City:WAYNE

State:NJ ZIP:07470 Country:US

Phone:201-694-0845; 973-694-0845

CAGE:79833

======= Composition/Information on Ingredients ========

Ingred Name:TOLUOL (SARA III)

CAS:108-88-3

RTECS #:XS5250000 Fraction by Wt: 10%

Other REC Limits:NONE SPECIFIED OSHA PEL:200 PPM/150 STEL

ACGIH TLV:50 PPM; 9293 EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS

Ingred Name: HEXANE

CAS:110-54-3

RTECS #:MN9275000 Fraction by Wt: 37%

Other R

EC Limits:NONE SPECIFIED

OSHA PEL:500 PPM

ACGIH TLV:50 PPM; 9293

EPA Rpt Qty:1 LB DOT Rpt Qty:1 LB

Ingred Name: METHYL ETHYL KETONE (SARA III)

CAS:78-93-3

RTECS #:EL6475000 Fraction by Wt: 8%

Other REC Limits: NONE SPECIFIED

OSHA PEL:200 PPM ACGIH TLV:200 PPM EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS

Ingred Name: ACETONE (SARA III)

CAS:67-64-1

RTECS #:AL3150000 Fraction by Wt: 20%

Other REC Limits: NONE SPECIFIED

OSHA PEL:1000PPM

ACGIH TLV:750PPM/1000STEL;9293

EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000

LBS

Ingred Name: ABOVE EXPOSURE LIMITS ARE FOR AIR LEVELS ONLY. OVEREXPOS FROM SKIN CONTACT MAY OCCUR THOUGH AIR LEVELS BELOW ABOVE LIMITS RTECS #:9999999ZZ

Other REC Limits: NONE SPECIFIED

========= Hazards Identification =============

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE: NAUSEA AND/OR NARCOSIS. SEVERE EYE BURNS. CHRONIC: MAY CAUSE NERVE DAMAGE OR SEVERE EYE BURNS. MAY DAMAGE LIVER & KIDNEYS. MINOR EMBRYO

TOXIC/FETOTOXIC EFFECTS

LIVER ABNORMALITIES **

OBSERVED IN LABORATORY RATS EXPOSE D TO MEK BY INHALATION AT LEVELS GREATER THAN 1000 PPM (5 TIME OSHA-PEL) FOR MOST OF GESTATION PERIOD. TARGET ORGANS: *

Explanation of Carcinogenicity:N/K * (ANIMAL) LIVER ABNORMALITIES, EYE, KIDNEY, LUNG, SPLEEN, BRAIN DAMAGE. (HUMAN)

Effects of Overexposure:IRRITATION TO EYES AND MUCOUS MEMBRANES. DRY AND CRACKED SKIN, LIQUID INGESTION MAY RESULT IN VOMITING. NUMBNESS, TINGLING AND W

EAKNESS OF ARMS AND LEGS MAY OCCUR.

** CENTRAL NERVOUS SYST EM EFFECTS, PERIPHERAL NERVE TISSUE

DAMAGE.

Medical Cond Aggravated by Exposure:RESPIRATORY AILMENTS, LIVER AND KIDNEY CONDITIONS.

First Aid:IN EMERGENCY SITUATIONS NOTIFY A PHYSICIAN IMMEDIATELY. SKIN: WASH WITH SOAP AND WATER. REFER TO PHYSICIAN IF IRRITATION PERSISTS. EYES: FLUSH EYES ABUNDANTLY WITH CLEAN WATER & REFER TO PHYSICIAN.

IN GESTION: DO NOT INDUCE VOMITING. REFER TO PHYSICIAN.
EXCESSIVE INHALATION: REMOVE PATIENT TO FRESH AIR OR GIVE OXYGEN.
USE CPR IF PATIENT IS NOT BREATHING. REFER TO PHYSICIAN.

============ Fire Fighting Measures ==============

Flash Point Method:CC Flash Point: