View NSN Online: https://aerobasegroup.com/nsn/6750-00-929-8101

CLAYTON CHEMICAL CO. -- C AND H AERIAL FIXER PART A.(DA2121) -- 6750-00-929-8101

Product ID:C AND H AERIAL FIXER PART A.(DA2121)

MSDS Date:07/27/1992

FSC:6750

NIIN:00-929-8101

Kit Part:Y

MSDS Number: BPXFC === Responsible Party ===

Company Name: CLAYTON CHEMICAL CO. Address: 13310 S. FIGUEROA STREET

City:LOS ANGELES

State:CA ZIP:90061 Country:US

Info Phone Num:310

-538-9530

Emergency Phone Num:310-538-9530/800-424-9300(CHEMTREC)

CAGE:61803

=== Contractor Identification ===

Company Name: CLAYTON CHEMICAL CO. Address: 13310 S. FIGUEROA STREET

Box:City:LOS ANGELES

State:CA ZIP:90061 Country:US

Phone:310-538-9530/800-424-9300(CHEMTREC)

CAGE:61803

Company Name: CLAYTON CHEMICAL CO., A DIV OF VARICHEM CORP

Address:RR 1 Box:276-Z

City:HEATHSVILLE

State:VA ZIP:22473 Country:US

Phone:703-759-9399

CAGE:6W820

===== Composition/Information on Ingredients ====

=======

Ingred Name: AMMONIUM THIOSULFATE

CAS:7783-18-8

RTECS #:XN6465000 Fraction by Wt: 45-50%

Other REC Limits: NONE SPECIFIED

Ingred Name:SODIUM SULFITE

CAS:7757-83-7

RTECS #:WE2150000 Fraction by Wt: 5-7%

Other REC Limits: NONE SPECIFIED

Ingred Name: ACETIC ACID (SARA III)

CAS:64-19-7

RTECS #:AF1225000 Fraction by Wt: 1-5%

Other REC Limits: NONE SPECIFIED

OSHA PEL:10 PPM

ACGIH TLV:10 PPM/15 STEL; 9293

EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS

=========== Hazards Identification

Routes of Entry: Inhalation:NO Skin:NO Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:EYES: MAY CAUSE IRRITATION. SKIN: NO DERMAL IRRITATION AS PER TEST PERFORMED. INHALATION: NORMALLY NO PROBLEM. INHALATION OF MIST COULD CAUSE RESPIRATORY IRRITATION. INGESTION: MAY CAUSE IRRITATION OF MUCOUS MEMBRANES OR DIGESTIVE TRACT.

Explanation of Carcinogenicity:NOT LISTED.


Effects of Overexposure: EYES: IRRITATIO

N. SKIN: NO SYMPTOMS.

INHALATION: RESPIRATORY TRACT IRRITATION. INGESTION: MUCOUS MEMBRANE AND DIGESTIVE TRACT IRRITATION.

Medical Cond Aggravated by Exposure:PERSONS WITH PRE-EXISTING DISEASE INVOLVING THE EYES, SKIN, OR RESPIRATORY TRACT MAY BE AT INCREASED RISK FROM EXPOSURE.

First Aid:EYES: FLUSH WITH LARGE AMOUNTS OF WATER. GET MEDICAL ATTENTION. SKIN: REMOVE CONTAMINATED CLOTHING. FLUSH AREA WITH



Work Hygienic Practices: WASH AFTER HANDLING AND BEFORE EATING, DRINKING, OR SMOKING. LAUNDER CONTAMINATED CLOTHING BEFORE REUSE. Supplemental Safety and Health

KEY1: C3, THIS ENTRY DESCRIBES PART A OF A TWO PART KIT. SEE P/N INDICATOR E, THIS NSN

, FOR PART B DATA.
========= Physical/Chemical Properties ==========
HCC:C3 Boiling Pt:B.P. Text:212F,100C Vapor Pres:= WATER Vapor Density:= WATER Spec Gravity:1.352 pH:5.30 Evaporation Rate & Amp; Reference: SAME AS WATER.
Solubility in Water:100% Appearance and Odor:PALE STRAW COLOR LIQUID. SWEET SULFUR DIOXIDE ODOR. Percent Volatiles by Volume:=WATER
========= Stability and Reactivity Data =========
Stability Indicator/Materials to Avoid:YES STRONG ALKA LIES, OXIDIZERS. Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER. Hazardous Decomposition Products:OXIDES OF SULFUR, CARBON DIOXIDE, CARBON MONOXIDE, AMMONIA. Conditions to Avoid Polymerization:WILL NOT OCCUR.
======= Disposal Considerations ==========
Waste Disposal Methods:RECOVER NONUSABLE LIQUID, CONTAMINATED WATER, NONUSABLE SOLID MATERIAL, CONTAMINATED SOIL FOR DISPOSAL IN APPROVED AND PERMITTED TREATMENT SYSTEM OR LANDFILL. DISCHARGE TO

SEWER REQUIRES APPROVAL OF P ERMITTING AUTHORITY AND MAY REQUIRE PRETREATMENT.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and ass

ume responsibility for the suitability of this information to their particular situation.	