

GREAT LAKES CHEMICAL CORPORATION -- GREAT LAKES HALON 1211 -- 4210-01-321-2292  
===== Product Identification =====

Product ID:GREAT LAKES HALON 1211  
MSDS Date:01/01/1985  
FSC:4210  
NIIN:01-321-2292  
MSDS Number: BPXHD  
=== Responsible Party ===  
Company Name:GREAT LAKES CHEMICAL CORPORATION  
Address:HIGHWAY 52 NW  
Box:2200  
City:WEST LAFAYETTE  
State:IN  
ZIP:47906  
Country:US  
Info Phone Num:317-463-2511  
Emer  
gency Phone Num:501-862-5141 OR 317-463-2511  
Preparer's Name:RESEARCH SERVICES DEPT.  
CAGE:2E394  
=== Contractor Identification ===  
Company Name:GREAT LAKES CHEMICAL CORP  
Address:1801 HWY 52 NW  
Box:2200  
City:WEST LAFAYETTE  
State:IN  
ZIP:47996-2200  
Country:US  
Phone:765-497-6100/800-949-5167  
CAGE:2E394

===== Composition/Information on Ingredients =====

Ingred Name:BROMOCHLORODIFLUOROMENTHANE  
CAS:353-59-3  
RTECS #:PA5250500  
Fraction by Wt: >99%.

===== Hazards Ident

ification =====

LD50 LC50 Mixture:211.2 MG/1 FOR RATS W/4HRS EXPOSURE

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:AT CONCENTRATIONS ABOVE 4 PERCENT, HALON 1211 CAN PRODUCE DIZZINESS, IMPAIRED COORDINATION, AND CARDIAC EFFECTS.

Effects of Overexposure:EXPOSURE FOR MORE THAN A FEW MINUTES, ABOVE 4 PERCENT (17 LB/1000 CU.FT. AIR) CAN PRODUCE DIZZINESS, IMPAIRED COORDINATION AND CARDIAC EFFECTS.

ION AND CARDIAC EFFECTS.

Medical Cond Aggravated by Exposure:CARDIAC CONDITIONS MAY BE AGGRAVATED BY OVER EXPOSURE.

===== First Aid Measures =====

First Aid:REMOVE VICTIM TO FRESH AIR. GIVE SYMPTOMATIC AND SUPPORTIVE CARE. GET MEDICAL ATTENTION. NOTE: ADRENALIN IS CONTRAINDICATED IN THE TREATMENT OF OVEREXPOSURE TO HALON 1211.

===== Fire Fighting Measures =====

Flash Point:NONFLAMMBLE GAS

Extinguishing Media:

HALON 1211 IS A FIRE EXTINGUISHING AGENT

Fire Fighting Procedures:AT FLAME TEMPERATURE, HALON 1211 MAY RELEASE HYDROGEN HALIDES AND HALOGENS IN TRACE AMOUNTS.

Unusual Fire/Explosion Hazard:PRODUCTS ARE IRRITATING & POTENTIALLY TOXIC IF FIRE EXTINGUISHMENT IS DELAYED. PREDOMINANT DECOMPOSITION PRODUCTS ARE HYDROGEN CHLORIDE/HYDROGEN BROMIDE.

===== Accidental Release Measures =====

Spill Release Procedures:VENTILATE ENCLOSED AREAS IN CASE OF INADVERTEN

T OR DELIBERATE DISCHARGE OF HALON 1211.

===== Handling and Storage =====

Handling and Storage Precautions:AVOID CONTAINER DAMAGE.

Other Precautions:NONE

===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE SELF CONTAINED BREATHING APPARATUS IF EXPOSED TO CONCENTRATIONS GREATER THAN 4 PERCENT.

Ventilation:ALL INDOOR AREAS SHOULD BE WELL VENTILATED

Protective Gloves:NONE

Eye Protection:NONE

Other Protective Equip

ment:NONE

Work Hygienic Practices:DETERMINE THAT PIPING IS EMPTY BEFORE DOING MAINTENANCE WORK.

Supplemental Safety and Health  
NK

===== Physical/Chemical Properties =====

HCC:G3

Boiling Pt:B.P. Text:24.8F,-4.0C

Vapor Pres:1770 @ 68F

Vapor Density:5.8 @ 68F

Spec Gravity:1.83

Solubility in Water:INSOLUBLE

Appearance and Odor:COLORLESS GAS AND LIQUID WITH SWEET ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials

to Avoid:YES

ACTIVE METALS, AND FIRES OF METAL HYDRIDES.

Stability Condition to Avoid:CONTACT WITH ACTIVE METALS, FIRE OF METAL HYDRIDES AND MATERIAL CONTAINING OWN OXYGEN.

Hazardous Decomposition Products:HYDROGEN HALIDES AND HALOGENS AT FLAME TEMPERATURES IN TRACE AMOUNTS

===== Disposal Considerations =====

Waste Disposal Methods:DISPERSES IN ATMOSPHERE.

Disclaimer (provided with this information by the compiling agencies):

This information is formu

lated for use by elements of the Department

of Defense. The United States of America in no manner whatsoever,

expressly or implied, warrants this information to be accurate and

disclaims all liability for its use. Any person utilizing this

document should seek competent professional advice to verify and

assume responsibility for the suitability of this information to their

particular situation.