

SUPERIOR GAS & EQUIPMENT CO INC -- CARBON DIOXIDE (CO\*2): TECHNICAL -- 8120-00-268-3362

=====  
Product Identification  
=====

Product ID:CARBON DIOXIDE (CO\*2): TECHNICAL

MSDS Date:08/09/1991

FSC:8120

NIIN:00-268-3362

MSDS Number: BPXWV

=== Responsible Party ===

Company Name:SUPERIOR GAS & EQUIPMENT CO INC

Address:6 J TIOSEJO ST

City:MANDALUYONG, METRO MANILA, PHILIPPINES

Info Phone Num:78-49-86 TO 9

1

Emergency Phone Num:78-49-86 TO 91

Preparer's Name:HESTITUTO T. CHAVEZ

CAGE:SGASE

=== Contractor Identification ===

Company Name:SUPERIOR GAS & EQUIPMENT CO INC

Address:6 J TIOSEJO ST

Box:City:MANDALUYONG, METRO MANILA, PHILIPPINES

Phone:78-49-86 TO 91

CAGE:SGASE

=====  
Composition/Information on Ingredients  
=====

Ingred Name:CARBON DIOXIDE

CAS:124-38-9

RTECS #:FF6400000

OSHA PEL:5000 PPM

ACGIH TLV:5000PPM/30000STEL;93

=====  
Hazards Identification  
=====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:HIGH CONCENTRATIONS ARE DANGEROUS DUE  
TO THEIR EFFECT IN DILUTION OR DEPLETING OXYGEN CONTENT OF AIR.

AVOID CONTACT IN SKIN/EYES WITH LIQUID CO\*2 WHICH WILL RESULT IN  
FROSTBITE.

Explanation of Carcinogenicity:NOT RELEVANT

Effects of Overexposure:HIGH CONCENTRATIONS WILL RESULT IN

ASPHYXIATION. FROSTBITE WILL RESULT IN SKIN & EYES IN CONTACT WITH LIQUID CARBON DIOXIDE.

Medical Cond Aggravated by Exposure:WE HAVE NO DATA AVAILABLE.

===== First Aid Measures =====

First Aid:INHAL: REMOVE PERSON @ ONCE TO UNCONTAMINATED AREA, APPLY ARTF RESP IMMED IF BREATHING CEASED & CALL PHYS. INGEST: CALL MD IMMED . SKIN: FLUSH WITH COPIOUS AMOUNTS OF WATER. CALL MD . EYES : IMMED FLUSH WITH POTABLE WATER FOR A MINIMUM OF 15 MIN, SEEK ASSISTANCE FROM MD .

===== Fire Fighting Measures =====

Flash Point:NONE  
Lower Limits:NONE  
Upper Limits:NONE  
Extinguishing Media:MEDIA SUITABLE FOR SURROUNDING FIRE .  
Fire Fighting Procedures:WEAR NIOSH/MSHA APPROVED SCBA AND FULL PROTECTIVE EQUIPMENT . NON-FLAMMABLE LIQUIFIED COMPRESSED GAS. KEEP AWAY FROM SOURCES OF HEAT.  
Unusual Fire/Explosion Hazard:KEEP AWAY FROM SOURCES OF HEAT.

===== Accidental Release Measures =====  
=====

Spill Release Procedures:CONTAMINATED AREAS SHOULD BE EVACUATED & DILUTED W/ATMOSPHERIC AIR BY OPENING WINDOWS/OPERATING EXHAUST BLOWERS/VENTILATION FAN. AVOID CONTACT W/LIQUID CARBON DIOXIDE.  
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN WELL VENTILATED AREA AND AWAY FROM SOURCES OF HEAT.  
Other Precautions:APPROPRIATE WARNING SIGNS OUTSIDE OF AREAS WHERE HIGH CONCENTRATIONS OF CARBON DIOXIDE GAS MAY OCCUR SHOULD BE AFFIXED. AVOID CONTACT WITH LIQUID CARBON DIOXIDE.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NIOSH/MSHA APPROVED GAS MASKS (SELF-CONTAINED TYPE OR WITH OUTSIDE CLEAN AIR SOURCE).  
Ventilation:LOCAL EXHAUST: ATMOSPHERIC VENTILATION. MECH(GEN): AIR BLOWER/FAN.  
Protective Gloves:HEAVY GLOVES.  
Eye Protection:CHEM WORK GOG & FULL LENGTH FSHLD.  
Other Protective Equipment:USE RU

BBER BOOTS OR SAFETY SHOES.

Work Hygienic Practices:TAKE SHOWER OR WASH HANDS BEFORE EATING.

Supplemental Safety and Health

NONE SPECIFIED BY MANUFACTURER.

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:-109F,-79C

Melt/Freeze Pt:M.P/F.P Text:-70F,-57C

Vapor Pres:838PSIG

Vapor Density:1.529

Spec Gravity:1.101(H\*2O=1)

Solubility in Water:0.169%@68F

Appearance and Odor:COLORLESS; NO OBJECTIONABLE ODOR; LIQUID FOAM.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
NONE.

Stability Condition to Avoid:TEMPERATURES ABOVE 120F; DROPPING OF  
CONTAINER.

Hazardous Decomposition Products:NONE.

===== Disposal Considerations =====

Waste Disposal Methods:BRING OUT TO OPEN SPACE DEFECTIVE CONTAINER &  
RELEASE CONTENTS. DISPOSE OF ACCORDANCE WITH FEDERAL, STATE AND  
LOCAL REGULATIONS .

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.