View NSN Online: https://aerobasegroup.com/nsn/7930-00-132-5265

FRANK MILLER & SONS, INC. -- GSA TYPE I SWEEPING COMPOUND -- 7930-00-132-5265

Product ID:GSA TYPE I SWEEPING COMPOUND MSDS Date:06/26/1991 FSC:7930 NIIN:00-132-5265 **MSDS Number: BPYCP** === Responsible Party === Company Name: FRANK MILLER & SONS, INC. Address:13831 SOUTH EMERALD AVENUE City:CHICAGO State:IL ZIP:60627 Country:US Info Phone Num:312-468-3500 Emergency Phone Num:312-468-3500 Preparer's Name: RICHARD L KUDIA CAGE:DO285 === Contractor Identification === Company Name: FRANK MILLER & SONS, INC Address:13831 SOUTH EMERALD AVENUE City:CHICAGO State:IL ZIP:60627 Phone:312-468-3500 CAGE:DO285

Ingred Name:PETROLEUM DISTILLATES CAS:8002-05-9 RTECS #:SE7449000 Fraction by Wt: 10-14% Other REC Limits:NONE SPECIFIED

Ingred Name:SAWDUST (9004-34-6 FOR CELLULOSE) CAS:9004-34-6 RTECS #:FJ5 691460 Fraction by Wt: 35-45% Other REC Limits:NONE SPECIFIED

Ingred Name:SAND CAS:112945-52-5 RTECS #:VV7310000 Fraction by Wt: 35-45% Other REC Limits:NONE SPECIFIED

Health Hazards Acute and Chronic: EYE IRRITATION. SKIN IRRITATION OR DERMATITIS.

First Aid:RINSE EYE WITH COPIOUS AMOUNTS OF WATER, SEEK PHYSICIAN IF NECESSARY. WASH SKIN WITH SOAP A ND WATER.

Autoignition Temp:Autoignition Temp Text:>250F Extinguishing Media:NORMAL AGENTS FOR EXTINGUISHING WOOD FIRE--WATER SPRAY, CARBON DIOXIDE, DRY CHEMICAL.

Fire Fighting Procedures:MATERIAL WILL SUPPORT COMBUSTION. MAY BE DRENCHED WITH WATER TO REDUCE FIRE HAZARD.

Unusual Fire/Explosion Hazard:MATERIAL MAY SMOLDER AFTER IT IS INVOLVED IN A FIRE. SPREAD MATERIAL OUT AND BE SURE FIRE IS EXTINGUISHED.

Spill Release Procedures:SWEEP UP MATERIAL AND RETURN TO CONTAINER OR DISCARD.

Neutralizing Agent:NONE

======

Handling and Storage Precautions: KEEP OUT OF REACH OF CHILDREN. KEEP
CONTAINER CLOSED WHEN NOT IN USE. STORE IN A COOL, DRY PLACE. USE
NORMAL GOOD HOUSEKEEPING PRACTICES.
Other Precautions: READ LABEL CAUTIONS AND DIRECTIONS BEFORE REUSE.

===============

Exposure Controls/Personal Protection ===========

Respiratory Protection:USUALLY NOT REQUIRED Ventilation:FRESH AIR Protective Gloves:RECOMMENDED FOR SENSITIVE SKIN-PETROLEUM Eye Protection:GENERALLY NOT REQUIRED Supplemental Safety and Health

HCC:V7 Spec Gravity:4.30 LB/GL Solubility in Water:INSOLUBLE Appearance and Odor:BROWN TO TAN GRANULAR MATERIAL, SLIGHT PETROLEUM ODOR

================ Stability and Reactiv

Stability Indicator/Materials to Avoid:YES STRONG OXIDIZERS Stability Condition to Avoid:IGNITION SOURCES Hazardous Decomposition Products:CARBON DIOXIDE AND CARBON MONOXIDE IF BURNED

Waste Disposal Methods:MATERIAL MAY BE DUMPED BUT FOLLOW LOCAL POLLUTION ORDINANCES.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.