View NSN Online: https://aerobasegroup.com/nsn/6830-00-174-9677 PECA PRODUCTS INC -- VARI-AIR PLUS (R22, FREON 22) -- 6830-00-174-9677 Product ID: VARI-AIR PLUS (R22, FREON 22) MSDS Date: 08/01/1987 FSC:6830 NIIN:00-174-9677 MSDS Number: BPYDC === Responsible Party === Company Name: PECA PRODUCTS INC Address:1441 PLAINFIELD AVE City: JANESVILLE State:WI ZIP:53545 Country:US Info Phone Num:608-765-1615 Emergency Phone Num:608-765 -1615 CAGE:0LK40 === Contractor Identification === Company Name: PECA PRODUCTS INC Address:1441 PLAINFIELD AVE Box:City:JANESVILLE State:WI ZIP:53545 Country:US Phone:608-765-1615 CAGE:0LK40 ======= Composition/Information on Ingredients ======== Ingred Name: CHLORODIFLUOROMETHANE

CAS:75-45-6

RTECS #:PA6390000 Fraction by Wt: 100% OSHA PEL:1000 PPM

ACGIH TLV:1000PPM; 9192 Ozone Depleting Chemical:2

LD50 LC50 Mixt

ure:LC50 IS >200,000 PPM

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:PRODUCT IS NEITHER CORROSIVE NOR AN IRRITANT. AS A LIQUID IT WILL EVAPORATE FAST ENOUGH TO CAUSE FREEZING (FROSTBITE). VAPOR IS HEAVIER THAN AIR AND CAN CAUSE SUFFOCATION BY REDUCING AVAILABLE OXYGEN, OR MAY CAUSE FATAL CARDIAC ARRHYTHMIAS. SNIFFING FLUOROCARBONS FOR THEIR INTOXICATING EFFECT HAS CAUSED HUMAN D

EATHS.

Explanation of Carcinogenicity: NOT LISTED AS A CARCINOGEN BY IARC, NTP OR OSHA.

Effects of Overexposure:BREATHING HIGH CONCENTRATIONS OF VAPOR MAY CAUSE LIGHT-HEADEDNESS, GIDDINESS, SHORTNESS OF BREATH, AND MAY LEAD TO NARCOSIS, CARDIAC IRREGULARITIES, UNCONSCIOUSNESS OR DEATH. LIQUID CAN CAUSE FREEZING OF TISSUES CONTACTED.

Medical Cond Aggravated by Exposure:PEOPLE WITH HEART OR RESPIRATORY DISORDERS MAY BE ESPECIALLY SUSCEPTABLE TO THE EFFECTS OF THIS PRODUCT.

======== F	First Aid Measures	=======================================
------------	--------------------	---

First Aid:EYE:FLUSH W/ WATER 15 MIN HOLD LIDS OPEN SEE A DOCTOR. SKIN:WASH WITH SOAP & WATER. INHAL:REMOVE TO FRESH AIR. RESTORE BREATHING, AS NEEDED. DO NOT GIVE EPINEPHRINE OR SIMILAR DRUGS. INGEST: (HIGHLY U NLIKELY) DO NOT INDUCE VOMITING. GET IMMEDIATE MEDICAL CARE. IF ANY SYMPTOMS PERSISTS, SEE A DOCTOR.

======== F	Fire Fighting Measures	=======================================
------------	------------------------	---

Flash Point: NON-FLAMMABLE

Auto

ignition Temp:Autoignition Temp Text:NONE

Extinguishing Media: USE MEDIA SUITABLE FOR SURROUNDING FIRE.

Fire Fighting Procedures: WEAR SELF CONTAINED BREATHING APPARATUS AND PROTECTIVE CLOTHING.

Unusual Fire/Explosion Hazard:CONTAINERS MAY RUPTURE AT FIRE TEMPERATURE. ALSO PRODUCES TOXIC VAPORS AT FIRE TEMPERATURES. UNDER LAB CONDITIONS, FORMS WEAKLY COMBUSTABLE MIXTURES WITH AIR.

	Accidental Release Measures	
--	-----------------------------	--

Spill Release Procedures: VENTILATE A

ALKALI AND ALKALINE EARTH METALS AND FINELY DIVIDED REACTIVE METALS. Stability Condition to Avoid:HEAT SUCH AS FLAMES OR HOT METAL SURFACES. Hazardous Decomposition Products:DECOMPOSED BY HIGH TEMPERATURES (OPEN FLAMES, GLOWING METAL SURFACES, ETC.) FORMING HYDROCHLORIC AND HYDROFLUORIC ACIDS.

======= Disposal Considerations ===========

Waste Disposal Methods:DISPOSE I/A/W FEDERAL, STATE, LOCAL REGULATIONS.

Disclaimer (pro

vided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.