View NSN Online: https://aerobasegroup.com/nsn/2040-00-274-6215

TARACORP INDUSTRIES, EVANS METAL DIV -- LEAD (FABRICATIONS/FORMS);N/L 001

2040-00-274-6215

============= Product Identification ==================

Product ID:LEAD (FABRICATIONS/FORMS);N/L 001

MSDS Date:03/01/1992

FSC:2040

NIIN:00-274-6215

MSDS Number: BPYGW === Responsible Party ===

Company Name: TARACORP INDUSTRIES, EVANS METAL DIV

Address:740 LAMBERT DR NE

City:ATLANTA

State:GA

ZIP:30324-4126

Country:US

Info Phon

e Num:404-875-5636

Emergency Phone Num:404-875-5636 800-424-9300(CHEMTREC)

CAGE:27177

=== Contractor Identification ===

Company Name: TARACORP INDUSTRIES, EVANS METAL DIV

Address:740 LAMBERT DR NE

Box:City:ATLANTA

State:GA

ZIP:30324-4126

Country:US

Phone:800-241-4590

CAGE:27177

======= Composition/Information on Ingredients ========

Ingred Name:LEAD (SARA III)

CAS:7439-92-1

RTECS #:OF7525000 Fraction by Wt: >99.8%

Other REC Limits: NONE RECOMMENDED

OSHA PEL:0.05 MG/M3;1910.1025

ACGI

H TLV:0.15 MG/M3;DUST 9293 EPA Rpt Qty:1 LB DOT Rpt Qty:1 LB

========= Hazards Identification ===============

LD50 LC50 Mixture:ORAL LD50 (RAT) IS 6789MG/KG Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:NO

Health Hazards Acute and Chronic:EXPOSURE TO SOLID FORM PRESENTS FEW HEALTH HAZARDS.NORMAL HANDLING OR PROCESSING OF THIS MATERIAL MAY RESULT IN THE GENERATION OF LEAD DUST AND/ OR FUMES. PROLONGED

OVEREXPOSURE TO LEAD DUSTS OR FUMES CAN RESULT IN SYSTEMIC LEAD POISONING.CHRONIC:MAY DAMAGE BLOOD FORMING ORGANS,NERVOUS,KIDNEYS AND REPRODUCTIVE SYSTEMS.

Explanation of Carcinogenicity:LEAD IS A CARCINOGEN WHICH HAS BEEN LISTED BY NTP,IARC AND EPA.LEAD IS TOXIC TO THE FETUS.

Effects of Overexposure:METALLIC TASTE, ANEMIA, INSOMNIA, WEAKNESS, CONSTIPATION, ABDOMINAL PAIN, GASTROINTESTINAL DISORDERS, JOINT & MUSCLE PAINS, & MUSCULAR WEAKNESS. SEVERE OVEREXPOSURE MAY LEAD TO

CENTRAL NERVOUS SYSTEM D ISORDERS, CHARACTERIZED BY DROWSINESS, STUPOR & ULTIMATELY DEATH. UNUSUAL CHRONIC TOXICITY-DEPRESSION OF BLOOD-FORMING.

Medical Cond Aggravated by Exposure:DISEASES OF THE SKIN,EYES,BLOOD FORMING ORGANS,KIDNEYS, NERVOUS & REPRODUCTIVE SYSTEM MAY BE AGGRIVATED BY EXPOSURE TO THIS PRODUCT.

First Aid:SKIN:REMOVE CONTAMINATED CLOTHING;WASH WITH SOAP AND WATER.EYES:FLUSH WITH WATER

FOR 15 MINUTES.IF IRRITATION

PERSISTS,GET MEDICAL ATTENTION.INHAL:REMOVE TO FRESH AIR.GIVE OXYGEN OR ARTIFICIAL RESPIRA TION IF NEEDED.INGEST:GET PROMPT QUALIFIED MEDICAL ATTENTION.IF CONSCIOUS (AND NOT CONVULSING),GIVE WATER AND INDUCE VOMITING.

========== Fire Fighting Measures ===============

Flash Point:NONE

Extinguishing Media:USE MEDIA APPROPRIATE FOR SURROUNDING FIRE. Fire Fighting Procedures:USE A SELF-CONTAINED BREATHING APPARATUS AND FULL PROTE

CTIVE EQUIPMENT. Unusual Fire/Explosion Hazard:NEVER MIX MOLTEN METAL WITH WATER;IT WILL EXPLODE.FIRE CONDITIONS MAY EVOLVE TOXIC FUMES.
======== Accidental Release Measures =========
Spill Release Procedures: VENTILATE AREA. USE PROPER PROTECTIVE AND RESPIRATORY EQUIPMENT. SWEEP OR VACUUM, USING A HEPA FILTER; DO NOT CREATE DUST; PLACE IN A DRY CONTAINER FOR DISPOSAL. CLEAN SPILL AREA WITH WATER. DO NOT CONTAMINA TE WATERWAYS. Neutralizing Agent: NOT APPLICABLE.
= ====================================
Handling and Storage Precautions:STORE IN A COOL,DRY,WELL-VENTILATED PLACE.KEEP CONTAINER CLOSED WHEN NOT IN USE.KEEP AWAY FROM INCOMPATIBLE MATERIALS. Other Precautions:**KEEP AWAY FROM FOOD** A PRE-EMPLOYMENT ACCESSMENT SHOULD BE PERFORMED IAW THE OSHA LEAD STANDARD 29CFR1910.1025.SPILLS SHOULD BE REPORTED TO THE NATIONAL RESPONSE CENTER AT 800-424-8802.
======= Exposure Controls/Personal Protection ========
Respiratory Protection:WHERE ENVIRONMENTAL CONTROLS ARE LACKING OR IN ENCLOSED SPACES USE EITHER A SELF-CONTAINED BREATHING APPARATUS OR A NIOSH/MSHA APPROVED RESPIRATOR FOR LEAD FUMES, DEPENDING ON THE AIRBORN CONCENTRATION. Ventilation:USE GENERAL DILUTION VENTILATION. Protective Gloves:IMPERVIOUS Eye Protection:SAFETY GLASSES OR GOGGLES.
Other Protective Equipment:PROTECTIVE CLOTHING,AS NEEDED.PROVIDE A LOCAL EYE WASH STATION AND SAFETY SHOWER.
Work Hygienic P ractices:WASH HANDS.SEPERATE WORK CLOTHES FROM STREET CLOTHES.LAUNDER WORK CLOTHES BEFORE REUSE.KEEP FOOD OUT OF THE WORK AREA.
Supplemental Safety and Health NONE
========= Physical/Chemical Properties ==========
HCC:T6 Boiling Pt:B.P. Text:3171F,1744C Melt/Freeze Pt:M.P/F.P Text:622F,328C Spec Gravity:11.34 Solubility in Water:INSOLUBLE Appearance and Odor:SOLID;SILVER METALLIC TO GRAY METALLIC METAL;NO ODOR.
========= Stability and Reactivity Data =

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZERS, HYDROGEN PEROXIDE, ACTIVE METALS(EG.SODIUM, POTASSIUM).AMMONIUM NITRATE(EXPLODES).
Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER.

Hazardous Decomposition Products:LEAD OXIDE FUMES ABOVE THE MELTING POINT.

======= Disposal Considerations ==========

Waste Disposal Methods:RECYCLE WHERE POSSIBLE.DISPOSE OF IN ACCORDANCE WITH FEDERAL,STATE AND LOCAL REGULATIONS.CONSIDER RCRA CODE D008.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their

particular situation.