Product ID:FLEXIBLE GRAPHITE FILLED FLEXSEAL (VOGT P/N MSDS Date:04/23/1990 FSC:5330 NIIN:00-759-0550 MSDS Number: BQCTB === Responsible Party === Company Name: FURON CO Address:METALLIC GASKET DIV Box:15639 **City:HOUSTON** State:TX ZIP:77220 Country:US Info Phone Num:800-972-7638 Emergency Phone Num:800-972-7638 CAGE:12599 === Contractor Identification === Company Name: FURON CO Address:3340 E LA PALMA AVE Box:3339 **City:ANAHEIM** State:CA ZIP:92803-3339 Country:US Phone:714-772-7920 CAGE:12599 Company Name: FURON CO, METALLIC GASKET DIV Address:1977 KINDRED ST Box:City:HOUSTON State:TX ZIP:77049 Country:US Phone:713-458-5830 CAGE:4V062 Company Name: GOLDNER HERMAN CO INC Address:7777 BREWSTER AVE Box:City:PHILADELPHIA State:PA ZIP:19153-3210 Country:US CAGE:84409 Company Name: HENRY VOG

T MACHINE CO Address:1000 W ORMSBY Box:City:LOUISVILLE State:KY ZIP:40210 Country:US CAGE:63220

======= Composition/Information on Ingredients ==========

Ingred Name:GRAPHITE, NATURAL CAS:7782-42-5 RTECS #:MD9659600 Other REC Limits:NONE RECOMMENDED OSHA PEL:15 MPPCF RDUST ACGIH TLV:2 MG/M3 RDUST; 9293

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:GRAPHITE FIBERS ARE CONFINED AND GENERALLY DO NOT GENERATE DUST. PROLONGED OR REPEATED BREATHING OF ANY DUST PRODUCED MAY RESULT IN PNEUMONICONIOSIS. Explanation of Carcinogenicity:NONE Effects of Overexposure:NONE SPECIFIED BY MANUFACTURER. HMIS: COUGHING, WHEEZING, DIFFICULTY IN BREATHING (PNEUMONICONIOSIS). Medical Cond Aggravated by Exposure:DUST MAY AGGRAVATE PRE-EXISTING RESPIRATORY AILMENTS.

==================

First Aid:NONE SPECIFIED BY MANUFACTURER. HMIS-INHALED: REMOVE PERSON TO FRESH AIR. EYES: FLUSH WITH WATER FOR 15 MINUTES. SEE DOCTOR. SKIN: WASH WITH SOAP AND WATER. INGESTED: CALL DOCTOR.

Extinguishing Media:MEDIA APPROPRIATE FOR SURROUNDING FIRE. Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS AND PROTECTIVE CLOTHING. Unusual Fire/Explosion Hazard:NONE

====== Accid

ental Release Measures ================

Spill Release Procedures: SWEEP UP AND PLACE IN CONTAINER FOR DISPOSAL. Neutralizing Agent: NONE

Handling and Storage Precautions:DO NOT GRIND OR PULVERIZE. PREVENT DUSTY CONDITIONS. Other Precautions:NONE

Respiratory Protection:NONE NORMALLY REQUIRED. IF ENGINEERING CONTROLS FAIL OR NON-ROUTINE USE OR EMERGE
NCY CONDITIONS OCCUR; USE
NIOSH/MSHA APPROVED RESPIRATOR FOR DUST. USE IN ACCORDANCE WITH 29 CFR 1910.134.
Ventilation:LOCAL EXHAUST IS RECOMMENDED TO MAINTAIN EXPOSURE TO AIRBORNE MATERIAL BELOW REGULATORY LIMITS.
Protective Gloves:NONE
Eye Protection:SAFETY GLASSES
Other Protective Equipment:NONE
Work Hygienic Practices:WASH HANDS AFTER USE AND BEFORE EATING, DRINKING, OR SMOKING.

Supplemental Safety and Health

==

HCC:N1 Spec Gravity:6.61 Solubility in Water:NEGLIGIBLE Appearance and Odor:ALTERNATING METALLIC/NONETALLIC PLIES, SILVER/DARK GREY; ODORLESS Percent Volatiles by Volume:0

Stability Indicator/Materials to Avoid:YES NONE Stability Condition to Avoid:NONE Hazardous Decomposition Products:NONE

Waste Disposal Methods: DISPOSE OF IN ACCORDANCE WITH LOCAL,

STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this info rmation to their particular situation.