View NSN Online: https://aerobasegroup.com/nsn/5330-00-969-8486

Product ID:AN-890 ASBESTOS ACCOPAC

MSDS Date:08/15/1986

FSC:5330

NIIN:00-969-8486

MSDS Number: BQCTT === Responsible Party ===

Company Name: ARMSTRONG WORLD INDUSTRIES INC

Address:W LIBERTY AND CHARLOTTE ST

Box:3001

City:LANCASTER

State:PA ZIP:17604 Country:US

Info Phone Num:717-396-272

a

Emergency Phone Num:717-396-2729

Preparer's Name:D. E. BOUDER

CAGE:03938

=== Contractor Identification === Company Name:AR BEE CORP Address:2455 AMERICAN LN Box:City:ELK GROVE VILLAGE

State:IL

ZIP:60007-6263 Country:US

Phone:312-595-7334

CAGE:52993

Company Name: ARMSTRONG WORLD INDUSTRIES, INC.

Address:313 W. LIBERTY ST.

Box:3209

City:LANCASTER

State:PA ZIP:17604 Country:US

Phone:717-396-2328; 717-396-2935

CAGE:03938

====== Composition/Information on Ingredients ========

Ingred

Name: ASBESTOS, CHRYSOTILE CAS:12001-29-5 RTECS #:CI6478500 Other REC Limits: NONE RECOMMENDED OSHA PEL:0.2 FIBERS/CC ACGIH TLV:2 FIBERS/CC; A1;9293 Ingred Name: SYNTHETIC RUBBER Other REC Limits: NONE RECOMMENDED ========== Hazards Identification ================ Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Health Hazards Acute and Chronic:ACUTE:MINOR EYS/SKIN IRRITATION. INGESTION- IRRITATION OF GI TRACT. INHALATION-IRRITATION OF RESPIRATORY TRACT. CHRONIC: ASBESTOSIS, LUNG CANCER, & MESOTHELIOMA, ALL OF WHICH ARE DISABLING AND FATAL D ISEASES OF THE LUNG. INHALATION AND INGESTION OF ASBESTOS FIBERS MAY CAUSE CANCER OF THE BOWEL. Explanation of Carcinogenicity: THIS PRODUCT CONTAINS ASBESTOS [12001-29-5], AN OSHA REGULATED CARCINOGEN. Effects of Overexposure: INHALATION: FATIGUE AND SHORTNESS OF BREATH THAT GETS WORSE WITH TIME AND EVENTUALLY BECOMES DISABLING. EYES: IR RITATION. SKIN: IRRITATION. INGESTION: MILD STOMACH DISTRESS. DIARRHEA, VOMITING, AND NA USEA. Medical Cond Aggravated by Exposure: ASTHMA, EMPHYSEMA, AND TUBERCULOSIS ARE ALL GENERALLY AGGRAVATED BY EXPOSURE TO ASBESTOS FIBERS. THOROUGHLY WITH WATER FOR 15 MINUTES. SEE DOCTOR. SKIN: WASH THOROUGHLY WITH SOAP AND WATER. IF IRRITATION PERSISTS, S

First Aid:INHALATION: REMOVE TO FRESH AIR. SEE DOCTOR. EYES: RINSE EE DOCTOR.

INGESTION: DIL UTE WITH WATER. DO NOT INDUCE VOMITING. SEE DOCTOR.

============ Fire Fighting Measures =========================

Flash Point: NOT REQUIRED

Extinguishing Media: USE WATER FOG, CARBON DIOXIDE, FOAM, OR DRY CHEMICAL.

Fire Fighting Procedures: WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A FULL FACED SELF CONTAINED BREATHING APPARATUS.

Unusual Fire/Explosion Hazard: COMBUSTION OR HEAT OF FIRE MAY PRODUCE HAZARDOUS DECOMPOSITION PRODUCTS AND VAPORS.

======== Accidental Release Measures ============
Spill Release Procedures:VACUUM THE MATERIAL WITH A HEPA FILTERED VACUUM. THE EQUIPMENT SHALL BE USED & EMPTIED SO AS TO MINIMIZE THE RE-ENTRY OF ASBESTOS INTO THE WORKPLACE. OTHERWISE, WET THE MATERIAL WITH WATER & SURFACTAN T AND THEN SHOVEL OR MOP UP CONTAMINATION.
============ Handling and Storage ============
Handling and Storage Precautions:ITEM IS NONFRIABLE & WILL NOT SHED FIBERS I N NORMAL USE AND STORAGE. USED ITEMS SHALL BE WETTED BEFORE, DURING & AFTER DISASSEMBLY.
Other Precautions:IF IT IS NECESSARY TO CUT OR IMPACT THE ITEM WHILE INSTALLING IT, WEAR A RESPIRATOR AND PROTECTIVE CLOTHING. USED ITEMS SHALL BE IDENTIFIED AND DISPOSED OF IN ACCORDANCE WITH ALL LOCAL, STATE AND FEDE RAL REGULATIONS FOR ASBESTOS.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:WEAR A NIOSH/MSHA APPROVED HEPA RESPIRATOR IF REQ UIRED. WEAR SELF-CONTAINED BREATHING APPARATUS IF REQUIRED FOR HIGH LEVELS OF CONTAMINATES. Ventilation:LOCAL EXHAUST SUFFICIENT TO ENTRAIN ALL PARTICULATE EMISSIONS. HEPA FILTER REQUIRED. NO LEAKS ON PRESSURE SIDE OF FAN. Protective Gloves:COTTON OR LEATHER Eye Protection:SAFETY GLASSES OR GOGGLES Other Protective Equipment:USE COVERALLS OR DISPOSABLE CLOTHING. Work Hygienic Practices:WET WORK TO THE DEGREE POSSIBLE. WASH HANDS AFTER HANDLING ITEM. LAUNDER CONTAMINATED CLOTHING BEFO RE REUSE. Supplemental Safety and Health AR BEE P/N: W7-3W21482.
========= Physical/Chemical Properties ==========
HCC:T6 Solubility in Water:NEGLIGIBLE Appearance and Odor:FLEXIBLE SHEETING WITH A RUBBER ODOR Percent Volatiles by Volume:0
========= Stability and Reactivity Data =========
Stability Indicator/Materials to Avoid:YES

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZING AGENTS, STRONG MINERAL ACIDS, AND STRONG ALKALIS
Stability Condition to Avoid:ACCUMULATIONS OF DUST
Hazardous

Decemposition	Products: ASBESTO	בסוום פ
Decomposition	Products: ASBESTO	ว บบวา

======= Disposal Considerations ============

Waste Disposal Methods:WET THE MATERIAL WITH WATER AND SURFACTANT.
PLACE IN 6 MIL THICK POLYETHYLENE PLASTIC BAG. PLACE THESE BAGS
INTO ANOTHER POLY BAG OR A SAFE PLACE UNTIL IT CAN BE SHIPPED TO AN
APPROVED DISPOSAL SITE. IDENTIFY WITH ASBESTOS CANCER WARNING
LABEL.

Disclaimer (provided with this information by the compiling agencies): This information is formulated fo r use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.