View NSN Online: https://aerobasegroup.com/nsn/4210-00-165-4703

Product ID:ABC DRY CHEMICAL (FIRE EXTINGUISHER) MSDS Date:12/01/1990 FSC:4210 NIIN:00-165-4703 **MSDS Number: BQDHB** === Responsible Party === Company Name: BUCKEYE FIRE EQUIPMENT CO Address:102 INDUSTRIAL DR **City:KINGS MOUNTAIN** State:NC ZIP:28086 Country:US Info Phone Num:704-739-7415 Emergency Phone Num:704-739-7415 800-424-9300(CHEMTREC) CAGE:57658 === Contractor Identification === Company Name: BUCKEYE FIRE EQUIPMENT CO Address:110 KINGS RD Box:428 **City:KINGS MOUNTAIN** State:NC ZIP:28086 Country:US Phone:704-739-7415 CAGE:57658 Ingred Name: MICA - SILICATES (< 1% CRYSTALLINE SILICA) CAS:12001-26-2 RTECS #:VV8760000 Other REC Limits: ACGIH TLV=20MPPCF **OSHA PEL:20 MPPCF** ACGIH TLV:3 MG/M3 RDUST; 9293

Ing

red Name:AMMONIUM PHOSPHATE MONOBASIC;MONOAMMONIUM PHOSPHATE CAS:7722-76-1 Other REC Limits:NONE RECOMMENDED

LD50 LC50 Mixture:NOT REPORTED Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:EYES:SLIGHT IRRITANT.SKIN:SLIGHT IRRITANT.INHAL:DUST IRRITATES RESPIRATORY PASSAGES.INGEST:HARMFUL IF SWALLOWED. Effects of Overexposure:IN GEST:SORE THROAT,ABDOMINAL PAIN,NAUSEA AND VOMITING. Medical Cond Aggravated by Exposure:MANUFACTURER STATES NONE KNOWN.

First Aid:EYES:FLUSH WITH WATER FOR 15 MINUTES.INHAL:REMOVE TO FRESH AIR.INGEST:RINSE MOUTH WITH WATER;THEN DRINK WATER.CALL PHYSICIAN.SKIN:NO HAZARD ANTICIPATED.

Extinguishing Media:NONE.THIS MATERIEL IS AN EXTINGUISHING AGE NT.

Fire Fighting Procedures: MANUFACTURER STATES NONE. HMIS SUGGESTS ALWAYS USE A SCBA WHEN FIGHTING A CHEMICAL FIRE.

Unusual Fire/Explosion Hazard:MANUFACTURER STATES NONE.

Spill Release Procedures:CONTAIN SPILL;SWEEP UP INTO AN APPROPRAITE CONTAINER FOR DISPOSAL. Neutralizing Agent:NONE.

Handling and Storage Precautions: STORE IN A COOL, DRY(MOISTURE-

FREE) LOCATION.AVOID MAKING UNNESCESARY DUST. Other Precautions: DO NOT MIX THIS MATERIEL WITH OTHER EXTINGUISHING AGENTS. Respiratory Protection: USE A NIOSH RESPIRATOR FOR NUISANCE DUST WHEN TLV>15MG/M3 OR WHENEVER AIRBORNE DUST IS PRESENT. Ventilation:BOTH LOCAL EXHAUST AND GENERAL(MECHANICAL) EXHAUST ARE APPROVED. Protective Gloves:RECOMMENDED Eye Protection:SAFETY GLASSES Other Protective Equipment:NONE. Wor k Hygienic Practices: WASH HANDS. USE PRUDENT SANITARY AND HYGENIC PRACTICES. Supplemental Safety and Health PER SPEC A-A-393A, A PROPELLANT WILL BE USED TO EXPEL THE EXTINGUISHING AGENT (DRY CHEMICALS). HCC:G3 Spec Gravity:0.82 Solubility in Water: COATING REPELS WATER Appearance and Odor: POWDER; YELLOW; NO CHARACTERISTIC ODOR

Stability Indicator/Mater ials to Avoid:YES NOT REPORTED. Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER. Hazardous Decomposition Products:NOT REPORTED.

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no mann

er whatsoever,

expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.