View NSN Online: https://aerobasegroup.com/nsn/9150-00-223-4119

KAR PRODUCTS/DISTRIBUTOR -- 74298 - PENETRATING OIL -- 9150-00-223-4119

Product ID:74298 - PENETRATING OIL MSDS Date:10/01/1991 FSC:9150 NIIN:00-223-4119 MSDS Number: BQDHV === Responsible Party === Company Name: KAR PRODUCTS/DISTRIBUTOR Address:461 NORTH THIRD AVENUE City: DES PLAINES State:IL ZIP:60016 Country:US Info Phone Num:708-296-6111 **Emergency Phone Num:7** 08-296-6111 CAGE:DO397 === Contractor Identification === Company Name: KAR PRODUCTS Address:461 NORTH THIRD AVENUE Box:City:DES PLAINES State:IL ZIP:60016 Country:US Phone:847-296-6111 CAGE:5L381 Company Name: KAR PRODUCTS/DISTRIBUTOR Address:461 NORTH THIRD AVE City:DES PLAINES State:IL ZIP:60016-1160 Phone:708-296-6111 CAGE:DO397

Ingred Name:HYDROTREATED HEAVY NAPHTHA CAS:64742-48-9 Other REC Limits:NONE RECOMMENDED ACGIH TLV :300 PPM

Ingred Name:DISTILLATES, HYDROTREATED HEAVY PARAFFINIC CAS:64742-54-7 RTECS #:PY8035500 Other REC Limits:NONE RECOMMENDED OSHA PEL:300 PPM ACGIH TLV:300 PPM

Ingred Name:MINERAL SEAL OIL CAS:64742-30-9 Other REC Limits:NONE RECOMMENDED OSHA PEL:500 PPM ACGIH TLV:500 PPM

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:MAY CAU SE TRANSIENT EYE IRRITATION. Explanation of Carcinogenicity:THIS COMPOUND CONTAINS NO INGREDIENTS AT CONCENTRATIONS OF 0.1% OR GREATER THAT ARE CARCINOGENS OR SUSPECT

CARCINOGENS. Effects of Overexposure: AT HIGH CONCENTARTION, NASAL AND RESPIRATORY IRRITATION.

Medical Cond Aggravated by Exposure:NONE KNOWN

First Aid:EYES: FLUSH WITH RUNNING WATER FOR 15 MINUTES WHILE HOLDING EYELIDS OPEN. GET MEDICAL ATTENTION
IMMEDIATELY. SKIN: WASH WITH SOAP AND WATER. REMOVE CONTAMINATED CLOTHING. GET MEDICAL ATTENTION. INHALA TION: REMOVE TO FRESH AIR. GIVE MOUTH-TO-MOUTH RESUSCITATION IF NOT BREATHING. GET MEDICAL ATTENTION. INGESTION: DO NOT INDUCE VOMITING. KEEP HEAD BELOW HIPS IF VOMITING OCCURS. GET MEDICAL ATTENTION.

Flash Point:NON-FLAMMABLE Extinguishing Media:USE WATER FOG, CARBON DIOXIDE, FOAM, OR DRY CHEMICAL

Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A
FULL FACED SELF CONTAINED BREATHING APPARATUS. COOL FIRE EXPOSED
CONTAINERS WITH WATER SPRAY.
Unusual Fire/Explosion Hazard:NONE

Spill Release Procedures:WIPE, MOP OR FLUSH WITH WATER. SOAK UP WITH ABSORBENT MATERIAL.

Handling and Storage Precautions:STORE IN A COOL, DRY ARE A. KEEP

CONTAINER CLOSED WHEN NOT IN USE. KEEP OUT OF THE REACH OF CHILDREN.

Other Precautions:NONE

Respiratory Protection:NONE REQUIRED FOR NORMAL USE.

Ventilation: USE EXPLOSION-PROOF LOCAL EXHAUST TO MAINTAIN ADEQUATE VENTILATION.

Protective Gloves: NONE SPECIFIED BY MANUFACTURER.

Eye Protection: GLASSES OR GOGGLES

Other Protective Equipment:NONE

Work Hygienic Practices: WASH THOROUGHLY AFTER USING PRODUCT.

Suppleme

ntal Safety and Health

NAVY HAS FORWARDED THIS MSDS TO DLA FOR ENTRY INTO THE HMIS. A REVIEW OF THE TECHNICAL DATA FOR THIS NSN INDICATES THAT THE NAVY MAY HAVE MISIDENTIFIED THE NSN AND THAT THIS PRODUCT MAY NOT CONFORM TO THE ITEM DESCRIPTION AND/OR SPECIFICATION.

HCC:V6 Spec Gravity:>0.87 Evaporation Rate & amp; Reference:SLOWER(N-BUTYL ACETATE=1) Solubility in Water:NEGLIGIBLE Appearance and Odor:NEGLIGIBLE

=

Stability Indicator/Materials to Avoid:YES NONE Stability Condition to Avoid:OPEN FLAMES Hazardous Decomposition Products:NONE

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATION.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Departmen t

of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.