

SOUTHWEST PETRO-CHEM DIV, WITCO CHEMICAL CORP. -- PETROLEUM HYDROCARBON PLUS ADDITIVES -- 9150-00-753-4799

===== Product Identification =====

Product ID:PETROLEUM HYDROCARBON PLUS ADDITIVES

MSDS Date:11/13/1990

FSC:9150

NIIN:00-753-4799

MSDS Number: BQDLV

=== Responsible Party ===

Company Name:SOUTHWEST PETRO-CHEM DIV, WITCO CHEMICAL CORP.

Address:1400 S HARRISON

Box:1974

City:OLATHE

State:KS

ZIP

:66061

Country:US

Info Phone Num:913-782-5800 FAX: 913-782-8091

Emergency Phone Num:913-782-5800 800-424-9300(CHEMTREC)

Preparer's Name:RAY LAWSON

CAGE:70878

=== Contractor Identification ===

Company Name:EXXON CO USA-SOUTHWEST GREASE BUSINESS UNIT

Address:1400 S HARRISON

Box:1974

City:OLATHE

State:KS

ZIP:66061

Country:US

Phone:913-656-3701/800-424-9300(CHEMTREC)

CAGE:70878

Company Name:INLAND PACKAGING INC

Address:209 PETERSON DR

Box:644

City:ELIZABETHTOWN

State:KY

ZIP:42701-9804

Country:US

Ph

one:502-737-6757
CAGE:66172

=====
Composition/Information on Ingredients
=====

Ingrid Name:PETROLEUM HYDROCARBON WITH ADDITIVES
Fraction by Wt: 100%
Other REC Limits:NONE RECOMMENDED

=====
Hazards Identification
=====

LD50 LC50 Mixture:TWA/PEL=5MG/M3(MINERAL OIL);STEL=10MG/M3

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:NO ADVERSE EFFECTS SHOULD BE EXPECTED

WHEN USED WITH GOOD PERSONAL HYGIENE PRACTICES.SKIN:REPEATED CONTACT MAY CAUSE IRRITATION.EYES:REPEATED CONTACT MAY CAUSE IRRITATION.

Effects of Overexposure:NOT REPORTED.

Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

=====
First Aid Measures
=====

First Aid:EYES:FLUSH WITH EXCESS WATER FOR 15 MINUTES;CALL PHYSICIAN.SKIN:REMOVE EXCESS WITH CLOTH OR PAPER.WASH WITH SOAP AND WATER.INHAL:REMOVE TO FRESH AIR.

INGEST:CONTACT PHYSICIAN IMMEDIATELY.

=====
Fire Fighting Measures
=====

Flash Point Method:COC

Flash Point:>302F,>150C

Extinguishing Media:DRY CHEMICAL,WATER FOG,CARBON DIOXIDE,FOAM,SAND OR EARTH.

Fire Fighting Procedures:USE A SELF-CONTAINED BREATHING APPARATUS.COOL FIRE EXPOSED CONTAINERS WITH WATER SPRAY.

Unusual Fire/Explosion Hazard:DENSE SMOKE

=====
Accidental Release Measures
=====

Spill Release Procedures:TRAN

SFER BULK OF MATERIAL INTO ANOTHER CONTAINER.ADSORD RESIDUE WITH INERT MATERIAL(EG.VERMICULITE,SAND,EARTH);SWEEP UP AND PLACE IN AN APPROPRIATE CONTAINER FOR DISPOSAL.

=====
Handling and Storage
=====

Handling and Storage Precautions:KEEP CONTAINER CLOSED UNTIL READY FOR USE.

Other Precautions:NONE.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:NONE SHOULD BE NEEDED.

Ventilation:NONE SHOULD BE NEEDED.

Protective Gloves:NONE NEEDED.

Eye Protection:CHEMICAL SAFETY GOGGLES;FACE SHIELD

Other Protective Equipment:NONE.

Work Hygienic Practices:WASH HANDS.USE PRUDENT SANITARY AND HYGENIC PRACTICES.

Supplemental Safety and Health
NONE.

=====
Physical/Chemical Properties
=====

HCC:V6

Spec Gravity:0.874

Viscosity:>100SUS@100F

Solubility in Water:NEGLIGIBLE

Appearance and Odor:LIQUID;AMBER;MINERAL OIL-LIKE ODOR.

=====
Stability and Reactivity Data
=====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZERS(EG.HYDROGEN PEROXIDE,BROMINE,CHROMIC ACID).

Stability Condition to Avoid:HIGH HEAT,SOURCES OF IGNITION.

Hazardous Decomposition Products:CARBON MONOXIDE,CARBON DIOXIDE,OXIDES OF NITROGEN,OXIDES OF SULFUR(AS HYDROGEN SULFIDE OR SULFUR DIOXIDE).

=====
Disposal Considerations
=====

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH FEDERAL,STATE AND LOCAL REGULATIONS.

Discl

aimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.