

CURTIS-TOLEDO INC -- THREAD EZY CLEAR CUTTING OIL,14198 -- 9150-01-013-5281

=====  
Product Identification  
=====

Product ID:THREAD EZY CLEAR CUTTING OIL,14198

MSDS Date:01/04/1997

FSC:9150

NIIN:01-013-5281

MSDS Number: BQDND

=== Responsible Party ===

Company Name:CURTIS-TOLEDO INC

Address:1905 KIENLEN AVE

City:SAINT LOUIS

State:MO

ZIP:63133-2517

Country:US

Info Phone Num:314-383-1300

Emergency Phon

e Num:314-383-1300

CAGE:55921

=== Contractor Identification ===

Company Name:CURTIS-TOLEDO INC

Address:1905 KIENLEN AVE

Box:City:ST. LOUIS

State:MO

ZIP:63133-2517

Country:US

Phone:314-383-1300

CAGE:55921

Company Name:EMULTEC INC

Address:3361 GARDEN BROOK DR

Box:City:DALLAS

State:TX

ZIP:75234

Country:US

Phone:214-247-7766

CAGE:OHD15

Company Name:SALATHE OIL CO INC

Address:2226 PETERS RD

Box:City:HARVEY

State:LA

ZIP:70058

Country:US

Phone:504-366-4542

CAGE:0T5C6

=====  
Composition/Informa

tion on Ingredients =====

Ingred Name:THIS "INGREDIENT " IS USED TO INFORM THE READER OF THE PEL AND TLV OF OIL MIST.(NOT ENCOUNTERED IN NORMAL USE.)

Other REC Limits:NONE RECOMMENDED

OSHA PEL:5 MG/M3 OIL MIST

ACGIH TLV:5 MG/M3 OIL MIST

===== Hazards Identification =====

LD50 LC50 Mixture:TLV FOR OIL MIST IS 5 MG/M3.

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and

Chronic:TARGET ORGANS:EYES, SKIN, RESPIRATORY

& GI TRACTS. ACUTE- EYES:MAY CAUSE IRRITATION.

SKIN:PROLONGED/REPEATED CONTACT MAY CAUSE IRRITATION.

INHALE:VAPORS/MIST MAY IRRITATE RESPIRATORY TRACT. ORAL:LOW T

OXICITY BUT MINUTE AMOUNTS ASPIRATED INTO LUNGS MAY CAUSE LUNG

INJURY. CHRONIC- UNKNOWN.

Explanation of Carcinogenicity:NONE

Effects of Overexposure:IRRITATION, NAUSEA, VOMITING

Medical Cond Aggravated by Exposure:INDIVIDUALS WITH PRE-EXISTING SKIN DISORDERS MAY BE M

ORE SUCCEPTIBLE TO THE EFFECTS FROM EXPOSURE TO THIS PRODUCT.

===== First Aid Measures =====

First Aid:GET MEDICAL ATTENTION IF SYMPTOMS PERSIST. INHALATION:REMOVE TO FRESH AIR. PROVIDE CPR/OXYGEN IF NEEDED. EYE:FLUSH WITH WATER FOR 15 MINUTES, HOLDING EYELIDS OPEN. SKIN:WASH WITH SOAP AND WATER. INGES TION:DO NOT INDUCE VOMITING. GET MEDICAL HELP.

===== Fire Fighting Measures =====

Flash Point Method:COC

Flash Point:350F,177C

Lower Limits:0.9%

Upper Limits:7.0%

Extinguishing Media:WATER FOG, CARBON DIOXIDE, SAND, FOAM/DRY CHEMICAL. WATER SPRAY MAY BE USED TO KEEP FIRE EXPOSED CONTAINERS COOL.

Fire Fighting Procedures:WEAR PROTECTIVE CLOTHING AND NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS.

Unusual Fire/Explosion Hazard:NONE

===== Accidental Release Measures =====

Spill Release Procedures:DIKE & CONTAIN SPILL. RECOVER FREE LIQUIDS IF POSSIBLE. ABSO

RB REMAINING PRODUCT WITH INERT MATERIAL & PLACE IN  
PROPER CONTAINERS FOR DISPOSAL. DO NOT ALLOW MATERIAL TO ENTER  
DRAINS, SEWERS OR WATERWAYS. COMPLY WITH HAZWOPER (29 CFR  
1910.120).

Neutralizing Agent:NOT RELEVANT

=====  
===== Handling and Storage =====

Handling and Storage Precautions:STORE IN A COOL, DRY PLACE, AWAY FROM  
STRONG OXIDIZING AGENTS. KEEP CONTAINER TIGHTLY CLOSED.

Other Precautions:EMPTY CONTAINERS MAY CONTAIN PRODUCT RESIDUE. FOLLOW

LABEL INSTRUCTIONS. KEEP OUT OF REACH OF CHILDREN. DO NOT BREATHE  
MISTS OR VAPORS. AVOID EYE AND SKIN CONTACT.

=====  
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NO SPECIAL REQUIREMENTS UNDER ORDINARY  
CONDITIONS OF USE AND WITH ADEQUATE VENTILATION. IF EXCESSIVE  
MISTING (>5 MG/M3), USE NIOSH APPROVED ORGANIC VAPOR RESPIRATOR  
(REFER TO 29 CFR 1910.134).

Ventilation:WHEN USE CONDITIONS ARE LIKELY TO RESULT IN EXCESSIVE  
MISTING (>5

MG/M3), PROVIDE ADEQUATE LOCAL VENTILATION.

Protective Gloves:NEOPRENE FOR REPEATED CONTACT

Eye Protection:CHEMICAL GOGGLES IF CONTACT POSSIBLE

Other Protective Equipment:EYE WASH STATION & SAFETY SHOWER

Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING. LAUNDRY  
CONTAMINATED CLOTHING BEFORE REUSE. DISCARD OIL SOAKED SHOES.

Supplemental Safety and Health

=====  
===== Physical/Chemical Properties =====

HCC:V6

NRC/State Lic Num:NOT RELEVANT

Boiling Pt:B.P. Text:>550F

,>288C

Vapor Pres:5

Spec Gravity:0.92

Evaporation Rate & Reference: