View NSN Online: https://aerobasegroup.com/nsn/8030-01-127-3684

SCHARPF GROUP, INC -- SG-50 (A,B) -- 8030-01-127-3684

============= Product Identification ==============

Product ID:SG-50 (A,B) MSDS Date:02/19/1992

FSC:8030

NIIN:01-127-3684

MSDS Number: BQDPS === Responsible Party ===

Company Name: SCHARPF GROUP, INC

Address:3791 PICKETT ROAD

City:OSHKOSH

State:WI ZIP:54904 Country:US

Info Phone Num:414-233-7146

Emergency Phone Num:800-424-9300 CHEMTREC

Preparer's Name: MIKE SCH

ARPF

CAGE:0NLJ2

=== Contractor Identification ===

Company Name: SCHARPF GROUP, INC

Address:3791 PICKETT ROAD

Box:City:OSHKOSH

State:WI ZIP:54904 Country:US

Phone:414-233-7146

CAGE:0NLJ2

======= Composition/Information on Ingredients ========

Ingred Name: HYDROTREATED LIGHT PETROLEUM DISTILLATE (MINERAL SPIRITS)

CAS:64742-47-8 RTECS #:GA5504000

Fraction by Wt: 46%

Other REC Limits:*AS STODDARD SOLVENT

OSHA PEL:400 PPM/1600 MG/M3 ACGIH TLV:100 PPM/525 MG/M3 *

Hazards Identification ===========
Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Health Hazards Acute and Chronic:ACUTE TOXICOLOGICAL PROPERTIES; FOR MINERAL SPIRITS: INHALATION - IRRITATION OF EYES, NOSE, THROAT, DIZZINESS. SKIN CONTACT - DERMATITIS. EYE CONTACT - IRRITATION. INGESTION - NAUSEA, VOMITING. LARGE AMOUNTS, IF RETAINED, LEAD TO SYMPTOMS OF CENTRAL NERVOUS SYSTEM DEPRESSION. Effects of Overexposure:CHRONIC EFFECTS OF OVEREXPOSURE: MAY CAUSE EY E, NOSE AND THROAT IRRITATION AND DIZZINESS IF USED IN UNVENTILATED AREA.
======================================
First Aid:EYES: FLUSH W/WATER 15 MIN. IF IRRIT PERSISTS, CONTACT DR. SKIN: REMOVE CONTAMINATED CLOTHING. WASH SKIN W/SOAP & WATER. IF IRRITATION DEVELOPS, CONTACT DR. INHALATION: REMOVE TO FRESH AIR. IF NOT BRE ATHING GIVE ARTIF RESPIRATION, PREFERABLE MOUTH TO MOUTH. IF BREATHING DIFFICULT, GIVE OXYGEN. CALL DR IMMED. INGEST ION: DONT INDUCE VOMITING. CONTACT DR IMMEDIATELY. NOTHING BY MOUTH TO UNCONSCIOUS.
============ Fire Fighting Measures =============
Flash Point Method:PMCC Flash Point:106F,41C Lower Limits:.8 Extinguishing Media:CO2, DRY CHEMICAL, FOAM, CLOSED CONTAINERS EXPOSED TO FIRE MAY BE COOLED WITH WATER SPRAY. Fire Fighting Procedures:SELF-CONTAINED BREATHING APPARATUS IS RECOMMENDED FOR FIREFIGHTERS. WATER SPRAY MAY BE USED WITH CAUTION TO PREVENT SPREAD OF FLAMES
Unusual Fire/Explosion Hazard:NONE
======== Accidental Release Measures ==========
Spill Release Procedures:STOP LEAK & DIKE LRG SPILL. AVOID IGNITION SOURCES SUCH AS FLAME & SPARK. VENT. TRANSFER TO CNTNR FOR DISPOSAL/RECYCLE. SEAL CNTNR. ABSORB REMAINING SPILL/LEAK W/SAND,EARTH,VERMIC. SWEEP UP, DISPOSE O F ACCORDING TO FEDERAL, STATE & LOCAL REGULATIONS.
========== Handling and Storage ============
Handling and Storage Precautio

SEALED UNTIL USE. AVOID EXCESSIVE STORAGE TEMPS(>52C) Other Precautions:DONT STORE NEAR STRONG OXIDIZERS. AVOID CONTACT W/SKIN, EYES, CLOTHING. WASH CLOTHING BEFORE REUSE. DONT USE PRESSURE TO EMPTY CONTAINER. WHEN EMPTY, CONTAINER MAY RETAIN PROD RESIDUE. DONT CUT, PUNCT URE OR WELD ON/NEAR DRUM.
====== Exposure Controls/Personal Protection =======
Respiratory Protection:USE NIOSH/MSHA APPROVED RESPIRATOR WITH DUAL ORGANIC VAPOR/MIST AND PARTICULATES CARTRIDGE IF VAPOR CONCENTRATION EXCEEDS PERMISSIBLE EXPOSURE LIMIT. Protective Gloves:RUBBER OR PLASTIC, SOLVENT RESISTANT Eye Protection:CHEMICAL SAFETY GOGGLES/FULL FACE SHIELD Other Protective Equipment:NONE Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING. Supplemental Safety and Health
========= Physical/Chemical Properties ==========
HCC:F4 Boiling Pt:B.P. Text:> 300F,>149C Vapor Pres:1 Spec Gravity:.924 Viscosity:>/= 100 @100F Solubility in Water:NEGLIGIBLE Appearance and Odor:TAN, BLACK, GRAY THIXOTROPIC LIQUID (OPAQUE); SLIGHT KEROSENE-LIKE ODOR. Percent Volatiles by Volume:46
======== Stability and Reactivity Data =========
Stability Indicator/Materials to Avoid:YES STRONG OXIDIZERS SUCH AS HYDROGEN PEROXIDE, BROMINE AND CHROMIC ACID. Hazardous Decomposition Products:CARBON MONOXIDE AND CARBON DIOXIDE FROM BURNING. OXIDES OF SULFUR.

SOURCES. WEAR PROTECT CLOTHING/EQUIP WHEN HANDLING. KEEP CNTNRS

ns:COMBUSTIBLE-KEEP FROM HEAT/IGNIT

Waste Disposal Methods:DIPOSE OF IN ACCORDANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL REGULATIONS.

======= Disposal Considerations ===========

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for i

ts use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.