View NSN Online: https://aerobasegroup.com/nsn/6850-01-201-9864

Product ID:MULTIPURPOSE CLEANING KIT,11919 MSDS Date:09/17/1992 FSC:6850 NIIN:01-201-9864 Kit Part:Y MSDS Number: BQDQH === Responsible Party === Company Name: HF SCIENTIFIC INC. Address:3170 METRO PARKWAY City:FORT MYERS State:FL ZIP:33916-7597 Country:US Info Phone Num:813-337-2116, FAX: 813-332-7643 Emergency Phone Num:813-337-2116,800-424-9300(CHEMTREC) CAGE:58177 === Contractor Identification === Company Name: HF SCIENTIFIC INC. Address:3170 METRO PARKWAY S.E. City:FORT MYERS State:FL ZIP:33916-7539 Country:US Phone:941-337-2116 CAGE:58177 Ingred Name:1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE (FREON 113) (SARA III) CAS:76-13-1 RTECS #:KJ4000000 Fraction by Wt: 74-76% Other REC Limits:NONE SPECIFIED **OSHA PEL**

:1000PPM/1250STEL ACGIH TLV:1000PPM/1250STEL9192 Ozone Depleting Chemical:1

Ingred Name:ISOPROPYL ALCOHOL (SARA III) CAS:67-63-0 RTECS #:NT8050000 Fraction by Wt: 24-26% Other REC Limits:NONE SPECIFIED OSHA PEL:400 PPM/500 STEL ACGIH TLV:400 PPM/500STEL;9192

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:EYES: IRRITATION. SKIN: IRRI TATION.

INHALATION: CARDIAC RHYTHM IRREGULARITY, LUNG AND LIVER DAMAGE, NERVOUS SYSTEM IMPAIRMENT. INGESTION: NOT LIKELY TO OCCUR.

Effects of Overexposure:EYES: IRRITATION, REDNESS, TEARING, AND SWELLING. SKIN: DEFATTING, IRRITATION. INHALATION: RESPIRATORY SYSTEM IRRITATION, LUNG AND LIVER DAMAGE, CONFUSION, TREMORS, SLEEPINESS AND HEART RHYTHM DISTURB ANCE. DELIBERATE MISUSE BY CONCENTRATIONAND INHALATION OF VAPORS MAY CAUSE HEART IRREGULARITIES AND SUDDEN DEATH.

Me

dical Cond Aggravated by Exposure:PERSONS WITH A PRE-EXISTING DISEASE INVOLVING EYES, SKIN, RESPIRATORY SYSTEM AND CARDIAC CONDITIONS MAY BE AT INCREASED RISK FROM EXPOSURE.

First Aid:EYES: FLUSH WITH LARGE AMOUNTS OF WATER. IF IRRITATION PERSISTS GET MEDICAL ATTENTION. SKIN: WASH AREA WITH SOAP AND WATER. INHALATION: MOVE TO FRESH AIR. IF NOT BREATHING GIVE CPR. IF BREATHING DIFFI CULT GIVE OXYGEN. GET ME DICAL ATTENTION.INGESTION: DO NOT INDUCE VOMITING, GET MEDICAL ATTENTION.

Flash Point Method:TOC
Flash Point:>143F,>62C
Lower Limits:2.5
Extinguishing Media:USE CARBON DIOXIDE, FOAM, DRY CHEMICAL, OR WATER FOG.
Fire Fighting Procedures:FIRE FIGHTERS USE NIOSH APPROVED SCBA AND FULL PROTECTIVE EQUIPMENT WHEN FIGHTING CHEMICAL FIRE.USE WATER SPRAY TO COOL NEARBY CONTAINERS EXPOSED TO FIRE.

Unusual Fire/Explosion

Hazard:NONE SPECIFIED BY MANUFACTURER.

Spill Release Procedures:FOR LARGE SPILLS EXTINGUISH ALL IGNITION SOURCES, COLLECT SPILLED MATERIAL, CLEAN UP RESIDUE, AND PLACE IN METAL CONTAINER FOR DISPOSAL. USE ABSORBENT MATERIAL AS NEEDED IN CLEANUP PROCEDURE. OBSERVE ALL SAFETY PRECAUTIONS. Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

Handling

and Storage Precautions:STORE IN COOL, DRY AREA AWAY FROM SOURCES OF IGNITION. KEEP CONTAINERS CLOSED. PROTECT FROM PHYSICAL DAMAGE. KEEP OUT OF REACH OF CHILDREN. Other Precautions:AVOID EYE AND SKIN CONTACT, AND INHALING OF VAPORS.

Respiratory Protection:NONE NORMALLY REQUIRED. IF LARGE QUANTITIES ARE USED, WEAR APPROPRIATE ORGANIC VAPOR RESPIRATOR.

Ventilation:LOCAL EXHAUST AND/OR MECHANICAL (GENERAL) AS REQUIR ED TO

KEEP VAPOR CONCENTRATION BELOW RECOMMENDED LEVELS.

Protective Gloves:NONE NORMALLY REQUIRED.

Eye Protection: SPLASH GOGGLES IF NEEDED.

Other Protective Equipment:NONE NORMALLY REQUIRED.

Work Hygienic Practices: WASH AFTER HANDLING AND BEFORE EATING,

DRINKING, OR SMOKING. LAUNDER CONTAMINATED CLOTHING BEFORE REUSE. Supplemental Safety and Health

KIT CONSISTS OF TWO 4-OZ BOTTLES OF CLEANING SOLUTION, ONE DISPENSER CAP, TEN DOUBLE ENDED CLEANING WANDS, FIFTY LINT-FREE WIPES, AND

ONE TYPE ELEMENT CLEANING BRUSH.

HCC:V5 Boiling Pt:=52.2C, 126.F B.P. Text:126F/52C Vapor Pres:33 MM HG Vapor Density:5.0 AIR=1 Spec Gravity:0.916 Evaporation Rate & amp; Reference:0.8 (BUTYL ACETATE=1) Solubility in Water:25% Appearance and Odor:CLEAR LIQUID. ALCOHOL ODOR.

Stability Indicator/Materials to Avoid:YES STRONG OXIDIZERS. MAY REACT VIOLENTLY WIT H ALUMINUM, BARIUM,LITHIUM, TITANIUM, AND NAK ALLOYS.
Stability Condition to Avoid:HIGH TEMPERATURES, SPARKS, AND OPEN FLAMES.
Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE, HYDROGEN FLUORIDE, HYDROGEN CHLORIDE WHEN EXPOSED TO FLAME OR EXCESSIVE HEAT.
Conditions to Avoid Polymerization:WILL NOT OCCUR.

Waste Disposal Methods:DISPOSE OF WASTE IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGU LATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particul ar situation.