View NSN Online: https://aerobasegroup.com/nsn/6850-01-341-9855

## 

Product ID:SAFEWAY KA MSDS Date:12/01/1991 FSC:6850 NIIN:01-341-9855 MSDS Number: BQFGK === Responsible Party === Company Name: OLD WORLD INDUSTRIES INC Address:4065 COMMERCIAL AVE City:NORTHBROOK State:IL ZIP:60062-1851 Country:US Info Phone Num:847-559-2000 Emergency Phone Num:847-559-2000 CAGE:0U3B1 == = Contractor Identification === Company Name: DAVIS PETROLEUM SERVICES, INC Address:3517 ASHER AVE Box:24864 City:LITTLE ROCK State:AR ZIP:72204 Country:US Phone:501-663-0003 CAGE:0VTU2 Company Name: MARCI ENTERPRISES Address:5271 W JEFFERSON BOULEVARD Box:City:LOS ANGELES State:CA ZIP:90016 Country:US Phone:213-937-5050 CAGE:0K5L3 Company Name: OLD WORLD INDUSTRIES INC Address:4065 COMMERCIAL AVE Box:City:NORTHBROOK State:IL ZIP:60062-1851 Country:US Phone:847-559-2000/2116/FAX: 847-559-2173 CAGE:

0U3B1 Company Name:PAKOHIO INC (614-876-6311) Box:UNKNOW CAGE:67423 Company Name:WESTERN DRUM INC Box:UNKNOW CAGE:67243

Ingred Name:ACETIC ACID,POTASSIUM SALT/POTASSIUM ACETATE CAS:127-08-2 RTECS #:AJ3325000 Fraction by Wt: 50.6% Other REC Limits:NONE RECOMMENDED

Ingred Name:WATER CAS:7732-18-5 RTECS #:ZC0110000 Fraction by Wt: 49.4% Other REC Limits:NONE RECOMMENDED

\_\_\_\_\_

Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:ACUTE- EYES:SLIGHT IRRITATION. MAY CAUSE PAIN, TEARS, SWELLING, REDNESS & BLURRED VISION. SKIN:NOT EXPECTED TO CAUSE PROLONGED/SIGNIFICANT IRRITATION. INHALATION:NO INHALATION HAZARD. INGESTION:MAY CA USE IRRITATION OF DIGESTIVE TRACT WHICHMAY RESULT IN NAUSEA, VOMITING & DIARRHEA. CHRONIC- NONE KNOWN.

Effects of Overexposure

SLIGHT EYE IRRITATION. MAY CAUSE PAIN, TEARS, SWELLING, REDNESS & BLURRED VISION. NOT EXPECTED TO CAUSE PROLONGED/SIGNIFICANT SKIN IRRITATION. NO INHALATION HAZARD. INGESTION MAY CAUSE IRRITATION OF D IGESTIVE TRACT WHICH MAY RESULT IN NAUSEA, VOMITING & DIARRHEA.

First Aid:GET MEDICAL ATTENTION IF SYMPTOMS PERSIST. SKIN:WASH WITH SOAP & WATER. REMOVE CONTAMINATED CLOTHING. EYE:FLUSH WITH WATER FOR 15 MINUTES, HOLDING EYELIDS OPEN. INHALED:REMOVE TO FRESH AIR, IF NECESSA RY. ORAL:IF CONSCIOUS, DRINK MILK/WATER& CALL PHYSICIAN. DO NOT INDUCE VOMITING UNLESS DIRECTED TO DO SO BY MEDICAL PERSONNEL.

Flash Point:NON-FLAMMABLE

Extinguishing Media:NON-FLAMMABLE. AFTER WATER EVAPORATES, REMAINING MATERIAL WILL BURN. USE FOAMS (STANDARD/ALCOHOL), CO2 OR DRY CHEMICALS.

Fire Fighting Procedures:WEAR FIRE FIGHTING

PROTECTIVE EQUIPMENT AND

NIOSH-APPROVED SELF CONTAINED BREATHING APPARATUS. COOL FIRE EXPOSED CONTAINERS WITH WATER SPRAY.

Unusual Fire/Explosion Hazard:DEHYDRATED MATERIAL WILL BURN. NORMAL COMBUSTION FORMS CARBON DIOXIDE.

Spill Release Procedures: THIS MATERIAL IS NOT EXPECTED TO PRESENT ANY ENVIRONMENTAL PROBLEM.

Handling and Storage Preca

utions:STORAGE- STORE AWAY FROM STRONG

OXIDIZING AGENTS AND STRONG ACIDS.

Other Precautions: WASH THOROUGHLY AFTER HANDLING. AVOID CONTACT WITH EYES.

======= Exposure Controls/Personal Protection ==========

Respiratory Protection:NONE NORMALLY REQUIRED. Ventilation:NO SPECIAL VENTILATION IS NECESSARY. Protective Gloves:RUBBER OR PLASTIC RECOMMENDED Eye Protection:SAFETY GOGGLES/GLASSES RECOMMENDED Other Protective Equipment:EYE WASH STATION, SAFETY SHOWER, IMPERVIOUS CLOT HING IF NEEDED Work Hygienic Practices:PRACTICE GOOD HYGIENIC PROCEDURE. WASH THOROUGHLY BEFORE EATING OR DRINKING.

Supplemental Safety and Health

HCC:B3 Boiling Pt:B.P. Text: 241F,116C Melt/Freeze Pt:M.P/F.P Text: