

DOW CORNING CORP -- 182 SILICONE ELASTOMER -- 8030-00-988-6125

===== Product Identification =====

Product ID:182 SILICONE ELASTOMER

MSDS Date:10/11/1985

FSC:8030

NIIN:00-988-6125

Kit Part:Y

MSDS Number: BQGQM

=== Responsible Party ===

Company Name:DOW CORNING CORP

Address:SOUTH SAGINAW ROAD

City:MIDLAND

State:MI

ZIP:48686

Country:US

Info Phone Num:517-496-5900

Emergency Phone Num:517-496-5900

Pre

parer's Name:JACK L. SHENBERGER

CAGE:5D028

=== Contractor Identification ===

Company Name:DOW CORNING CORP

Address:3901 S SAGINAW RD

Box:997

City:MIDLAND

State:MI

ZIP:48686-0997

Country:US

Phone:517-496-6000/517-496-6315

CAGE:5D028

Company Name:DOW CORNING CORP

Address:2200 W SALZBURG RD

Box:City:AUBURN

State:MI

ZIP:48611

Country:US

Phone:517-496-4388

CAGE:71984

===== Composition/Information on Ingredients =====

Ingred Name:NON-HAZARDOUS INGREDIENTS

Other REC Limits:NONE SPEC

IFIED

=====
Hazards Identification
=====

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO
Health Hazards Acute and Chronic:EYE: MAY CAUSE TEMPORARY DISCOMFORT.
SKIN: SEVERAL REPEATED/PROLONGED EXPOSURES MAY CAUSE SLIGHT
IRRITATION.

=====
First Aid Measures
=====

First Aid:EYES: FLUSH WITH WATER. SKIN: WIPE OFF AND FLUSH WITH WATER.
INHALATION: NO PROBLEM. ORAL: NO PROBLEM.

=====
Fire Fighting Measures
=====

Flash Point Method:OC
Flash Point:>250F,>121C
Extinguishing Media:WATER FOG, CARBON DIOXIDE, DRY CHEMICAL, FOAM.
Fire Fighting Procedures:SELF-CONTAINED BREATHING APPARATUS AND
PROTECTIVE CLOTHING SHOULD BE WORN IN FIGHTING FIRES INVOLVING
CHEMICALS.
Unusual Fire/Explosion Hazard:NONE KNOWN TO DOW CORNING

=====
Accidental Release Measures
=====

Spill Release Procedures:USE ABSORBENT MATERIAL TO COLLECT AND CONTAIN
F
OR SALVAGE OR DISPOSAL.

=====
Handling and Storage
=====

Handling and Storage Precautions:STORE BELOW 90F. USE REASONABLE CARE
AND CAUTION.
Other Precautions:TRACES OF FORMALDEHYDE AND OTHER THERMAL
DECOMPOSITION PRODUCTS MAY FORM AT TEMPERATURES ABOVE 150C IN THE
PRESENCE OF AIR. PROVIDE ADEQUATE VENTILATION WHEN HANDLING AT
ELEVATED TEMPERATURES.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:NO

RESPIRATORY PROTECTION REQUIRED.

Eye Protection:SAFETY GLASSES MINIMUM

Work Hygienic Practices:WASHING AT MEALTIME AND END OF SHIFT IS
ADEQUATE.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:>300F,>149C

Vapor Pres: