

UNI-KEM INTERNATIONAL CORPORATION -- LEAK DETECTOR MIL-L-25567D -- 6850-00-051-5052
===== Product Identification =====

Product ID:LEAK DETECTOR MIL-L-25567D

MSDS Date:03/05/1999

FSC:6850

NIIN:00-051-5052

MSDS Number: BQKLV

=== Responsible Party ===

Company Name:UNI-KEM INTERNATIONAL CORPORATION

Address:513 HICKORY AVENUE

City:HARAHAN

State:LA

ZIP:70123

Country:US

Info Phone Num:504-738-1623

Emerg

ency Phone Num:504-738-1623

CAGE:4S446

=== Contractor Identification ===

Company Name:UNI-KEM INTERNATIONAL

Address:1001 HARIMAW COURT EAST

Box:City:METAIRIE

State:LA

ZIP:70001

Country:US

Phone:504-835-7600/FAX:504-835-7608

Contract Num:SP0450-98-M-C236

CAGE:4S446

Company Name:UNI-KEM INTERNATIONAL

Address:1001 HARIMAW COURT EAST

Box:City:METAIRIE

State:LA

ZIP:70001

Country:US

Phone:504-835-7600/FAX:504-835-7608

Contract Num:SP0450-99-M-NC92

CAGE:4S446

===== Composition/Information on

Ingredients =====

Ingred Name:NONHAZARDOUS INGREDIENTS

= Wt:100.

Other REC Limits:NONE RECOMMENDED

===== Hazards Identification =====

LD50 LC50 Mixture:LD50 (ORAL RAT) IS UNKNOWN.

Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:EYES-POSSIBLE IRRITATION.

SKIN-POSSIBLE IRRITATION. INHALE-UNLIKELY DUE TO LOW VOLATILITY.

INGESTION-ALMOST NON-TOXIC.

Medical

Cond Aggravated by Exposure:SKIN DISORDERS.

===== First Aid Measures =====

First Aid:SWALLOWED-DO NOT INDUCE VOMITING. RINSE MOUTH WELL WITH WATER. GIVE 1 GLASS OF WATER TO DRINK. NOTHING BY MOUTH IF UNCONSCIOUS. INHALED-NOT AN EXPECTED ROUTE OF EXPOSURE. IF VAPORS OR MIST CAUSE IRRITATION OR DISTRESS, GET TO FRESH AIR ANDGIVE ARTIFICIAL RESPIRATION OR OXYGEN IF NEEDED. EYES-PROMPTLY FLUSH WITH WATER FOR 15 MIN LIFTING LIDS FOR REMOVA

L. SKIN-WASH WITH

PLENTY OF WATER. LAUNDER AFFE CTED APPAREL BEFORE REUSE.

===== Fire Fighting Measures =====

Flash Point:NONE

Extinguishing Media:USE AGENT APPROPRIATE FOR SURROUNDING FIRE.

Fire Fighting Procedures:PROTECTIVE CLOTHING AND NIOSH/MSHA APPROVED

SELF-CONTAINED BREATHING APPARATUS. COOL FIRE EXPOSED CONTAINERS.

Unusual Fire/Explosion Hazard:NONE.

===== Accidental Release Measures =====

Spill Release Procedures

:FLUSH WITH WATER TO SEWER IF PERMITTED.

OTHERWISE, ABSORB WITH INERT ABSORBENT; SWEEP UP AND PLACE IN AN APPROPRIATE CLOSED CONTAINER. WASH AREA WITH WATER.

===== Handling and Storage =====

Handling and Storage Precautions:BEFORE USE, READ & FOLLOW

MANUFACTURER'S LABEL & MSDS. USE WITH ADEQUATE VENTILATION. STORE AT 40F-120F IN TIGHTLY CLOSED ORIGINAL LABELED CONTAINER IN A

WELL-VENTILATED SECURE SHADE AREA AWAY FROM IN COMPATIBLES. FOLLOW

CAUTIONS WITH EMPTY CONTAINERS. FOR PROFESSIONAL USE ONLY.
Other Precautions: KEEP OUT OF REACH OF CHILDREN. IF FROZEN: FREEZING WILL NOT HARM THIS PRODUCT. MATERIAL MAY BE THAWED IN A WARM ROOM. AVOID LOCALIZED OVERHEATING. VENT DRUMS WHILE HEATING. MIX TO ASSURE HOMOGENICITY.

===== Exposure Controls/Personal Protection =====

Respiratory Protection: NONE
Ventilation: PROVIDE NORMAL ROOM VENTILATION.
Protective Gloves: IMPERVIOUS (RUBBER OR NEOPRENE).
Eye Protection: SPLASH-PROOF GOGGLES & NEARBY EYEWASH FOR ACCIDENTS.
Other Protective Equipment: APRON AND CLOTHING TO LIMIT SKIN CONTACT AND SAFETY SHOWER.
Work Hygienic Practices: DO NOT EAT, DRINK OR USE TOBACCO IN AREA. WASH HANDS, EXPOSED SKIN THOROUGHLY AFTER USE AND BEFORE EATING, DRINKING OR USING TOBACCO, COSMETICS AND TOILET. WASH APPAREL BEFORE RESUE.
Supplemental Safety and Health
FOR PROFESSIONAL USE ONLY.

===== Physical/Chemical Properties =====

HCC: N
1
Boiling Pt: =100.C, 212.F
Melt/Freeze Pt: =0.C, 32.F
Vapor Pres: 23.8 @ 77F
Vapor Density: 0.82
Spec Gravity: 1.0
pH: 7
Solubility in Water: SOLUBLE
Appearance and Odor: CLEAR STRAW COLORED LIQUID WITH CHARACTERISTIC ODOR
Percent Volatiles by Volume: 98

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid: YES
STRONG OXIDIZING AGENTS, STRONG REDUCING AGENTS, BASES.
Stability Condition to Avoid: EXCESSIVE HEAT.
Hazardous Decomposition Products: OXIDES

OF NITROGEN, SULFUR AND CARBON
AND HYDROGEN SULFIDE.

Conditions to Avoid Polymerization:WILL NOT OCCUR.

===== Disposal Considerations =====

Waste Disposal Methods:DO NOT FLUSH TO DRAIN UNLESS PERMITTED. MATERIAL
IS NOT A HAZARDOUS WASTE UNDER CURRENT RCRA REGULATIONS. FOLLOW ALL
WASTE DISPOSAL REGULATIONS.

===== MSDS Transport Information =====

Transport Information:NOT REGULATED.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.