

WARNER-LAMBERT CO -- HYDROGEN PEROXIDE TOPICAL SOLUTION, (USP) 3 -- 6505-00-153-8480

=====
Product Identification
=====

Product ID:HYDROGEN PEROXIDE TOPICAL SOLUTION, (USP) 3

MSDS Date:04/17/1991

FSC:6505

NIIN:00-153-8480

MSDS Number: BQKMT

=== Responsible Party ===

Company Name:WARNER-LAMBERT CO

Address:201 TABOR ROAD

City:MORRIS PLAINS

State:NJ

ZIP:07950-2614

Country:US

Info Phone Num:201-540-2

000

Emergency Phone Num:201-540-2000

Preparer's Name:MITCH ROSALSKY

CAGE:82559

=== Contractor Identification ===

Company Name:WARNER-LAMBERT CO

Address:201 TABOR ROAD

Box:City:MORRIS PLAINS

State:NJ

ZIP:07950-2614

Country:US

Phone:201-540-2000

CAGE:82559

=====
Composition/Information on Ingredients
=====

Ingred Name:HYDROGEN PEROXIDE (SARA III)

CAS:7722-84-1

RTECS #:MX0900000

Fraction by Wt: 3%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:1 PPM

ACGIH TLV:1 PPM; 9293

=====

=====
===== Hazards Identification =====

LD50 LC50 Mixture:LD50 (INH RAT) IS 2000 MG/M3/4H (90%)
Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:THE 3% HYDROGEN PEROXIDE SOLUTION MAY CAUSE MILD IRRITATION TO SKIN, EYES AND MUCOUS MEMBRANES.
Explanation of Carcinogenicity:THIS PRODUCT IS NOT LISTED BY IARC, NTP, OR OSHA AS A CARCINOGEN.
Effects of Overexposure:THE 3% HYDROGEN PER OXIDE SOLUTION MAY CAUSE MILD IRRITATION TO SKIN, EYES AND MUCOUS MEMBRANES.
Medical Cond Aggravated by Exposure:NONE

=====
===== First Aid Measures =====

First Aid:EYES: FLUSH WITH WATER FOR 15 MINUTES WHILE LIFTING EYELIDS. IF IRRITATION PERSISTS, GET MEDICAL ATTENTION. SKIN: WASH WITH SOAP AND WATER UNTIL FREE OF RESIDUE. INHALATION: REMOVE TO FRESH AIR. GET M EDICAL ATTENTION. INGESTION: DO NOT INDUCE VOMITING. GET MEDICAL ATTENTION.

=====
===== Fire Fighting Measures =====

Flash Point:NONE
Autoignition Temp:Autoignition Temp Text:NONE
Lower Limits:NONE
Upper Limits:NONE
Extinguishing Media:USE WATER FOG, CARBON DIOXIDE, FOAM, OR DRY CHEMICAL.
Fire Fighting Procedures:WEAR APPROVED SELF CONTAINED BREATHING APPARATUS.
Unusual Fire/Explosion Hazard:]

=====
===== Accidental Release Measures =====

Spill Release Procedures:FOR SMALL SPILLS, FLUSH AREA WITH FLOODING AMO UNTS OF WATER TO DRAIN. IF NO DRAIN IS AVAILABLE, ABSORB ON NON-COMBUSTILBE MATERIAL; PLACE WASTE IN APPROPRIATE CONTAINER FOR LATER DISPOSAL.
Neutralizing Agent:NOT APPLICABLE.

=====
===== Handling and Storage =====

Handling and Storage Precautions:STORE IN A COOL AREA. KEEP CONTAINERS TIGHTLY CLOSED WHEN NOT IN USE. PROTECT CONTAINERS FROM PHYSICAL DAMAGE. FOLLOW LABEL DIRECTIONS.
Other Precautions:MATERIAL SHOULD BE HANDLED IN SUCH A WAY AS TO

AVOID

SKIN/EYE CONTACT AND INHALATION OF VAPORS. USE HANDLING METHOD TO MINIMIZE VAPOR GENERATION. AVOID SPLASHES TO THE EYES.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NOT NORMALLY REQUIRED.

Ventilation:NORMAL VENTILATION IS USUALLY SUFFICIENT.

Protective Gloves:NONE NORMALLY REQUIRED

Eye Protection:SAFETY GLASSES OR SPLASH GOGGLES

Other Protective Equipment:SAFETY SHOWER AND EYE WASH STATION

Work Hygienic Practices:SHOULD CONTACT OCCUR

, WASH SKIN PROMPTLY.

LAUNDRER CLOTHING AND WASH PROTECTIVE EQUIPMENT BEFORE REUSE.

Supplemental Safety and Health

NONE

===== Physical/Chemical Properties =====

HCC:N1

Boiling Pt:B.P. Text:212F,100C

Melt/Freeze Pt:M.P/F.P Text:32.0F,0.0C

Vapor Pres:0.6

Vapor Density:1

Spec Gravity:1.0

Evaporation Rate & Reference:1 WATER=1

Solubility in Water:COMPLETE

Appearance and Odor:CLEAR, COLORLESS LIQUID. NO ODOR

Percent Volatiles by Volume:100

===== Stab

ility and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS

Stability Condition to Avoid:HIGH HEAT

Hazardous Decomposition Products:OXYGEN (PROMOTES BURNING)

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE IN ACCORDANCE WITH FEDERAL, STATE, AND LOCAL REGULATIONS. INCINERATION IN A PERMITTED INCINERATOR IS THE PREFERRED DISPOSAL METHOD.

Disclaimer (provided with this information by

the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.