

MCGEAN-ROHCO INC,CEE-BEE CHEMICAL DIV -- CEE-BEE CLEANER A-872 -- 6850-01-181-7178

=====
Product Identification
=====

Product ID:CEE-BEE CLEANER A-872

MSDS Date:06/01/1991

FSC:6850

NIIN:01-181-7178

MSDS Number: BQKSY

=== Responsible Party ===

Company Name:MCGEAN-ROHCO INC,CEE-BEE CHEMICAL DIV

Address:9520 E CEE BEE DR

City:DOWNEY

State:CA

ZIP:90241-5501

Country:US

Info Phone Num:213-803-4311

Emer

gency Phone Num:213-803-4311/800-424-9300(CHEMTREC)

Preparer's Name:H. B. HANS

CAGE:71361

=== Contractor Identification ===

Company Name:MCGEAN-ROHCO INC

Address:9520 E CEE BEE DR

Box:City:DOWNEY

State:CA

ZIP:90241-5501

Country:US

Phone:562-803-4311/FAX: 562-803-6701

CAGE:71361

=====
Composition/Information on Ingredients
=====

Ingred Name:ETHANOLAMINE

CAS:141-43-5

RTECS #:KJ5775000

Fraction by Wt: 2.0%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:3 PPM/6 STEL

ACGIH TLV:3 PPM/6

STEL; 9293

Ingred Name:2-BUTOXYETHANOL

CAS:111-76-2

RTECS #:KJ8575000

Fraction by Wt: 15.0%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:S, 50 PPM

ACGIH TLV:S, 25 PPM; 9293

=====
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE: EYE AND SKIN IRRITATION.

CENTRAL NERVOUS SYSTEM EFFECTS. CHRONIC: NONE SPECIFIED BY
MANUFACTURER.

E

Explanation of Carcinogenicity:NONE OF THE INGREDIENTS IN THIS PRODUCT
IS LISTED BY NTP, IARC OR OSHA AS A CARCINOGEN.

Effects of Overexposure:EYES/SKIN: IRRITATION. INHALATION: DIZZINESS.

Medical Cond Aggravated by Exposure:INDIVIDUALS WITH A HISTORY OF SKIN

AND RESPIRATORY DISORDERS MAY BE AT INCREASED RISK FROM EXPOSURE.

=====
===== First Aid Measures =====

First Aid:EYES: FLUSH WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES. IF
IRRITATION PERSISTS,

SEE DOCTOR. SKIN: WASH WITH SOAP AND WATER

WHILE REMOVING CONTAMINATED CLOTHING AND SHOES. INHALATION: REMOVE
VICTIM TO FRESH AIR. GIVE OXYGEN/CPR IF NEEDED.SEE DOCTOR.

INGESTION: DO NOT INDUCE VOMITING. SEE DOCTOR IMMEDIATELY.

=====
===== Fire Fighting Measures =====

Flash Point Method:TCC

Flash Point:203F,95C

Extinguishing Media:USE WATER FOG, CARBON DIOXIDE, FOAM.

Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A
FULL FACED S

ELF CONTAINED BREATHING APPARATUS. COOL FIRE EXPOSED
CONTAINERS WITH WATER SPRAY.

Unusual Fire/Explosion Hazard:COMBUSTION OR HEAT OF FIRE MAY PRODUCE
HAZARDOUS DECOMPOSITION PRODUCTS AND VAPORS.

===== Accidental Release Measures =====

Spill Release Procedures:REMOVE PERSONNEL. ELIMINATE IGNITION SOURCES.
VENTILATE AREA. WEAR PROTECTIVE CLOTHING AND EQUIPMENT. ABSORB IN
INERT MATERIAL AND PLACE IN APPROPRIATE DISPOSAL CONTAINER AND
COVER. FLUSH AREA WITH PLENTY OF WATER.

===== Handling and Storage =====

Handling and Storage Precautions:STORE AT 32-100F. OPEN BUNGS SLOWLY
AND CAREFULLY.

Other Precautions:AVOID EYE AND SKIN CONTACT. DO NOT BREATHE VAPORS.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE NORMALLY REQUIRED. NIOSH/MSHA-APPROVED
RESPIRATOR OR SCBA AS APPROPRIATE FOR EXPOSURE OF CONCERN.

Ventilation:MECHANICAL (GENERAL) VENTILATION OR
LOCAL EXHAUST

VENTILATION TO KEEP EXPOSURE LEVELS BELOW PEL.

Protective Gloves:RUBBER GLOVES.

Eye Protection:CHEMICAL SAFETY GOGGLES.

Other Protective Equipment:PROTECTIVE CLOTHING AS REQUIRED TO MINIMIZE
EXPOSURE FROM PROLONGED OR REPEATED CONTACT. EYE BATH AND SAFETY
SHOWER.

Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING AND BEFORE
EATING. LAUNDER CONTAMINATED CLOTHING BEFORE REUSE.

Supplemental Safety and Health
NONE.

===== Physical/Chemical Properties =====

HCC:N1

Boiling Pt:B.P. Text:212F,100C

Melt/Freeze Pt:M.P/F.P Text:21.2F,-6.0C

Vapor Pres:10-15

Vapor Density:2

Spec Gravity:1.01

pH:11.0

Evaporation Rate & Reference: