

SERONO BAKER DIAGNOSTICS -- HAEM-QC REFERENCE AND CONTROL -- 6550-01-287-0630

=====
Product Identification
=====

Product ID:HAEM-QC REFERENCE AND CONTROL

MSDS Date:01/20/1992

FSC:6550

NIIN:01-287-0630

MSDS Number: BQKVJ

=== Responsible Party ===

Company Name:SERONO BAKER DIAGNOSTICS

Address:100 CASCADE DR

City:ALLENTOWN

State:PA

ZIP:18103

Country:US

Info Phone Num:215-264-2800

Emergency Phone Num

:800-345-3127

CAGE:IO006

=== Contractor Identification ===

Company Name:SERONO BAKER DIAGNOSTICS

Address:100 CASCADE DR

Box:2168

City:ALLENTOWN

State:PA

ZIP:18001-2168

Country:US

Phone:215-264-2800

CAGE:IO006

Company Name:SERONO-BAKER DIAGNOSTICS INC SUB OF ARES-SERONO

Address:100 CASCADE DRIVE

Box:2168

City:ALLENTOWN

State:PA

ZIP:18001-2168

Country:US

Phone:215-264-2800

CAGE:60851

=====
Composition/Information on Ingredients
=====

Ingred Name:HUMAN BLOOD CELLS IN SYNTHETIC M

EDIUM

Fraction by Wt: 100%

Other REC Limits:NONE RECOMMENDED

===== Hazards Identification =====

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE: MAY BE HARMFUL IF SWALLOWED IN LARGE QUANTITIES. CONTACT WITH EYES MAY CAUSE TRANSIENT IRRITATION. LOW HAZARD FOR SKIN CONTACT/ABSORPTION AND INHALATION.

Explanation of Carcinogenicity:NO INGREDIENT OF A CONCENTRATION OF 0.1%

OR GREATER IS LISTED AS A CARCINOGEN OR SUSPECTED CARCINOGEN.

Effects of Overexposure:SWALLOWED: NONE SPECIFIED BY MANUFACTURER.

EYES: REDNESS, DISCOMFORT.

Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

===== First Aid Measures =====

First Aid:INHALED: MOVE TO FRESH AIR. EYES: FLUSH WITH LOTS OF WATER FOR 15 MINUTES. SEE DOCTOR IF IRRITATION DEVELOPS. SKIN: WASH WITH LOTS OF SOAP AND WATER. IF SYMPTOMS DEVELOP,

SEE DOCTOR. INGESTED:

IF CONSCIOUS, WASH OUT MOUTH AND GET MEDICAL ATTENTION.

===== Fire Fighting Measures =====

Extinguishing Media:MEDIA APPROPRIATE FOR SURROUNDING FIRE.

Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS.

Unusual Fire/Explosion Hazard:NOT CONSIDERED TO BE AN EXPLOSION OR FIRE HAZARD.

===== Accidental Release Measures =====

Spill Release Procedures:NEUTRALIZE SPILL WITH STRONG SOLUTION OF

BLEACH. ALLOW 5-10 MINUTES FOR COMPLETE NEUTRALIZATION. ABSORB SPILL WITH DISPOSABLE TOWELS OR ABSORBENT MATERIAL. CONTAIN WASTE IN A BIOHAZARD BAG.

Neutralizing Agent:BLEACH

===== Handling and Storage =====

Handling and Storage Precautions:REFRIGERATE UNLESS SPECIFIED OTHERWISE BY INSTRUCTIONS IN MEDICAL DIAGNOSTIC KIT.

Other Precautions:NO KNOWN TEST METHOD CAN OFFER ASSURANCE THAT PRODUCTS MADE OF HUMAN BLOOD WILL NOT TRANSMIT HEPAT

ITIS, AIDS, OR OTHER
INFECTIONS. THEREFORE, ALL HUMAN SERUM PRODUCTS SHOULD BE
CONSIDERED POTENTIALLY HAZARDOUS AND HANDLED AS INFECTIOUS AGENT

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE NORMALLY REQUIRED.
Ventilation:USE ADEQUATE MECHANICAL VENTILATION.
Protective Gloves:RUBBER, LATEX, ETC WHEN HANDLING
Eye Protection:SAFETY GOGGLES
Other Protective Equipment:LAB COAT
Work Hygienic Practices:WASH HANDS AFTER USE AND BEFORE EATING,
DRINKING, OR SMOKING. LAUNDRY CONTAMINATED CLOTHES BEFORE REUSE.
Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:N1
Solubility in Water:COMPLETE
Appearance and Odor:DEEP RED COLORED LIQUID, NO ODOR
Percent Volatiles by Volume:0

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
ACIDS
Stability Condition to Avoid:AVOID CONTACT WITH ACIDS, HEAT.

===== Disposal
Considerations =====

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE LOCAL, STATE AND
FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek comp

etent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.