View NSN Online: https://aerobasegroup.com/nsn/9140-00-286-5286

## FARSTAD OIL INC -- DIESEL FUEL 1/FUEL OIL 1,3501/4195 -- 9140-00-286-5286

========= Product Identification ============

Product ID:DIESEL FUEL 1/FUEL OIL 1,3501/4195

MSDS Date:01/01/1991

FSC:9140

NIIN:00-286-5286

MSDS Number: BQMBH === Responsible Party ===

Company Name: FARSTAD OIL INC

Address: COUNTY RD 19 N

Box:1842 City:MINOT State:ND ZIP:58702 Country:US

Info Phone Num:701-852-1194

Emergency Phone Num:70

1-852-1194 CAGE:3R470

=== Contractor Identification ===

Company Name: FARSTAD OIL INC

Address: COUNTY RD 19 N

Box:1842 City:MINOT State:ND ZIP:58701 Country:US CAGE:3R470

======= Composition/Information on Ingredients ========

Ingred Name: AROMATIC & PARAFFINIC HYDROCARBONS

Fraction by Wt: >90%

Other REC Limits: NONE RECOMMENDED

OSHA PEL:5 MG/M3 AS OIL MIST ACGIH TLV:5 MG/M3 AS OIL MIST

Ingred Name: NAPHTHALENE (SARA III)

CAS:91-20-3

RTECS #:QJ0525000 Fraction by Wt: 3% Other REC Lim its:NONE RECOMMENDED
OSHA PEL:10 PPM/15 STEL

ACGIH TLV:10 PPM/15 STEL; 9293

EPA Rpt Qty:100 LBS DOT Rpt Qty:100 LBS

========== Hazards Identification ===============

LD50 LC50 Mixture:TLV FOR OIL MIST IS 5 MG/KG.
Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:ACUTE-MAY CAUSE EYE

IRRITATION, REDNESS, BLURRED VISION. PROLONGED/REPEATED SKIN CONTACT

CAN CAUSE IRRITATION, DEFATTING & DERMATITIS. EXCESSIVE INHALATION OF

VAPORS CAN CAUSE DIZZINESS, WEAKNESS, FATIGUE, NA

USEA,HEADACHE,UNCONSCIOUSNESS.ORAL:VOMITING,DIARRHEA.ASPIRATION HAZARD.CHRONIC-NAPHTHALENE MAY DAMAGE KIDNEY & BLOOD.

Explanation of Carcinogenicity: CAUSES LIVER TUMORS IN MICE. NIOSH RECOMMENDS WHOLE DIESEL EXHAUST BE REGARDED AS A "POTENTIAL OCCUPATIONAL CARCINOGEN.

Effects of Overexposure:MAY CAUSE EYE IRRITATION,REDNESS,BLURRED VISION.PROLONGED/REPEATED SKIN CONTACT CAN CAUSE IRRITA

TION, DEFATTING & DERMATITIS.EXCESSIVE INHALATION OF VAPORS CAN CAUSE DIZZINESS, WEAKNESS, FATIGUE, NAUSEA, HEADACHE, UNCONSCIOUSNESS. ORAL: VOMITING, DIARRHEA. ASPIRATION HAZARD. REPEATED EXPOSURE TO NAPHTHALENE DAMAGES KIDNEY & BLOOD Medical Cond Aggravated by Exposure: PRE-EXISTING DERMATITIS MAY BE AGGRAVATED.

First Aid:GET MEDICAL ATTENTION IF SYMPTOMS PERSIST.SKIN:WASH WITH SOAP & WATER.EYE:FLUSH WITH WATER FOR

15 MINUTES, HOLDING EYELIDS

OPEN.INHALED:REMOVE TO FRESH AIR & PROVIDE OXYGEN/CPR IF NEEDED.ORAL:DO NOT IN DUCE VOMITING.IF CONSCIOUS,DRINK TWO GLASSES OF WATER.CALL A PHYSICIAN.NOTE TO PHYSICAIN:ACTIVATED CHARCOAL SLURRY MAY BE ADMINISTERED.SUSPEND 50 GM ACTIVATED CHARCAOL/400 ML WATER.USE 5ML/KG(350 MAX)

=========== Fire Fighting Measures ================

Flash Point Method:TCC Flash Point:115F,46C

Autoignition Temp: Autoignition Temp Text: 410F

**Lower Limit** 

s:0.5

**Upper Limits:6** 

Extinguishing Media:CARBON DIOXIDE, FOAM/DRY CHEMICAL. WATER/FOAM MAY CAUSE FROTHING & CAN BE DANGEROUS IF SPRAYED INTO HOT, BURNING LIQUID.

Fire Fighting Procedures:WEAR FULL PROTECTIVE CLOTHING AND NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS WITH FULL FACEPIECE OPERATED IN THE POSITIVE PRESSURE MODE.

Unusual Fire/Explosion Hazard:FORMS CARBON MONOXIDE,CARBON DIOXIDE & OTEHR MATERIALS.VAPORS CAN FORM EXPLOSIVE MIXTURE WITH AIR.VAPORS HEAVIER TH

AN AIR, CAN TRAVEL TO PILOT LIGHT & FLASH BACK

	Accidental	Release	Measures	
--	------------	---------	----------	--

Spill Release Procedures:WEAR PROTECTIVE EQUIPMENTS.VENTILATE AREA.DIKE SPILL.PREVENT LIQUID FROM ENTERING SEWERS/WATERWAYS.REMOVE SOURCES OF IGNITION.SOAK UP WITH SAWDUST,SAND,OIL DRY OR USE EXPLOSION-PROOF PUMPS.TRANSFER TO SUITABLE CONTAINERS FOR DISPOSAL.

============= Handling and Storage ==========================

Handling and Storage Precautions:STOR

AGE-STORE IN COOL VENTILATED AREA

AWAY FROM FLAME, SPARKS, HEAT & STRONG OXIDIZING AGENTS.

Other Precautions:USE ONLY IN WELL VENTILATED AREA. DO NOT WELD, HEAT OR DRILL CONTAINER. EMPTY CONTAINER STILL CONTAIN HAZARDOUS/EXPLOSIVE VAPOR/LIQUID. DO NOT USE PRESSURE TO EMPTY DRUM OR EXPLOSION MAY RESULT. TOXIC FUMES MAY ACCUMULATE AND CAUSE DEATH.

====== Exposure Controls/Personal Protection ========

Respiratory Protection: USE NIOSH-APPROVED RESPIRATORY PROTECTIVE

EQUIPMENT FOR CLEANING LARGE SPILLS OR ENTRY INTO LARGE TANKS, VESSELS OR OTHER CONFINED SPACES.

Ventilation:MECHANICAL (GENERAL AND/OR LOCAL EXHAUST, EXPLOSION-PROOF) VENTILATION TO MAINTAIN EXPOSURE BELOW TLV(S).

Protective Gloves: IMPERVIOUS SUCH AS NITRILE RUBBER

Eye Protection: CHEMICAL SAFETY GLASSES/GOGGLES

Other Protective Equipment:EYE WASH STATION, QUICK DRENCH SHOWER AND IMPERVIOUS CLOTHING

Work Hygienic Practices:OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND RECOMME

AVOID BREATHING VAPORS OR MISTS. DO NOT GET IN EYES, ON SKIN OR ON CLOTHING. WASH THOROUGHLY AFTER HANDLING AND BEFORE EATING OR DRINKING. REMOVE CONTAMINATED CLOTHING PROMPTLY. KEEP OUT OF REACH OF C HILDREN.
========= Physical/Chemical Properties ==========
HCC:F4 Boiling Pt:B.P. Text:330F,166C Vapor Pres:2 @ 68F Vapor Density:>1 Spec Gravity:0.81 Solubility in Water:INSOLUBLE Appearance and Odor:CLEAR LIQUID - PA RAFFINIC ODOR
======== Stability and Reactivity Data =========
Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS Stability Condition to Avoid:HIGH HEAT, SPARKS, STATIC ELECTRICITY, OPEN FLAMES AND OTHER SOURCES OF IGNITION (IF MATERIAL IS HEATED/VAPORS PRESENT) Hazardous Decomposition Products:MAY FORM TOXIC MATERIALS SUCH AS CARBON MONOXIDE, CARBON DIOXIDE AND OTEHR TOXIC COMPOUNDS.
====== Disposal Considerations ====================================
Waste Disposal Methods:TREATMENT, STORAGE, TRANSPORTATION AND DISPOSAL MUST BE IN ACCORDANCE WITH ALL APPLICABLE LOCAL, STATE AND FEDERAL

NDED PROCEDURES.

Supplemental Safety and Health

Waste Disposal Methods:TREATMENT, STORAGE, TRANSPORTATION AND DISPOSAL MUST BE IN ACCORDANCE WITH ALL APPLICABLE LOCAL, STATE AND FEDERAL REGULATIONS. DO NOT FLUSH TO SURFACE WATER OR SANITARY SEWER SYSTEM. IT IS AN IGNITAB LE HAZARDOUS WASTE (RCRA).

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or impli

ed, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.