View NSN Online: https://aerobasegroup.com/nsn/6850-00-543-7050

SPECIALTY CHEMICALS SERVICES INC -- PHOSPHATE COATING COMPOUND -- 6850-00-543-7050

Product ID: PHOSPHATE COATING COMPOUND MSDS Date:04/23/1993 FSC:6850 NIIN:00-543-7050 **MSDS Number: BQMFM** === Responsible Party === Company Name: SPECIALTY CHEMICALS SERVICES INC Address:89 MANGNUM ST SW Box:3236 City:ATLANTA State:GA ZIP:30302 Country:US Info Phone Num:404-799-1292 Emergency Phone Num:404-799-1292 Preparer's Name:DGSC-SSH CAGE:60420 === Contractor Identification === Company Name: SPECIALTY CHEMICALS SERVICES INC Address:89 MANGNUM ST SW Box:3236 **City:ATLANTA** State:GA ZIP:30302 Country:US Phone:404-799-1292 CAGE:60420

Ingred Name:NITRIC ACID (SARA III) CAS:7697-37-2 RTECS #:QU5775000 Fraction by Wt: >= 15% OSHA PEL:2 PPM/4 STEL ACGIH TLV:2 PPM/4 STEL; 9192 EPA Rpt Qty:1000 LBS DOT Rpt Qty :1000 LBS

Ingred Name:PHOSPHATES (TYPE NOT SPECIFIED) Fraction by Wt: >= 30% Other REC Limits:NONE ESTABLISHED OSHA PEL:NONE ESTABLISHED ACGIH TLV:NONE ESTABLISHED

Ingred Name:NICKEL (SARA III) CAS:7440-02-0 RTECS #:QR5950000 Fraction by Wt: >= 0.1% OSHA PEL:1 MG/M3 ACGIH TLV:1 MG/M3; 9192

Ingred Name:ZINC (SARA III) CAS:7440-66-6 RTECS #:ZG8600000 Fraction by Wt: >= 3.9% Other REC Limits:NONE RECOMMENDED OSHA PEL:10 MG ZNO/M3 ACGIH TLV:10 MG ZNO/M3; 9293 EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:NO
Health Hazards Acute and Chronic:ACUTE- MAY CAUSE BURNS TO EYES AND SKIN. VAPORS MAY CAUSE IRRITATION AND BURNING OF RESPIRATORY TRACT. INGESTION MAY BURN MOUTH, THROAT AND STOMACH. CHRONIC: NONE KNOWN.
Explanation of Carcinogenicity:CONTAINS NICKEL COMPOUNDS.
Effects of Overexposure:MAY CAUSE BURNS T
O EYES AND SKIN. VAPORS MAY CAUSE IRRITATION AND BURNING OF RESPIRATORY TRACT. INGESTION MAY BURN MOUTH, THROAT AND STOMACH.
Medical Cond Aggravated by Exposure:PERSONS WITH A HISTORY OF AILMENTS OR WITH PRE-EXISTING DISEASE INVOLVING SKIN OR RESPIRATORY TRACT MAY BE AT INCREASED RISK FROM EXPOSURE.

First Aid:GET MEDICAL ATTENTION IF SYMPTOMS PERSIST. SKIN:WASH WITH SOAP & WATER. EYE:FLUSH WITH WATER FOR 1 **5 MINUTES, HOLDING EYELIDS** OPEN. INHALED: REMOVE TO FRESH AIR. PROVIDE OXYGEN/CPR IF NEEDED. ORAL:DO NO T INDUCE VOMITING. KEEP AT REST. GET PROMPT MEDICAL ATTENTION. Flash Point:NONE Extinguishing Media:WATER SPRAY, CARBON DIOXIDE, FOAM OR DRY CHEMICAL FOR SURROUNDING FIRE. USE WATER SPRAY TO COOL FIRE EXPOSED CONTAINERS. Fire Fighting Procedures: WEAR FULL PROTECTIVE CLOTHING AND NIOSH-**APPROVED SELF-C** ONTAINED BREATHING APPARATUS WITH FULL FACEPIECE OPERATED IN THE POSITIVE PRESSURE MODE. Unusual Fire/Explosion Hazard: FIRE OR EXCESSIVE HEAT MAY CAUSE PRODUCTION OF HAZARDOUS DECOMPOSITION PRODUCTS. Spill Release Procedures: DIKE AREA AND NEUTRALIZE. SCOOP UP OR VACUUM UP. RINSE RESIDUAL TRACES WITH WATER. Neutralizing Agent:SODA ASH Handling and Storage Precautions: STORE IN A COOL AREA AWAY FROM EXCESSIVE HEAT AND BASES. KEEP CONTAINERS TIGHTLY CLOSED WHEN NOT IN USE. Other Precautions: AVOID BREATHING VAPORS OR MISTS. DO NOT GET IN EYES, ON SKIN OR ON CLOTHING. WASH THOROUGHLY AFTER HANDLING AND BEFORE EATING OR DRINKING. REMOVE CONTAMINATED CLOTHING PROMPTLY. KEEP OUT OF REACH OF C HILDREN. Respiratory Protection: NONE NORMALLY REQUIRED. IF WORKIN **G IN CONFINED** AREAS, OR HEAVY MISTING IS EXPECTED, USE NIOSH-APPROVED RESPIRATORY PROTECTION. Ventilation:ADEQUATE Protective Gloves:NEOPRENE OR RUBBER Eye Protection: SAFETY GOGGLES & FACE SHIELD Other Protective Equipment: EYE WASH STATION AND SAFETY SHOWER. INDUSTRIAL-TYPE WORK CLOTHING AND APRON AS REQUIRED. Work Hygienic Practices: OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. DO NOT WEAR CONTAMINATED CLOTHING OR FOOTWEAR. Supplemental Safety and Healt

h NO MSDS WAS AVAILABLE FROM MANUFACTURER. THIS MSDS WAS PREPARED BY THE PROFESSIONALS OF DGSC-SSH WITHOUT ANY WARRANTY. IT IS THE USER'S RESPONSIBILITY TO GATHER INFORMATION AND USE THE MATERIAL PROPER LY TO PROTECT EMPLOYEES AND ENVIRONMENT.

HCC:C1 Solubility in Water:COMPLETE Appearance and Odor:LIQUID

Stability Indicator/Materials to Avoid:Y ES BASES Stability Condition to Avoid:EXCESSIVE HEAT Hazardous Decomposition Products:NONE KNOWN

Waste Disposal Methods:DISPOSAL SHOULD BE MADE IN ACCORDANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL LAWS AND REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner wh atsoever,

expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.