

ASHLAND CHEMICAL COMPANY -- ETHYLENE GLYCOL TECH -- 6810-01-008-4316

=====  
Product Identification  
=====

Product ID:ETHYLENE GLYCOL TECH

MSDS Date:05/31/1989

FSC:6810

NIIN:01-008-4316

MSDS Number: BQMHV

=== Responsible Party ===

Company Name:ASHLAND CHEMICAL COMPANY

Box:2219

City:COLUMBUS

State:OH

ZIP:43216-2219

Country:US

Info Phone Num:800-274-5263

Emergency Phone Num:800-274-5263

CAGE:34897

===

Contractor Identification ===

Company Name:ASHLAND CHEMICAL CO

Box:2219

City:COLUMBUS

State:OH

ZIP:43216-2219

Country:US

Phone:614-790-3333/800-274-5263

CAGE:34897

Company Name:TEXAS INSTRUMENTS INC DEFENSE SYSTEM & ELECTRONICS

Address:8505 FOREST LN

Box:660246

City:DALLAS

State:TX

ZIP:75266-0246

Country:US

CAGE:96214

=====  
Composition/Information on Ingredients  
=====

Ingred Name:ETHYLENE GLYCOL (SARA III)

CAS:107-21-1

RTECS #:KW2975000

Fraction by Wt: 100%

Other REC Limits:

NONE SPECIFIED  
OSHA PEL:C 50 PPM  
ACGIH TLV:C 50 PPM,VAPOR; 9192  
EPA Rpt Qty:1 LB  
DOT Rpt Qty:1 LB

=====  
===== Hazards Identification =====

LD50 LC50 Mixture:PEL=50PPM;TLV=50PPM (BOTH CEILING)  
Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:EYES:IRRITANT.SKIN:SLIGHT  
IRRITANT.INHAL:NASAL AND RESPIRATORY IRRITATION.INGEST:CAN CAUSE  
GASTROINTESTINAL IRRITATION.CHRONIC E  
FFECTS ARE BIRTH  
DEFECTS,KIDNEY AND LIVER DAMAGE AND CENTRAL NERVOUS SYS TEM  
EFFECTS.  
Explanation of Carcinogenicity:RTECS 92-4 SHOWS MONOGRAPHS ON ETHYLENE  
GLYCOL AS A MUTAGEN,TUMORIGEN,REPRODUCTIVE EFFECTOR.  
Effects of Overexposure:INGEST:NAUSEA,VOMITING,DIARRHEA.  
Medical Cond Aggravated by Exposure:HMIS SUGGESTS THAT PERSONS WITH A  
HISTORY OF KIDNEY OR LIVER DISORDERS MAYBE AT INCREASED RISK FROM  
EXPOSURE.

=====  
===== First Aid Measures =====  
==

First Aid:EYE:FLUSH W/ WATER 15 MIN HOLD LIDS OPEN. SKIN:REMOVE  
CONTAMINATED CLOTHING AND LAUNDRER BEFORE REUSE. WASH WITH SOAP &  
WATER. INHALED:REMOVE TO FRESH AIR. RESTORE BREATHING IF NECESSARY.  
INGESTED:GIVE 2 GLASSES WATER AND INDUCE VOMITING(BYIPECAC OR  
FINGER DOWN THROAT). GIVE NOTHING BY MOUTH IF UNCONSCIOUS. GET  
IMMEDIATE MEDICAL CARE. IF IRRITATION PERSISTS,OR IS SEVERE,SEE A  
DOCTOR.

=====  
===== Fire Fighting Measures =====

Flas  
h Point Method:TCC  
Flash Point:232F,111C  
Lower Limits:3.2  
Upper Limits:15.3  
Extinguishing Media:USE CARBON DIOXIDE, DRY CHEMICAL, OR WATER  
FOG.WATER OR FOAM MAY CAUSE FROTHING.  
Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A  
FULL FACED SELF CONTAINED BREATHING APPARATUS. EVACUATE AREA. COOL  
FIRE EXPOSED CONTAINERS WITH WATER SPRAY.  
Unusual Fire/Explosion Hazard:CONTAINERS ARE AN EXPLOSION HAZARD.

=====  
===== Accidental Release Measures =====

===

Spill Release Procedures:WIPE/SOAK UP WITH PAPER TOWEL OR INERT ABSORBENT. PUT IN DISPOSAL CONTAINER. FLUSH RESIDUE WITH WATER. LARGE SPILL: VENTILATE AREA. IF POSSIBLE, STOP LEAK. DIKE TO RETAIN RUN OFF. VACUUM UP FREE LIQUID. FLUSH RESIDUE WITH WATER. Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

=====  
===== Handling and Storage =====

Handling and Storage Precautions:STORE IN A COOL, DRY, WELL VENTILATED AREA. KEEP CONTAINERS TIGHTLY CLOSED WHEN NOT IN USE. PROTECT CONTAINERS FROM PHYSICAL DAMAGE. Other Precautions:'EMPTY' CONTAINERS MAY CONTAIN RESIDUE OR VAPOR. DO NOT PRESSURIZE,CUT,WELD,BRAZE,ETC. NEAR THEM.

=====  
===== Exposure Controls/Personal Protection =====

Respiratory Protection:RESPIRATOR WILL NOT NORMALLY BE NECESSARY. USE NIOSH/MSHA APPROVED RESPIRATOR FOR ORGANIC DUST/MIST IF EXPOSURE IS ABOVE THE TLV/PEL. SEE 29 CFR 1910.134 FOR REGULATIONS PERTAINING TO RESPIRATOR USE.

Ventilation:NORMAL VENTILATION IS USUALLY SUFFICIENT. SUPPLEMENT WITH LOCAL EXHAUST IF PEL/TLV IS EXCEEDED.

Protective Gloves:NEOPRENE, NITRILE, PVC OR NATURAL RUBBER

Eye Protection:SAFETY GLASSES OR SPLASH GOGGLES

Other Protective Equipment:EYE WASH STATION AND SAFETY SHOWER. AVOID PROLONGED AND/OR REPEATED CONTACT BY USING APPROPRIATE CLOTHING.

Work Hygienic Practices:USE GOOD CHEMICAL HYGIENE PRACTICE. AVOID UNNECESSARY CONTACT. WASH THOROUGHLY BEFORE EATING OR DRINKING.

Supplemental Safety and Health  
POISONOUS.

=====  
===== Physical/Chemical Properties =====

HCC:V5  
Boiling Pt:=193.C, 379.4F  
Vapor Pres:0.1  
Vapor Density:2.2  
Spec Gravity:1.115  
Evaporation Rate & Reference: