

SHARP CORP -- JX-95ND/DC -- 6850-01-331-0198

===== Product Identification =====

Product ID:JX-95ND/DC

MSDS Date:08/27/1992

FSC:6850

NIIN:01-331-0198

MSDS Number: BQMMH

=== Responsible Party ===

Company Name:SHARP CORP

Address:22-22, NAGAIKE-CHO

City:ABENO-KU, OSAKA, JAPAN

Info Phone Num:201-529-8731

Emergency Phone Num:201-529-8731

CAGE:S4117

=== Contractor Identification ===

Company Name:SHARP C

ORPORATION

Address:22 22 NAGAIKE CHO ABENO KU

Box:City:OSAKA, JAPAN

Country:JA

Phone:800-237-4277/800-255-3924

CAGE:S4117

===== Composition/Information on Ingredients =====

Ingred Name:MAGNETITE

CAS:1309-38-2

RTECS #:OM4800000

Fraction by Wt: 79.6%

Ingred Name:STYRENE-ACRYLATE COPOLYMER

CAS:27136-15-8

Fraction by Wt: 19.05%

Ingred Name:PROPENE POLYMERS; (POLYPROPYLENE)

CAS:9003-07-4

RTECS #:UD1842000

Fraction by Wt: 1.05%

Ingred Name:METAL COMPLEX OF AZO COMPOUND

Fraction

by Wt: 0.3%

=====  
===== Hazards Identification =====  
=====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.  
Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:MINIMAL IRRITATION TO RESPIRATORY  
TRACT MAY OCCUR AS WITH EXPOSURE TO ANY NON-TOXIC DUST.  
Explanation of Carcinogenicity:NOT RELEVANT  
Effects of Overexposure:SEE HEALTH HAZARDS.  
Medical Cond Aggravated by Exposure:ACCUMULA  
TION OF DUST IN THE  
RESPIRATORY SYSTEM.

=====  
===== First Aid Measures =====  
=====

First Aid:INHAL: REMOVE TO FRESH AIR. IF EFFECTS OCCUR, CONSULT LOCAL  
MEDICAL PERSONNEL. EYES: IMMED FLUSH WITH WATER FOR AT LEAST 15  
MINUTES. SKIN: FLUSH WITH COPIOUS AMOUNTS OF WATER. CALL MD .  
INGEST: CALL MD IMMED .

=====  
===== Fire Fighting Measures =====  
=====

Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL, FOAM/WATER.  
Fire Fighting Proce  
dures:WEAR NIOSH/MSHA APPROVED SCBA AND FULL  
PROTECTIVE EQUIPMENT .  
Unusual Fire/Explosion Hazard:THIS MATERIAL HAS NO UNUSAL FIRE OR  
EXPLOSION HAZARDS.

=====  
===== Accidental Release Measures =====  
=====

Spill Release Procedures:SWEEP UP OR CLEAN UP WITH A VACUUM CLEANER.  
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

=====  
===== Handling and Storage =====  
=====

Handling and Storage Precautions:NO SPECIAL STORAGE REQUIREMENTS FOR  
SAFETY

REASONS.

Other Precautions:NONE.

=====  
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE REQUIRED UNDER NORMAL USE. USE NIOSH/MSHA APPROVED RESPIRATOR APPROPRIATE FOR EXPOSURE OF CONCERN .

Ventilation:NO.

Protective Gloves:IMPERVIOUS GLOVES .

Eye Protection:CHEMICAL WORKERS GOGGLES .

Other Protective Equipment:NONE REQUIRED UNDER NORMAL USE.

Work Hygienic Practices:NONE SPECIFIED BY MANUFACTURER.

Supplemental Safety and Health

NONE SPECIFIED BY MANU

FACTURER.

=====  
===== Physical/Chemical Properties =====

Spec Gravity:2.94(H\*2O=1)

Solubility in Water:NEGLIGIBLE

Appearance and Odor:FINE BLACK POWDER, ODORLESS

=====  
===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

NONE.

Stability Condition to Avoid:NONE.

Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE, AND OXIDES OF NITROGEN.

=====  
===== Disposal Considerations =====

==

Waste Disposal Methods:WASTE MATERIAL MAY BE DUMPED OR INCINERATED UNDER CONDITIONS WHICH MEET ALL FEDERAL, STATE & LOCAL ENVIRONMENTAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing

this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.