View NSN Online: https://aerobasegroup.com/nsn/6810-00-300-6121

Product ID: PHOSPHORIC ACID, O260 MSDS Date:05/01/1989 FSC:6810 NIIN:00-300-6121 MSDS Number: BQNDP === Responsible Party === Company Name: J T BAKER INC Address:222 RED SCHOOL LANE City:PHILLIPSBURG State:NJ ZIP:08865-2219 Country:US Info Phone Num:800-582-2537 Emergency Phone Num:908-859-2151;800-424-930 0(CHEMTREC) CAGE:DO803 === Contractor Identification === Company Name: J T BAKER INC Address:222 RED SCHOOL LANE City:PHILLIPSBURG State:NJ ZIP:08865 Country:US Phone:1-800-582-2537 CAGE:DO803 Company Name: MALLINCKRODT BAKER, INC. Address:222 RED SCHOOL LANE Box:City:PHILLIPSBURG State:NJ ZIP:08865 Country:US Phone:800-582-2537 CAGE:70829

Ingred Name:PHOSPHORIC ACID (SARA III). LD50 (ORAL, RAT):1530 MG/KG CAS:7664-38-2 RTECS

#:TB6300000 Fraction by Wt: 85-100% OSHA PEL:1 MG/M3;3 MG/M3 STEL ACGIH TLV:1 MG/M3;3 MG/M3 STEL EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS

LD50 LC50 Mixture:SEE INGREDIENTS Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:ACUTE:INHAL:SEVERE IRRITATION OF RESPIRATORY SYSTEM. SKIN/EYES:SEVERE IRRITATION OR BURNS. INGEST:BURNS T O MOUTH, THROAT AND STOMACH. CHRONIC:NONE IDENTIFIED. Explanation of Carcinogenicity:NOT RELEVANT Effects of Overexposure:SEE HEALTH HAZARDS Medical Cond Aggravated by Exposure:NONE IDENTIFIED.

First Aid:INGEST:CALL MD. DO NOT INDUCE VOMIT. IF CONSCIOUS, GIVE WATER, MILK/MILK OF MAGNESIA. INHAL:REMOVE TO FRESH AIR. IF NOT BREATHING, GIVE ARTIFICIAL RESP. IF BREATHING IF DIFFICULT, GIVE OXYGEN. SKIN:IM MEDIATELY FL

USH W/PLENTY OF WATER FOR AT LEAST 15 MINUTES WHILE REMOVING CONTAMINATED CLOTHING & SHOES. WASH CLOTHING BEFORE RE-USE. EYE:IMMEDIATELY FLUSH W/PLENTY OF WATER FOR AT LEAST 15 MINUTES.

Extinguishing Media:USE WATER SPRAY, CARBON DIOXIDE, DRY CHEMICAL OR ORDINARY FOAM.

Fire Fighting Procedures:USE NIOSH/MSHA APPROVED SCBA AND FULL PROTECTIVE EQUIPMENT .

Unusual Fire/Explosion Hazard: GIVES OFF FLAMMABLE VAP ORS. VAPORS MAY

FORM EXPLOSIVE MIXTURE WITH AIR. CLOSED CONTAINERS EXPOSED TO HEAT MAY EXPLODE.

Spill Release Procedures:WEAR SCBA & FULL PROT CLOTHING. STOP LEAK IF YOU CAN DO SO WITHOUT RISK. VENT AREA. NEUTRALIZE SPILL W/SODA ASH/LIME. W/ CLEAN SHOVEL, CAREFULLY PLACE MATL INTO CLEAN, DRY CONTR & COVER, REMOVE FROM A REA. FLUSH SPILL AREA W/WATER. Neutralizing Agent:J.T. BAKER NEUTRASORB OR TEAM 'LOW NA+ ' ACID NEUT ARE REC FOR SPILLS OF PROD.

Handling and Storage Precautions: KEEP CONTAINER TIGHTLY CLOSED. STORE IN CORROSION-PROOF AREA. CAUSES BURNS. HARMFUL IF SWALLOWED. Other Precautions: DO NOT GET IN EYES.

Respiratory Protection:NIOSH/MSHA APPROVED RESP PROT REQ IF AIRBORNE CONC EXCEEDS TLV. AT CONC UP TO 12 PPM, A NIOSH/MSHA APPROVED HIGH

EFFICIENCY PARTICULATE RESP IS REC. ABOVE THIS TLV, A NIOSH/MSHA APPROVED SCBA IS ADVIS ED.

Ventilation:USE GENERAL OR LOCAL VENTILATION TO MEET TLV REQUIREMENTS. Protective Gloves:POLYVINYL ALCOHOL GLOVES. Eye Protection:CHEM WORK GOGG W/FULL LGTH FCSHLD. Other Protective Equipment:UNIFORM, LAB COAT, APRON, PROTECTIVE SUIT. EMERGENCY EYE WASH AND DELUGE SHOWER. Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING.

Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING. Supplemental Safety and Health PH:1.5 (0.1M SOLUTION).

\_\_\_\_\_

Boiling Pt:B.P. Text:316F,158C Melt/Freeze Pt:M.P/F.P Text:69.8F,21C Vapor Pres:2.2 Vapor Density:3.4 Spec Gravity:1.71 (H\*2O = 1) pH:SUPDAT Solubility in Water:COMPLETE (100%) Appearance and Odor:COLORLESS VISCOUS LIQUID. ODORLESS. Percent Volatiles by Volume:100

Stability Indicator/Materials to Avoid:YES MOST COMMON METALS, STRONG BASES. Stability Condition to Avoid:NO

## NE IDENTIFIED. Hazardous Decomposition Products:OXIDES OF PHOSPHORUS.

Waste Disposal Methods:DISPOSE IN ACCORDANCE WITH ALL APPLICABLE LOCAL, STATE AND FEDERAL ENVIRONMENTAL REGULATIONS. EPA HAZARDOUS WASTE NUMBER:D002, D003 (CORROSIVE, REACTIVE WASTE).

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United

States of America in no manner whatsoever,

expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.