View NSN Online: https://aerobasegroup.com/nsn/5330-00-965-5188

FLEXITALLIC CANADA LTD -- ASBESTOS FILLED SPIRAL-WOUND GASKET -- 5330-00-965-5188

Product ID: ASBESTOS FILLED SPIRAL-WOUND GASKET MSDS Date:10/01/1991 FSC:5330 NIIN:00-965-5188 MSDS Number: BQSHM === Responsible Party === Company Name: FLEXITALLIC CANADA LTD Address:1337 LOUGAR AVE **City:SARNIA ONT CAN** Country:CA Emergency Phone Num:519-332-8300 CAGE:0TY31 === Cont ractor Identification === Company Name: FLEXITALLIC CANADA LTD Address:1337 LOUGAR AVE Box:City:SARNIA, ONT CAN Phone:519-332-8300 CAGE:0TY31

Ingred Name:ASBESTOS, CHRYSOTILE CAS:12001-29-5 RTECS #:CI6478500 Other REC Limits:NONE RECOMMENDED OSHA PEL:0.2 FIBERS/CC ACGIH TLV:2 FIBERS/CC; A1;9293

Reports of Carcinogenicity:NTP:YES	IARC:YES	OSHA:YES	
Healt			
h Hazards Acute and Chronic:BREAT	HING OF AS	BESTOS FIBE	RS IN

SIGNIFICANT AMOUNTS MAY PRODUCE IRREVERSIBLE LUNG DISEASE AND CANCER.

Explanation of Carcinogenicity:CONTAINS A [1332-21-4] WHICH IS LISTED BY NTP AND IARC AND REGULATED BY OSHA AS A CARCINOGEN.

Extinguishing Media: DETERMINED BY SURROUNDING MATERIAL,	ASBESTOS NOT
COMBUSTIBLE IN AIR.	

Spill Release Procedures: VACUUM FINES AND DUST, CAREFULLY AVOIDING DUSTING. IF SWEEPING IS USED, CONTROL DUST BY WETTING AREA AND USE APPROPIATE DUST MASK.

Handling and Storage Precautions: N/A, AS A FINISHED PRODUCT IN SPIRAL WOUND GASKETS. Other Precautions: SEE OTHER REGULATIONS FOR ASBESTOS HANDLING IN CFR TITLE 29, PART 1910, SUBPART 2, PARA 1910.1001. ======= Exposure Controls/Personal Protection \_\_\_\_\_ Respiratory Protection: USE MESA/MSA/OSHA RESPIRATOR IF DESIRED. Ventilation: LOCAL EXHAUST: CONSULT LOCALLY APPLICABLE REGULATIONS FOR EMISSIONS. Work Hygienic Practices: KEEP WORK AREA CLEAN OF ASBESTOS DUST. Supplemental Safety and Health HCC:T7 Boiling Pt:B.P. Text:SOLID Spec Gravity:2.5 Solubility in Water:NEGLIGIBLE Appearance and Odor:LIGHT BLUE WITH NO ODOR. ======== Stability and Reactivit v Data ========== Stability Indicator/Materials to Avoid:YES 

Waste Disposal Methods: FOLLOW FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims al I liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.