

CRP INDUSTRIES, INC -- COLD VULCANIZING CEMENT -- 8040-01-055-6052

=====
Product Identification
=====

Product ID:COLD VULCANIZING CEMENT

MSDS Date:03/01/1989

FSC:8040

NIIN:01-055-6052

MSDS Number: BQSKP

=== Responsible Party ===

Company Name:CRP INDUSTRIES, INC

Address:1 MINUE STREET

City:CARTERET

State:NJ

ZIP:07008

Country:US

Info Phone Num:800-526-4066

Emergency Phone Num:291-969-2200

CAGE:MO77

4

=== Contractor Identification ===

Company Name:CRP INDUSTRIES, INC

Address:1 MINUE STREET

City:CARTERET

State:NJ

ZIP:07008

Country:US

Phone:800-526-4066

CAGE:MO774

Company Name:NAVAL AIR SYSTEMS COMMAND

Address:1421 JEFFERSON DAVIS HIGHWAY

Box:City:ARLINGTON

State:VA

ZIP:22202

Country:US

CAGE:30003

=====
Composition/Information on Ingredients
=====

Ingred Name:1,1,1-TRICHLOROETHANE (SARA III) (FOR BLACK, WHITE AND RED CEMENTS)

CAS:71-55-6

RTECS #:KJ2975000

Other REC Li

imits:NONE SPECIFIED
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS
Ozone Depleting Chemical:1

Ingred Name:TRICHLOROETHYLENE (SARA III) (FOR PVC CEMENT)
CAS:79-01-6
RTECS #:KX4550000
Other REC Limits:NONE SPECIFIED
OSHA PEL:100 PPM/100 STEL
ACGIH TLV:50 PPM/100,A5STEL;93
EPA Rpt Qty:100 LBS
DOT Rpt Qty:100 LBS

Ingred Name:METHYLCHLOROFORM (SARA III)
CAS:71-55-6
RTECS #:KJ2975000
Other REC Limits:NONE SPECIFIED
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS
Ozone Depleting Chemical:1

=====
== Hazards Identification =====

Health Hazards Acute and Chronic:SKIN ERUPTIONS, ITCH OF EYES, ILLNESS
OF THE NERVOUS SYSTEM, LIVER, STOMACH TROUBLES, STANDSTILL OF HEART
AND CIRCULATION.

Explanation of Carcinogenicity:CANCER--NO CONFIRMATION--SUSPICION ONLY
Medical Cond Aggravated by Exposure:PRECAUTION/MEDICAL TREATMENT

=====
===== First Aid Measures =====

First Aid:REMOVE FROM DANGEROUS AREA, FRESH AIR, CONSULTATION OF A
DOCTOR.

=====
===== Fire Fighting Measures =====

Flash Point:392F,200C

=====
===== Handling and Storage =====

Handling and Storage Precautions:STORAGE COOL AND DRY, SPECIAL AND
CONSTANT ROOM VENTILATION SYSTEM

Other Precautions:PROTECTIVE COATING/CLOTHES, GLOVES, SPECTACLES,
PROTECTIVE APRON

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:GOOD CONSTANT AERATION, RESPIRATORY DEVICE NOT
N

NECESSARY BUT IF NECESSARY; TYPE A COLOR BROWN.

Ventilation:MECHANICAL (GENERAL): VENTILATOR.

Protective Gloves:PROTECTIVE GLOVES

Eye Protection:EYE PROTECTION

Work Hygienic Practices:YES

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:T6

Boiling Pt:B.P. Text:165F,74C

Vapor Pres:133 H PA

Vapor Density:4.61

Spec Gravity:1.33 (WATER=1)

Evaporation Rate & Reference:216 (BU AC=1) (ETHER=1)

Solubility in Water:0.44 WEIGHT %

Appearance and O

dor:SWEETISH ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

FIRE AND SPARKING

Stability Condition to Avoid:INCORRECT AND WRONG STORAGE. STORAGE COOL AND DRY.

Hazardous Decomposition Products:DECOMPOSITION FORMATION OF PHOSGENE, CO, HCL

===== Disposal Considerations =====

Waste Disposal Methods:REFUSES WHICH CONTAIN CKW MATERIAL SHOULD BE REMOVED AS SPECIAL REFUSE.

Disclaimer (pr

vided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.