

MICROFILM PROD -- LUBRICATING OIL, HYDRAULIC -- 9150-00-082-5636

=====  
Product Identification  
=====

Product ID: LUBRICATING OIL, HYDRAULIC

MSDS Date: 06/09/1986

FSC: 9150

NIIN: 00-082-5636

MSDS Number: BQSWB

=== Responsible Party ===

Company Name: MICROFILM PROD

City: CHICAGO

State: IL

Country: US

Info Phone Num: 708-555-1212 NOT LISTED

Emergency Phone Num: 708-555-1212 NOT LISTED

Preparer's Name: DGSC-SSH

CA

GE: MICRO

=== Contractor Identification ===

Company Name: MICROFILM PROD

City: CHICAGO

State: IL

Country: US

Phone: 708-555-1212 NOT LISTED

CAGE: MICRO

=====  
Composition/Information on Ingredients  
=====

Ingred Name: CHLOROPHENYL METHYL POLYSILOXANE

Fraction by Wt: 100%

Other REC Limits: NONE SPECIFIED

=====  
Hazards Identification  
=====

Routes of Entry: Inhalation: NO Skin: NO Ingestion: NO

Reports of Carcinogenicity: NTP: NO IARC: NO OSHA: NO

Health Ha

zards Acute and Chronic: ACUTE- MAY CAUSE EYE AND SKIN

IRRITATION. VAPORS MAY CAUSE RESPIRATORY TRACT IRRITATION. EFFECTS OF INGESTION IS UNKNOWN. CHRONIC- MAY CAUSE SKIN DEFATTING.

Effects of Overexposure: MAY CAUSE EYE AND SKIN IRRITATION. VAPORS MAY CAUSE RESPIRATORY TRACT IRRITATION.

Medical Cond Aggravated by Exposure: PRE-EXISTING SKIN DISORDERS MAY BE MORE SUSCEPTIBLE TO THIS MATERIAL.

=====  
First Aid Measures  
=====

First Aid: GET MEDICA

L ATTENTION IF SYMPTOMS PERSIST. SKIN:REMOVE  
CONTAMINATED CLOTHING. FLUSH SKIN WITH WATER, THEN WASH WITH SOAP &  
WATER. EYE:FLUSH WITH WATER FOR 15 MINUTES, HOLDING EYELIDS OPEN.  
INHALED:REMOVE TO FRESH AIR. PROVIDE OXYGEN/CPR IF NEEDED. ORAL:GET  
MEDICAL ATTENTION.

===== Fire Fighting Measures =====

Flash Point Method:OC

Flash Point:527F,275C

Extinguishing Media:USE WATER FOG, CARBON DIOXIDE, FOAM, OR DRY  
CHEMICAL.

Fire Fighting Procedures:

WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A  
FULL FACED SELF CONTAINED BREATHING APPARATUS. COOL FIRE EXPOSED  
CONTAINERS WITH WATER SPRAY. CONTAIN RUNOFF.

Unusual Fire/Explosion Hazard:COMBUSTION OR HEAT OF FIRE MAY PRODUCE  
HAZARDOUS DECOMPOSITION PRODUCTS AND VAPORS. HYDROCHLORIC ACID MAY  
BE EMITTED ON COMBUSTION.

===== Accidental Release Measures =====

Spill Release Procedures:VENTILATE AREA. WEAR PROTECTIVE CLOTHING AND  
EQUIPMENT. ABSORB IN INERT MATERIAL (NON-FLAMMABLE) AND PLACE IN  
APPROPRIATE DISPOSAL CONTAINER AND COVER. FLUSH AREA WITH PLENTY OF  
WATER.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL, DRY, WELL VENTILATED  
AREA. PROTECT FROM PHYSICAL DAMAGE, HEAT, IGNITION SOURCES AND  
INCOMPATIBLE MATERIALS. KEEP CONTAINERS CLOSED.

Other Precautions:AVOID EYE AND SKIN CONTACT. DO NOT BREATHE VAPORS.  
WASH THOROUGHLY AFTER HANDLING.

=====  
== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE NORMALLY REQUIRED. NIOSH-APPROVED  
RESPIRATOR OR SCBA AS APPROPRIATE FOR EXPOSURE OF CONCERN.

Ventilation:MECHANICAL (GENERAL) VENTILATION

Protective Gloves:RUBBER GLOVES RECOMMENDED

Eye Protection:CHEMICAL SAFETY GOGGLES.

Other Protective Equipment:PROTECTIVE CLOTHING AS REQUIRED TO MINIMIZE  
EXPOSURE FROM PROLONGED OR REPEATED CONTACT. EYE BATH AND SAFETY  
SHOWER.

Work Hygienic Practices:WASH THOROUGH

LY BEFORE EATING. LAUNDER  
CONTAMINATED CLOTHING BEFORE REUSE.

Supplemental Safety and Health

NO MSDS WAS AVAILABLE FROM MANUFACTURER. THIS MSDS WAS PREPARED BY THE  
PROFESSIONALS OF DGSC-SSH WITHOUT ANY WARRANTY. IT IS THE USER'S  
RESPONSIBILITY TO GATHER INFORMATION AND USE THE MATERIAL PROPER LY  
TO PROTECT EMPLOYEES AND ENVIRONMENT.

===== Physical/Chemical Properties =====

HCC:V6  
Spec Gravity:1.03  
Solubility in Water:INSOLUBLE  
Appearance and Odor:CLE  
AR-SLIGHTLY YELLOW LIQUID. ODORLESS.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
MINERAL ACIDS.  
Stability Condition to Avoid:HIGH TEMPERATURES, FLAMES  
Hazardous Decomposition Products:HYDROCHLORIC ACID, CARBON OXIDES AND  
SILICA, EMITTED ON COMBUSTION.

===== Disposal Considerations =====

Waste Disposal Methods:CONTACT YOUR LOCAL ENVIRONMENTAL OFFICER.  
DISPOSE OF IN ACCORDANCE WITH ALL FE  
DERAL, STATE AND LOCAL  
REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this  
information to their  
particular situation.