

GENERAL SEALANTS INC -- GS NO. 424 -- 8030-00-965-2437

===== Product Identification =====

Product ID:GS NO. 424

MSDS Date:10/22/1990

FSC:8030

NIIN:00-965-2437

MSDS Number: BQWDQ

=== Responsible Party ===

Company Name:GENERAL SEALANTS INC

Address:300 S TURNBULL CANYON RD

City:CITY OF INDUSTRY

State:CA

ZIP:91745

Country:US

Info Phone Num:818-961-0211

Emergency Phone Num:818-961-0211

Preparer's Name

:ADU SAHAWNEW

CAGE:53992

=== Contractor Identification ===

Company Name:GENERAL SEALANTS INC

Address:300 S TURNBULL CANYON RD

Box:3855

City:CITY OF INDUSTRY

State:CA

ZIP:91744

Country:US

Phone:818-961-0211

CAGE:53992

===== Composition/Information on Ingredients =====

Ingred Name:CHLORINATED PARAFFINS (THIS PRODUCT HAS NOT BEEN SHOWN TO
HAVE ADVERSE HEALTH EFFECTS)

CAS:68920-70-7

Other REC Limits:NONE SPECIFIED

OSHA PEL:5 MG/M3

===== Hazards Identificatio

n =====

Health Hazards Acute and Chronic:SOLID MATERIAL, MAY BURN AT OR ABOVE FLASHPOINT, CONCENTRATED AIRBORNE DUST MAY CAUSE IRRITATION BREATHING TO SENSITIVE PERSONS.

===== Fire Fighting Measures =====

Flash Point:800F,427C

Extinguishing Media:WATER, CARBON DIOXIDE

Fire Fighting Procedures:USE WATER SPRAY TO COOL FIRE EXPOSED SURFACES AND TO PROTECT PERSONNEL. RESPIRATORY AND EYE PROTECTION REQUIRED.

Unusual Fire/Explosion Haza

rd:NON-EXPLOSIVE, MAY PRODUCE CARBON MONOXIDE AND IRRITATING SMOKE.

===== Accidental Release Measures =====

Spill Release Procedures:ELIMINATE SOURCE OF IGNITION, PREVENT ADDITIONAL DISCHARGE OF MATERIAL. IMPLEMENT CLEANUP PROCEDURE AND NOTIFY AUTHORITIES IF APPROPRIATE.

===== Handling and Storage =====

Handling and Storage Precautions:STORE AT 72F

Other Precautions:NONE

===== Exposure Controls/Personal Protection =====

Protective Gloves:USE WHEN MATERIAL IS HOT

Eye Protection:NONE

Other Protective Equipment:NONE

Work Hygienic Practices:NONE

Supplemental Safety and Health

GS #424 IS CONSIDERED NON-HAZARDOUS, NON-COMBUSTIBLE AND NON-EXPLOSIVE.

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:SOLID

Melt/Freeze Pt:M.P/F.P Text:230F,110C

Vapor Pres:SOLID

Vapor Density:< 1

Spec Gravity:1.532 (WATER=1)

Solubility in Water:INSOLUBLE

Appearance and Odor:

BLACK SOLID, SLIGHT POLYSULFIDE ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid: YES

NONE

Hazardous Decomposition Products: FLAMMABLE HYDROCARBONS

===== Disposal Considerations =====

Waste Disposal Methods: STANDARD, RECOVER MATERIAL AND PLACE IN CONTAINERS FOR RECYCLE OR DISPOSAL. ENSURE LOCAL DISPOSAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.