View NSN Online: https://aerobasegroup.com/nsn/8040-01-004-2705

PERMATEX INDUSTRIAL CORP; DIV OF LOCTITE CORP -- PRIMER, PURPLE P/N 81978-79 8040-01-004-2705

============= Product Identification ==================

Product ID:PRIMER, PURPLE P/N 81978-79

MSDS Date:01/01/1989

FSC:8040

NIIN:01-004-2705

MSDS Number: BQWFG === Responsible Party ===

Company Name: PERMATEX INDUSTRIAL CORP; DIV OF LOCTITE CORP

Address:30 TOWER LANE; AVON PARK SOUTH

City:AVON State:CT ZIP:06001 Country:U

S

Info Phone Num:203-677-7727

Emergency Phone Num:203-677-7727 Preparer's Name:STEPHEN REPETTO

CAGE:62377

=== Contractor Identification ===

Company Name: PERMATEX INDUSTRIAL

Address: HARTFORD SQUARE N 10 COLUMBUS BLVD

Box:City:HARTFORD

State:CT ZIP:06106 Country:US

Phone:877-376-2839

CAGE:62377

======= Composition/Information on Ingredients ========

Ingred Name: METHYL ETHYL KETONE (SARA III)

CAS:78-93-3

RTECS #:EL6475000 Fraction by Wt: 25-30%

Other REC Limits: NONE SPECIFIED

ACGIH T

LV:200 PPM EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS

Ingred Name: TETRAHYDROFURAN (SARA III)

CAS:109-99-9

RTECS #:LU5950000 Fraction by Wt: 25-30%

Other REC Limits: NONE SPECIFIED

ACGIH TLV:200 PPM EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS

Ingred Name: CYCLOHEXANONE (SARA III)

CAS:108-94-1

RTECS #:GW1050000 Fraction by Wt: 25-30%

Other REC Limits: NONE SPECIFIED

OSHA PEL:S, 50 PPM

ACGIH TLV:S, 25 PPM; 9293

EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS

Ingred Name: ACETONE (SARA III)

CAS:67-64-1

RTEC

S#:AL3150000

Fraction by Wt: 25-30%

Other REC Limits: NONE SPECIFIED

OSHA PEL:1000PPM

ACGIH TLV:750PPM/1000STEL;9293

EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS

========= Hazards Identification ===============

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Health Hazards Acute and Chronic:TOXICITY MODERATE BY INGESTION. LIQUID AND/OR VAPOR IS IRRITATING TO EYES, SKIN, AND RESPIRATORY TRACT.

ANIMAL TESTS: ADVERSE REPRODUCTIVE EFFECTS (INHALATION).

NEUROTO

| XICITY & LIVER, KIDNEY, LUNG, & BRAIN DAMAGE. Effects of Overexposure:HEADACHE, NAUSEA, DIZZINESS. EXCESSIVE EXPOSURE MAY CAUSE CNS DEPRESSION, SHORTNESS OF BREATH, NARCOSIS. |
|---|
| ====================================== |
| First Aid:INGESTION: DO NOT INDUCE VOMITING. KEEP INDIVIDUAL CALM. OBTAIN MEDICAL ATTENTION. SKIN CONTACT: FLUSH WITH WATER. EYE CONTACT: FLUSH AT LEAST 15 MINUTES WITH WATER. OBTAIN MEDICAL ATTENTION. |
| ====================================== |
| ng Measures ============ |
| Flash Point Method:TCC Flash Point:-4F,-20C Lower Limits:1 Upper Limits:13 Extinguishing Media:CO2, FOAM, DRY CHEMICAL Unusual Fire/Explosion Hazard:NONE |
| ======== Accidental Release Measures ========== |
| Spill Release Procedures:REMOVE SOURCES OF IGNITION. MAINTAIN ADEQUATE VENTILATION. SOAK UP IN AN INERT ABSORBENT. STORE IN A TIGHTLY CLOSED, FIRE PROOF CONTAINER UNTIL DISPOSAL. |
| ======== Handling and Storage ====== |
| Handling and Storage Precautions:STORE IN COOL AREA AWAY FROM SOURCES OF IGNIITON. |
| Other Precautions:AVOID EYE CONTACT, PROLONGED SKIN CONTACT OR PROLONGED BREATHING OF VAPORS. DO NOT HANDLE NEAR SOURCES OF IGNITION. |
| ====== Exposure Controls/Personal Protection ======== |
| Ventilation:SUFFICIENT TO MAINTAIN VAPOR CONCENTRATION BELOW TLV. Protective Gloves:SOLVENT RESISTANT PLASTIC GLOVES Eye Protection:SAFETY GLASSES OR GOGGLES Supplemental Safety and He |

| Physical/Chemical Properties | |
|----------------------------------|--|
| _ | |

Boiling Pt:B.P. Text:180F,82C Vapor Pres:213 @ 75F Vapor Density:2.6 Spec Gravity:0.86

Spec Gravity:0.86 Solubility in Water:65

Appearance and Odor: PURPLE LIQUID, SHARP MINT/ETHEREAL ODOR

======== Stability and Reactivity Data =========

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZING AND REDUCING AGENTS
Hazardous Decomposition Products:NON-THERMAL: NOT KNOWN. BY FIRE OR
THERMAL DECOMPOSITION: IRRITATIN
G ORGANIC VAPORS.

======= Disposal Considerations ===========

Waste Disposal Methods:LANDFILL OR INCINERATION FOLLOWING EPA AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any p erson utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.