View NSN Online: https://aerobasegroup.com/nsn/8040-00-753-4962

Product ID:SUPERWOOD GLUE 649 MSDS Date:06/16/1989 FSC:8040 NIIN:00-753-4962 MSDS Number: BQYGY === Responsible Party === Company Name: CONTINENTAL BRANDS Address:181 NEW BOSTON STREET City:WOBURN State:MA ZIP:01801 Country:US Info Phone Num:617-935-8585 Emergency Phone Num:800-424-9300 CHEMTREC Prepare r's Name:REGINE LECLERC CAGE:CBRND === Contractor Identification === Company Name: CONTINENTAL BRANDS Address:181 NEW BOSTON ST City:WOBURN State:MA ZIP:01801 Country:US Phone:800-424-9300(CHEMTREC) CAGE:CBRND

Ingred Name:NO TOXIC CHEMICALS SUBJECT TO THE REPORTING REQUIREMENTS OF SECTION 313 OF TITLE III AND OF 40 CFR 372 ARE PRESENT. Other REC Limits:NONE SPECIFIED

======== Hazards Identification ========

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:ACUTE; INHALATION: HEADACHE, NAUSEA.
NOSE, THROAT, AND LUNG IRRITATION. EYE: IRRITATION. THE PRINCIPAL
VOLATILE COMPONENT IS WATER. MINOR VOLATILE COMPONENTS FROM THE
EMULSION MAY CAUSE HEADACHE AND N AUSEA.
Effects of Overexposure:CHRONIC; SKIN: PROLONGED CONTACT MAY CAUSE
TRANSIENT REDDENING OF THE SKIN. PROLONGED AND REPEATED CONTACT CAN
CAUSE IRRITATION.
Medical Cond Aggra

vated by Exposure:NO EVIDENCE OF ADVERSE EFFECTS FROM	Λ
AVAILABLE INFORMATION.	

First Aid:INHALATION: REMOVE SUBJECT TO FRESH AIR. NO EMERGENCY CARE ANTICIPATED. EYES AND SKIN: IMMEDIATELY FLUSH EYES WITH WATER UNTIL WATER IS NO LONGER CLOUDY. WASH SKIN WITH SOAP AND WATER. SWALLOWING: NO HARMFUL EFFECTS EXPECTED. SEE PHYSICIANIF **IRRITATION PERSISTS.** TREATMENT OF OVEREXPOSURE SHOULD BE DIRECTED AT CONTROL OF SYMPTOMS AND CLINICAL CONDITION. Extinguishing Media: FOAM, ALCOHOL FOAM, CO2, DRY CHEMICAL, WATER FOG Fire Fighting Procedures: NON FLAMMABLE (AQUEOUS EMULSION). AFTER WATER EVAPORATES, REMAINING MATERIAL WILL BURN. BREATHING APPARATUS WHEN FIGHTING FIRES IN ENCLOSED AREAS. Unusual Fire/Explosion Hazard: PRODUCT WILL NOT BURN MAY SPATTER IF TEMPERATURE EXCEEDS BOILING POINT OF WATER. DRIED SOLIDS C AN BURN. GIVING OFF OXIDES OF CARBON. Spill Release Procedures: RESTRICT AREA TO ONLY THOSE PERSONNEL NEEDED. MAJOR SPILLS SHOULD BE COLLECTED FOR DISPOSAL. MINOR SPILLS MAY BE FLUSHED TO SEWER IF PERMITTED BY FEDERAL, STATE & LOCAL REGULATIONS. Handling and Storage Precautions: AVOID BREATHING VAPORS IN TOP OF SHIPPING CONTAINER, KEEP CONT AINER CLOSED. USE WITH ADEQUATE VENTILATION. AVOID CONTACT WITH SKIN AND CLOTHING. Other Precautions: WASH THOROUGHLY AFTER HANDLING. FOLLOW THE LABEL INSTRUCTIONS. Respiratory Protection: WEAR SUITABLE RESPIRATOR (MSHA/NIOSH APPROVED OR EQUIVALENT) WHERE EXPOSURE LIMITS ARE EXCEEDED. Ventilation: MECHANICAL LOCAL EXHAUST VENTILATION AT POINT OF CONTAMINANT RELEASE. Protective Gloves: IMPERVIOUS

Eye Protection:CHEM

ICAL SPLASH GOGGLES (ANSI Z-87.1) Other Protective Equipment:NOT REQUIRED Work Hygienic Practices:FOLLOW INSTRUCTIONS ON LABEL. Supplemental Safety and Health

Boiling Pt:B.P. Text:212F,100C Vapor Density:< AIR Spec Gravity:1.1 (WATER=1) Evaporation Rate & amp; Reference:SLOWER THAN ETHER Solubility in Water:DILUTABLE-WET STAGE Appearance and Odor:WHITE OR COLORED PASTED; ACRYLIC ODOR

Stability Indicator/Materials to Avoid:YES NO "MATERIAL TO AVOID" IS KNOWN Stability Condition to Avoid:NO "CONDITION TO AVOID" IS KNOWN Hazardous Decomposition Products:NONE KNOWN

Waste Disposal Methods: INCINERATE OR BURY IN SUITABLE LANDFILL WHERE PERMITTED BY APPROPRIATE GOVERNMENT REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formul

ated for use by elements of the Department

of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.