

SUMMIT LUBRICANTS INC -- MIL-G-10924F -- 9150-01-197-7693

=====
===== Product Identification =====

Product ID:MIL-G-10924F
MSDS Date:10/24/1991
FSC:9150
NIIN:01-197-7693
MSDS Number: BQYLM
=== Responsible Party ===
Company Name:SUMMIT LUBRICANTS INC
Address:4080 PEARL ST
Box:966
City:BATAVIA
State:NY
ZIP:14021
Country:US
Info Phone Num:716-344-4301, 716-685-1576
Emergency Phone Num:716-344-4301, 716-685-1576
Preparer's Name:RONALD KROL
CAGE:0R0E6
=== Contractor Identification ===
Company Name:SUMMIT LUBRICANTS INC
Address:4080 PEARL STREET
Box:966
City:BATAVIA
State:NY
ZIP:14020
Country:US
Phone:716-344-4301/716-685-1576
CAGE:0R0E6

=====
===== Composition/Information on Ingredients =====

Ingred Name:MINERAL OIL
CAS:64742-54-7
RTECS #:PY8035500
Fraction by Wt: 10%
Other REC Limits:NONE SPECIFIED
OSHA PEL:400 PPM
ACGIH TLV:300 PPM 9293

Ingred Name:PROPRIETARY THICKENER AND ADDITI

VES.
Fraction by Wt: 90%
Other REC Limits:NONE SPECIFIED

Ingred Name:ZINC COMPOUNDS
Fraction by Wt: 1.8%
Other REC Limits:NONE SPECIFIED

=====
===== Hazards Identification =====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.
Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:THIS PRODUCT HAS BEEN USED FOR YEARS
WITH NO KNOWN ILL EFFECTS. EYES: MILD IRRITANT. SKIN: MILD

IRRITANT.
Effects of Overexposure:EYES: MILD IRRITANT. SKIN: MILD IRRITANT.
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

=====
===== First Aid Measures =====

First Aid:EYES: FLUSH WITH LARGE AMOUNTS OF WATER. IF IRRITATION
PERSISTS GET MEDICAL ATTENTION. SKIN: REMOVE CONTAMINATED CLOTHING.
WASH AREA WITH SOAP AND WATER. INHALATION: NONE NORMALLY REQUIRED.
INGESTION: DO NOT INDUCE VOMITING. GET MEDICAL ATTENTION.

=====
===== Fire Fighting Measures =====

Flash Point Method:COC
Flash Point:NONE GIVEN.
Extinguishing Media:WATER FOG, CARBON DIOXIDE, DRY CHEMICAL, FOAM,
EARTH OR SAND.
Fire Fighting Procedures:WATER MAY CAUSE FROTHING.
Unusual Fire/Explosion Hazard:NONE.

=====
===== Accidental Release Measures =====

Spill Release Procedures:ABSORB WITH SAND OR INERT MATERIAL. SWEEP OR
SCOOP UP AND REMOVE.
Neutralizing Agent:NONE

=====
===== Handling

and Storage =====

Handling and Storage Precautions:KEEP AWAY FROM SPARKS AND OPEN FLAMES.
Other Precautions:NONE

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE NORMALLY REQUIRED.
Ventilation:USE WITH ADEQUATE VENTILATION.
Protective Gloves:NEOPRENE,POLYVINYL ALCOHOL,POLYETHYLENE.
Eye Protection:FACE SHIELD.
Other Protective Equipment:NONE
Work Hygienic Practices:WASH AFTER HANDLING AND BEFORE EATING,
DRINKING, OR SMOKING.
LAUNDER CONTAMINATED CLOTHING BEFORE REUSE.
Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:V6
Boiling Pt:B.P. Text:>700F,>371C
Melt/Freeze Pt:M.P/F.P Text:470F,243C
Spec Gravity:0.88
Solubility in Water:NIL
Appearance and Odor:AMBER SEMISOLID. BLAND ODOR.
Percent Volatiles by Volume:0

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZERS.
Stability Condition to
Avoid:OPEN FLAMES.
Hazardous Decomposition Products:OXIDES OF CARBON AND SULFUR.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF WASTE IN ACCORDANCE WITH LOCAL, STATE
AND FEDERAL REGULATIONS. INCINERATE IF PERMITTED.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly o

r implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.