

RICCA CHEMICAL CO -- 5860 PICRIC ACID,SATURATED,AQUEOUS -- 6810-00-246-6275

===== Product Identification =====

Product ID:5860 PICRIC ACID,SATURATED,AQUEOUS

MSDS Date:04/01/1987

FSC:6810

NIIN:00-246-6275

MSDS Number: BRBZY

=== Responsible Party ===

Company Name:RICCA CHEMICAL CO

Box:13090

City:ARLINGTON

State:TX

ZIP:76013

Country:US

Info Phone Num:817-461-5601

Emergency Phone Num:817-461-5601

CAG

E:0V553

=== Contractor Identification ===

Company Name:RICCA CHEMICAL COMPANY

Address:448 W FORK DR

Box:13090

City:ARLINGTON

State:TX

ZIP:76013

Country:US

Phone:817-461-5601

CAGE:0V553

===== Composition/Information on Ingredients =====

Ingred Name:PICRIC ACID

IC=INTENDED CHANGES

CAS:88-89-1

RTECS #:TJ7875000

Fraction by Wt: 12%

OSHA PEL:0.1 MG/CUM

ACGIH TLV:0.1 MG/CUM=IC (SKIN)

===== Hazards Identification =====

Routes of

Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:SKIN: ALLERGIC RASH, SENSITIZATION, &
DERMATITIS. EYES: IRRITATION. INHALATION/INGESTION: YELLOW STAINED
TEETH, WEAKNESS, GASTROINTESTINAL DISTURBANCE & HEPATITIS.
Explanation of Carcinogenicity:NONE
Medical Cond Aggravated by Exposure:RESPIRATORY DISEASE, EYE PROBLEMS,
SKIN DISORDERS, KIDNEY & LIVER DISEASE, BLOOD DISORDERS

===== F
First Aid Measures =====

First Aid:EYES/SKIN: FLUSH W/WATER IMMEDIATELY. INHALATION: REMOVE TO
FRESH AIR. IF BREATHING STOPS, GIVE ARTIFICIAL RESPIRATION.
INGESTION: DILUTE IMMEDIATELY W/WATER OR MILK. INDUCE VOMITING.
OBTAIN MEDICAL ATTENTION IN ALL CASES.

===== Fire Fighting Measures =====

Unusual Fire/Explosion Hazard:ANHYDROUS PICRIC ACID IS EXPLOSIVE, BUT
THIS SOLUTION IS NON-EXPLOSIVE.

===== Accidental Release Measures =====

Spill Release Procedures:ABSORB ON PAPER TOWELS OR VERMICULITE. PLACE
ON IRON PAN IN FUME HOOD & ALLOW TO EVAPORATE. BURN PAPER OR
VERMICULITE. WASH SPILL SITE W/STRONG SOAP SOLUTION.

===== Handling and Storage =====

Handling and Storage Precautions:STORE AWAY FROM INCOMPATIBLE
MATERIALS. PROTECT FROM PHYSICAL DAMAGE.

===== Exposure Controls/Personal Protection =====

Ventilation:NORMAL ROOM
IS ADEQUATE
Protective Gloves:RUBBER
Eye Protection:SAFETY GLASSES W/SIDE SHIELDS OR GOGGLES
Other Protective Equipment:LAB COAT OR LAB APRON
Work Hygienic Practices:REMOVE/LAUNDER CONTAMINATED CLOTHING BEFORE
REUSE. WASH HANDS AFTER HANDLING OR BEFORE EATING, DRINKING OR
SMOKING.
Supplemental Safety and Health

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text: 100C
Melt/Freeze Pt:M.P/F.P Text: 0C
Spec Gravity: 1
Solubility in Water:COMPLETE
Appearance

arance and Odor: CLEAR, YELLOW, ODORLESS SOLUTION

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid: YES

COPPER, LEAD, ZINC, OTHER METALS & METAL SALTS, PLASTER, CONCRETE

===== Disposal Considerations =====

Waste Disposal Methods: POUR ONTO SODIUM BICARBONATE OR SAND-SODA ASH MIXTURE (90-10). MIX & PACKAGE IN HEAVY PAPER CARTONS W/PLENTRY OF PAPER PACKING TO SERVE AS FUEL. BURN IN INCINERATOR W/AFTER BURNER & SCRUBBER IN ACCORDANCE W/FEDERAL, STATE, & LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.