

FENWAL INC -- 80055-044 PART B -- 8040-00-776-9603

=====  
Product Identification  
=====

Product ID:80055-044 PART B

MSDS Date:05/01/1985

FSC:8040

NIIN:00-776-9603

Kit Part:Y

MSDS Number: BRFPY

=== Responsible Party ===

Company Name:FENWAL INC

Address:400 MAIN STREET

City:ASHLAND

State:MA

ZIP:01721

Country:US

Info Phone Num:617-881-2000

Emergency Phone Num:617-881-2000

CAGE:0KDP7

=== Contractor Iden

tification ===

Company Name:KIDDE FENWAL INC

Address:400 MAIN ST

Box:City:ASHLAND

State:MA

ZIP:01721-2150

Country:US

Phone:508-881-2000

CAGE:0KDP7

=====  
Composition/Information on Ingredients  
=====

Ingred Name:THIS COMPOUND CONTAINS NO MATERIAL IDENTIFIED AS OSHA  
SAFETY & HEALTH STANDARDS.

Other REC Limits:NONE SPECIFIED

=====  
Hazards Identification  
=====

Health Hazards Acute and Chronic:MAY CAUSE INJURY TO SKIN FOLLOWING  
PROLONGED

OR REPEATED CONTACT AND MAY CAUSE SKIN SENSITIZATION OR OTHER ALLERGIC RESPONSES. SPI CLASS 3.

=====  
First Aid Measures  
=====

First Aid:AVOID INHALATION OF VAPOR. USE GOOD VENTILATION PARTICULARLY IF HEATED OR SPRAYED. PREVENT CONTACT WITH SKIN. IF CONTACT OCCURS, WASH THOROUGHLY WITH SOAP AND WATER

=====  
Fire Fighting Measures  
=====

Flash Point:180F,82C  
Extinguishing Media:CO2, DRY CHEMICAL, FOAM  
Fire Fighting Procedures:USE SELF-CONTAINED BREATHING APPARATUS.  
Unusual Fire/Explosion Hazard:NONE

=====  
Accidental Release Measures  
=====

Spill Release Procedures:SCOOP UP EXCESS AND REMOVE. RESIDUAL CAN BE REMOVED WITH NONFLAMMABLE SOLVENT.

=====  
Exposure Controls/Personal Protection  
=====

Respiratory Protection:NIOSH APPROVED ORGANIC VAPOR RESPIRATOR  
Ventilation:LOCAL AND MECHANICAL EXHAUST  
Protective Gloves:IMPERVIOUS GLOVES  
Eye Protection:SPLASH PROOF GOGGLES  
Other Protective Equipment:SAFETY SHOWER AND EYE WASH FACILITIES.  
Supplemental Safety and Health

=====  
Physical/Chemical Properties  
=====

Spec Gravity:1.01  
Appearance and Odor:CLEAR LIQUID

=====  
Stability and Reactivity Data  
=====

Stability Indicator/Materials to Avoid:YES  
EPOXY RESIN UNDER UNCONTROLLED CONDITIONS, STRONG ACIDS.  
Stability Condition to Avoid:STORAGE AT ELEVATED TEMPERATURES OVER LONG PERIODS OF TIME.  
Hazard

ous Decomposition Products:TOXIC FUMES AT DECOMPOSITION  
TEMPERATURES.

===== Disposal Considerations =====

Waste Disposal Methods:INCINERATE IN ACCORDANCE WITH LOCAL POLLUTION  
REGULATIONS AND ORDINANCES.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this informa  
tion to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.