View NSN Online: https://aerobasegroup.com/nsn/6850-01-331-3349

SOLVENTS AND CHEMICALS, INC. -- DRY CLEANING SOLVENT TYPE III -- 6850-01-331-3349

Product ID:DRY CLEANING SOLVENT TYPE III

MSDS Date:04/01/1994

FSC:6850

NIIN:01-331-3349

MSDS Number: BRFWM === Responsible Party ===

Company Name: SOLVENTS AND CHEMICALS, INC.

Address:4704 SHANK ROAD

Box:490

City:PEARLAND

State:TX ZIP:77581 Country:US

Info Phone Num:713-485-5377/FAX

-6129

Emergency Phone Num:713-485-5377/800-424-9300(CHEMTREC)

Preparer's Name: PRAVIN KAPADIA

CAGE:4W432

=== Contractor Identification ===

Company Name: SOLVENTS AND CHEMICALS, INC.

Address:4704 SHANK ROAD

Box:City:PEARLAND

State:TX

ZIP:77588-0490 Country:US

Phone:281-485-5377

CAGE:4W432

======= Composition/Information on Ingredients ========

Ingred Name:PETROLEUM HYDROCARBON (PETROLEUM DISTILLATE)

CAS:64742-47-8 RTECS #:OA5504000 Fraction by Wt: CONF

Other REC Limits: NONE RECOMMEND

========= Hazards Identification ============================

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:EYES: IRRITATION. SKIN: PROLONGED CONTACT MAY CAUSE IRRITATION, REDDENING, AND DERMATITIS. INHALATION: MAY CAUSE HEADACHES, STUPOR, IRRITATION OF THE RESPIRATORY SYSTEM. EXTREME ASPIRATION INTO LUNGS MAY CAUSE PNEUMONIA OR DEATH. INGESTION: LOW ORDER OF TOXICITY. MAY CAUSE

IRRITATION OF STOMACH AND INTESTINES.

Effects of Overexposure:EYES: IRRITATION. SKIN: IRRITATION, REDDENING, DERMATITIS. INHALATION: HEADACHES, STUPOR, IRRITATION OF RESPIRATORY SYSTEM. EXTREME ASPIRATION INTO LUNGS MAY CAUSE PNEUMONIA OR DEATH. INGESTION: LOW O RDER OF TOXICITY. MAY CAUSE IRRITATION OF STOMACH AND INTESTINES, RESULTING IN NAUSEA AND VOMITING.

Medical Cond Aggravated by Exposure:PRE-EXISTING EYE, SKIN AND RESPIRATORY DISORDERS MAY BE AGGRAVATED.

First Aid:EYES: FLUSH WITH LARGE AMOUNTS OF WATER. IF IRRITATION PERSISTS GET MEDICAL ATTENTION. SKIN: REMOVE CONTAMINATED CLOTHING. WASH AREA WITH SOAP AND WATER. IF SYMPTOMS DEVELOP AND PERSIST GET MEDICAL AT TENTION. INHALATION: MOVE TO FRESH AIR.IF NOT BREATHING GIVE CPR. IF BREATHING DIFFICULT GIVE OXYGEN. GET MEDICAL ATTENTION. INGESTION: DO NOT INDUCE VOMITING. GET MEDICAL ATTENTION.

========

====== Fire Fighting Measures =============

Flash Point:>200F,>93C

Lower Limits:0.6 Upper Limits:6

Extinguishing Media:DRY POWDER, CARBON DIXOIDE (CO2), ALCOHOL FOAM. Fire Fighting Procedures:WEAR FULL BUNKER GEAR INCLUDING A POSITIVE PRESSURE SELF-CONTAINED BREATHING APPARATUS IN ANY ENCLOSED SPACE. Unusual Fire/Explosion Hazard:CONTIANERS MAY EXPLODE FROM INTERNAL PRESSURE IF CONFINED TO FIRE. COOL W/WATER. KEEP UNNECESSARY PEOPLE AWAY.

====== Accidenta

I Release Measures =========
Spill Release Procedures:LARGE SPILLS, CONTAIN WITH DIKES. PICK UP WITH VACUUM TRUCK. HANDLE AS HAZARDOUS WASTE. SMALL SPILLS, PICK UP WITH ABSORBENT MEDIA. STORE AS HAZARDOUS WASTE. Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.
============= Handling and Storage ==============
Handling and Storage Precautions:STORE IN A COOL, WELL VENTILATED AREA AWAY FROM HIGH HEAT, IGNITION SOURCES AND OPEN FLAME. EMPTY CONTAINER S MAY BE HAZARDOUS. Other Precautions:STORE AWAY FROM OXIDIZERS OR MATERIALS BEARING A YELLOW "DOT" LABEL.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:NONE NORMALLY REQUIRED. IF NEEDED, WEAR A NIOSH APPROVED ORGANIC VAPOR MASK. Ventilation:NORMAL WORK AREA VENTILATION IS ADEQUATE. Protective Gloves:CHEMICAL RESISTANT GLOVES IF NEEDED. Eye Protection:CHEMICAL GOGGLES/FACE SHIELD IF NEEDED. Other Protective Equipment:NONE NORMALLY REQUIRED. Work Hygienic Practices:WASH AFTER HANDLING AND BEFORE EATING, DRINKING, OR SMOKING. LAUNDER CONTAMINATED CLOTHING BEFORE REUSE. Supplemental Safety and Health
========= Physical/Chemical Properties ==========
HCC:N1 Boiling Pt:B.P. Text:465F,241C Vapor Pres:0.10 @100F Spec Gravity:0.823 Solubility in Water:INSOLUBLE Appearance and Odor:CLEAR LIQUID WITH SOLVENT ODOR.
======== Stability and Reactivity Data =========
Stability Indicator/Materials to A

void:YES STRONG OXIDIZING SUBSTANCES.

Stability Condition to Avoid:NONE.

Hazardous Decomposition Products: CARBON MONOXIDE IN CASE OF INCOMPLETE COMBUSTION.

Conditions to Avoid Polymerization: WILL NOT OCCUR.

======= Disposal Considerations ===========

Waste Disposal Methods:DISPOSE OF WASTE IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS. HANDLE AS HAZARDOUS WASTE. NOTIFY PROPER AUTHORITIES IF REQUIRED BY SARA TITLE III.

Disclaimer (provided with th is information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.