View NSN Online: https://aerobasegroup.com/nsn/8030-00-485-3237

MORTON INTL INC SPECIALTY CHEMICALS GROUP -- MC-275 ACCELERATOR -- 8030-00-485-3237

======== Product Identification ============

Product ID:MC-275 ACCELERATOR

MSDS Date:07/10/1992

FSC:8030

NIIN:00-485-3237

Kit Part:Y

MSDS Number: BRGWH === Responsible Party ===

Company Name: MORTON INTL INC SPECIALTY CHEMICALS GROUP

Address:333 W WACKER DR

City:CHICAGO

State:IL

ZIP:60606-1218

Country:US

Info Phone Num:714-7

30-4316

Emergency Phone Num:800-424-9300(CHEMTREC)

Preparer's Name: DAVID B. WIENCKOWSKI

CAGE:32063

=== Contractor Identification ===

Company Name: MORTON INTL INC SPECIALTY CHEMICALS GROUP

Address:333 W WACKER DR

City:CHICAGO

State:IL

ZIP:60606-1218 Country:US

Phone:312-807-2000

CAGE:32063

======= Composition/Information on Ingredients ========

Ingred Name: MANGANESE DIOXIDE

CAS:1313-13-9

RTECS #:OP0350000 Fraction by Wt: 60-70%

Other REC Limits: NONE SPECIFIED

OSHA PEL:5 MG MN/M3 CE

ILING ACGIH TLV:5 MG MN/M3

Ingred Name: HYDROGENATED TERPHENYLS

CAS:61788-32-7

Fraction by Wt: 10-30%

Other REC Limits: NONE SPECIFIED

OSHA PEL:0.5 PPM ACGIH TLV:0.5 PPM

Ingred Name: TERPHENYLS

CAS:26140-60-3 RTECS #:WZ6450000 Fraction by Wt: 10-30%

Other REC Limits: NONE SPECIFIED

OSHA PEL:C 1.0 PPM

ACGIH TLV:C 0.53 PPM; 9394

Ingred Name: ETHOXYLATED NONYLPHENOL PHOSPHATE

CAS:51811-79-1 Fraction by Wt: 1-5%

Other REC Limits: NONE SPECIFIED

Ingred Name: DIPHENYL GUANADINE, 1,3-

CAS:102-06-7 RTECS # :MF0875000

Fraction by Wt: 1-5%

Other REC Limits: NONE SPECIFIED

Ingred Name: SODIUM HYDROXIDE

CAS:1310-73-2

RTECS #:WB4900000 Fraction by Wt: 1-5%

Other REC Limits: NONE SPECIFIED

OSHA PEL:2 MG/M3

ACGIH TLV:C 2 MG/M3; 9293

EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS

Routes of Entry: Inhalation:NO Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:EYE: MILD TO MODERATE IR

RITATION.

SKIN: IRRITATION CAN OCCUR FOLLOWING PROLONGED/REPEATED CONTACT; & HYPERSENSIT. REACTIONS IN SUSCEPTIBLE INDIVIDUALS. INHALATION: NO ADVERSE EFFECTS ARE EXPECTED. ING ESTION: CAN CAUSE GASTROINTESTINAL UPSET.

Effects of Overexposure: DEPENDING ON ROUTE, FREQUENCY, & DURATION OF EXPOSURE, TOXICITY MAY EFFECT IN THE FOLLOWING ORGANS &/OR SYSTEMS: LIVER, KIDNEY, EYE, SKIN, IMMUNE SYSTEM (E.G. ALLERGIC REACTIONS).

Medical Cond Aggravated by Exposure:INDIVIDUALS W/MED .CONDITIONS

INVOLVING FOLLOWING ORGAN(S) &/OR SYSTEM(S) SHOULD TAKE APPROP. PRECAUTIONS WHEN HANDLING THIS PRODUCT: LIVER, KIDNEY, SKIN, IMMUNE SYSTEM &/OR SPECIFIC CHEMICAL ALLERGIES

First Aid:EYES: FLUSH EYES WITH WATER FOR ATLEAST 15 MINUTES. LIFT EYELIDS FREQUENTLY. GET MEDICAL ATTENTION. SKIN: REMOVE & WASH CONTAMINATED CLOTHING BEFORE REUSE. WASH WITH SOAP & WATER TO AFFECTED AREA. CON SULT A PHY

SICIAN. INHALATION: REMOVE TOFRESH

AIR. GIVE CPR IF NECESSARY. GET MEDICAL ATTENTION IF SYMPTOMS DEVELOP. INGESTION: GET MEDICAL ATTENTION. UNLESS ADVISED OTHERWISE, INDUCE VOMIT.

========== Fire Fighting Measures ===============

Flash Point Method:SCC Flash Point:>200F.>93C

Extinguishing Media:SMALL FIRES, DRY CHEMICAL, CO2, FOAM, HALON, WATER SPRAY, LARGE FIRES, WATER SPRAY, FOG, ALCOHOL FOAM.

Fire Fighting Procedures: ANY EXPOSED TO THE PRODUCTS OF COMBUSTI ON

SHOULD BE EQUIPPED W/NIOSH APPROVED POSITIVE PRESSURE SCBA & FULL PROTECTIVE CLOTHING.

Unusual Fire/Explosion Hazard: NONE KNOWN

======== Accidental Release Measures ===========

Spill Release Procedures:SHOVEL OR VACUUM SPILLED PRODUCT & PLACE IN CLOSED CONTAINERS FOR FURTHER HANDLING & DISPOSAL. DO NOT FLUSH TO SEWER, STREAM, OR OTHER BODIES OF WATER.

============= Handling and Storage ==========================

Handling and Storage Precautions:STO

Respiratory Protection: HIGH AIRBORNE CONCENTRATIONS MA

Y NECESSITATE THE USE OF SCBA OR A SUPPLIED AIR RESPIRATOR. IN ADDITION, RESPIRATORY

PROTECTION PROGRAMS MUST BE IN COMPLIANCE WITH 29 CFR 1910.134.
WEAR NIOSH/ MSHA APP ROVED EQUIPMENT; OBSERVE RESPIR. LIMITAT
Ventilation:GENERAL (DILUTION) VENTILATION. LOCAL EXHAUST VENTILATION

WHEN VAPORS, MISTS, DUSTS CAN BE RELEASED.

Protective Gloves: APPROPIATE IMPERVIOUS GLOVES.

Eye Protection: CHEMCIAL GOGGLES, SAFETY GLASSES.

Other Protective Equipment: AN EYE WASH FACILITY SHOULD BE READILY

AVAILABLE. REMOVE & WASH CONTAMINATED CLOTHING BEFORE REUSE AS WELL AS SHOES.

Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING, ESPECIALLY BEFORE EATING, DRINKING, SMOKING, OR USING RESTROOM FACILITIES. Supplemental Safety and Health

======== Physical/Chemical Properties ==========

HCC:N1

Vapor Pres:0.1

Vapor Density:> 1

Spec Gravity:2.1

Evaporation Rate & Dr. Reference: < 1

Appearance and Odor:BLACK PASTE; PHENYL ODOR.

======= Stability and Reactivity Data =========

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS, CHEMICALLY ACTIVE METALS (E. G. NICKEL, COBALT, IRON, COPPER)

Hazardous Decomposition Products:HEATED TO HIGH TEMP. THIS PRODUCT MAY EMIT THE FOLLOWING COMPOUNDS: AMINES, SMOKE, SOOT, TOXIC FUMES, METAL OXIDES.

======= Disposal Considerations ===========

Waste Disposal Methods:DISCARDED IN ITS ORIGINAL UNUSED FORM, THIS PRODUCT SHOULD BE MANAGED AT AN

AUTHORIZED FACILITY, IN COMPLIANCE
WITH ALL APPLICABLE LOCAL, STATE & FEDERAL REGULATIONS. BE SURE TO
CONTACT APPROP. GOV'T EVNIRONMENTAL AGENCIES IF FUTHER DISPOSAL
REQUIRED

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.