View NSN Online: https://aerobasegroup.com/nsn/6850-00-965-2280

## MULTIFORM DESICCANTS INC -- NATRASORB M (CLAY) -- 6850-00-965-2280

Product ID:NATRASORB M (CLAY)

MSDS Date:08/31/1988

FSC:6850

NIIN:00-965-2280

MSDS Number: BRGYK === Responsible Party ===

Company Name: MULTIFORM DESICCANTS INC

Address:960 BUSTI AT NIAGARA ST

City:BUFFALO

State:NY ZIP:14213 Country:US

Info Phone Num:716-883-8900

Emergency Phone Num:716-883-8900

С

AGE:22627

=== Contractor Identification ===

Company Name: MULTISORB TECHNOLOGIES INC

Address:325 HARLEM ROAD

Box:City:BUFFALO

State:NY

ZIP:14224-1893 Country:US

Phone:716-824-8900

CAGE:22627

Company Name: SILVER SALES

Address:5115 DOUGLAS FIR RD SUITE C

Box:City:CALABASES

State:CA ZIP:91302 Country:US

Phone:818-591-0788 WAS IN TX

CAGE:0WG65

======= Composition/Information on Ingredients ========

Ingred Name: SILICA, CRYSTALLINE - QUARTZ

CAS:14808-60-7 RTECS #:VV7330000

Fraction by

Wt: 2 - 6% Other REC Limits: NONE RECOMMENDED **OSHA PEL:SEE TABLE Z3** ACGIH TLV:0.1 MG/M3 RDUST;9293 ========== Hazards Identification =============== Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:YES OSHA:NO Health Hazards Acute and Chronic: ACUTE AND CHRONIC- INHALATION: EXPOSURE MAY CAUSE IRRITATION TO REPIRATORY TRACT AND LUNG DAMAGE. EYES:MAY CAUSE IRRITATION. SKIN: MAY CAUSE IRRITATION & REDDENING. INGESTION:NON E KNOWN. CHRONIC- NONE K NOWN. Explanation of Carcinogenicity: CONTAINS SILICA WHICH IS PROBABLY CARCINOGENIC TO HUMAN. Effects of Overexposure: NONE UNDER NORMAL USE Medical Cond Aggravated by Exposure: NONE UNDER NORMAL USE. First Aid:IF IRRITATION OR OTHER SYMPTOMS PERSIST, SEEK MEDICAL ATTENTION. NO ADVERSE EFFECTS EXPECTED BY SKIN CONTACT OR BY INGESITON. IF IN EYE, FLUSH WITH WATER FOR 15 MINUTES. HOLD EYELIDS OPEN. IF INHALED, REMOVE TO FRESH AIR. ============= Fire Fighting Measures ======================== Flash Point: DOES NOT BURN Extinguishing Media: UNUSED MATERIAL WILL NOT BURN. USE MEDIA APPROPRIATE FOR SURROUNDING FIRE. USED MATERIAL MAY CONTAIN HAZARDOUS MATERIALS Fire Fighting Procedures: WEAR NIOSH-APPROVED SELF CONTAINED BREATHING APPARATUS IN + PRESSURE MODE. COOL FIRE EXPOSED CONTAINERS WITH WATER SPRAY. Unusual Fire/Explosion Hazard: WHEN EXPOSED TO WATER, TH E UNUSED PRODUCT MAY GET QUITE HOT. ======== Accidental Release Measures =========== Spill Release Procedures: VENTILATE AREA. SWEEP THE SPILL AREA. COLLECT AND PLACE THE SPILLED MATERIAL IN A WASTE DISPOSAL CONTAINER. AVOID

RAISING DUST. PRODUCT MAKES FLOOR SLIPPERY WHEN WET. Neutralizing Agent: NOT RELEVANT

============ Handling and Storage ===========================

Handling and Storage Precautions: STORE IN TIGHTLY CLOSED CONTAINER IN A DRY PLACE AW

Hazardous Decomposition Products:NOT KNOWN

======= Disposal Considerations ==========

Waste Disposal Methods:DISCARD ANY PRODUCT, RESIDUE, DISPOSABLE CONTAINER OR LINER IN AN E

NVIRONMENTALLY ACCEPTABLE MANNER, IN FULL COMPLIANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS. COVER PROMPTLY TO AVOID BLOWING DUST.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document shou

Id seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.