Product ID:KATHON FP 1.5% BIOCIDE MSDS Date:12/19/1994 FSC:6840 NIIN:01-041-0098 **MSDS Number: BRGZB** === Responsible Party === Company Name: ROHM AND HAAS CO Address: INDEPENDENCE MALL WEST City:PHILADELPHIA State:PA ZIP:19105 Country:US Info Phone Num:215-502-2000/CHEMTREC 800-424-9300 **Emergency Phone** Num:215-502-2000/CHEMTREC 800-424-9300 CAGE:77902 === Contractor Identification === Company Name: FUEL QUALITY SERVICES, INC. Address:4584 CANTRELL ROAD Box:1380 City:FLOWERY BRANCH State:GA ZIP:30542 Country:US Phone: (800) 827-9790 - (770) 967-9790 CAGE:40161 Company Name: ROHM AND HAAS CO Address:100 INDEPENDENCE MALL WEST Box:City:PHILADELPHIA State:PA ZIP:19106-2399 Country:US Phone:215-592-2521/215-592-3000 CAGE:77902

Ingr

ed Name:5-CHLORO-2-METHYL-4-ISOTHIOAZOLIN-3-ONE CAS:26172-55-4 RTECS #:NX8156850 Fraction by Wt: 1.0-1.3% Other REC Limits:NONE RECOMMENDED

Ingred Name:2-METHYL-4-ISOTHIAZOLIN-3-ONE CAS:2682-20-4 RTECS #:NX8157000 Fraction by Wt: 0.2-0.5% Other REC Limits:NONE RECOMMENDED

Ingred Name:MAGNESIUM NITRATE CAS:10377-60-3 RTECS #:OM3750000 Fraction by Wt: 1.7-1.8% Other REC Limits:NONE RECOMMENDED OSHA PEL:5 MG MG/M3 CEILING ACGIH TLV:10 MG MG/M3

Ingred Name:MAGNESIUM CHLORIDE, CAS:7786-30-3 RTECS #:OM2800000 Fraction by Wt: 0.9-1.0% Other REC Limits:NONE RECOMMENDED

Ingred Name:WATER CAS:7732-18-5 RTECS #:ZC0110000 Fraction by Wt: 6.0-7.0% Other REC Limits:NONE RECOMMENDED

Ingred Name:DIPROPYLENE GLYCOL CAS:110-98-5 RTECS #:VB8785000 Fraction by Wt: 88-90% Other REC Limits:NONE RECOMMENDED

LD50 LC50 Mixture:LD50 (ORAL RAT) 3723(F) & 3600(M) MG/M3 Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Ca rcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:EYE:MAY CAUSE SEVERE IRRITATION, CORNEAL INJURY. SKIN:MAY CAUSE IRRITATION WHICH MAY BE DELAYED HOURS, BURNS. INHALATION:MAY CAUSE IRRITATION OF NOSE & THROAT. INGESTION:HARMFUL IF SWALLOWED. CHRONIC :MAY CAUSE ALLERGIC CONTACT DERMATITIS.

Explanation of Carcinogenicity:MANUFACTURER GAVE NO INFORMATION ABOUT CARCINOGENICITY. HMIS FOUND NO LISTING & DOES NOT EXPECT IT TO BE CARCINOGENIC.

Effects of O

verexposure:EYE:SEVERE IRRITATION, CORNEAL INJURY.

SKIN: IRRITATION WHICH MAY BE DELAYED HOURS, BURNS, ALLERGIC CONTACT DERMATITIS. INHALATION: IRRITATION OF NOSE & THROAT.

INGESTION:HARMFUL IF SWALLOWED.

Medical Cond Aggravated by Exposure:MFR GAVE NO INFORMATION OF MSDS.

First Aid:IF IRRITATION PERSISTS OR IS SEVERE, GET MEDICAL ATTENTION. EYE:FLUSH W/WATER FOR 15 MIN. SKIN:WASH W/SOAP & WATER. REMOVE CON

TAMINATED CLOTHING & LAUNDER BEFORE REUSE. INHALED:REMOVE FROM EXPOSURE. A ID OR RESTORE BREATHING AS NEEDED. INGESTED:DO NOT INDUCE VOMITING. GIVE 1-2 GLASSES OF WATER TO DRINK. GET IMMEDIATE MEDICAL ATTENTION. NOTHING BY MOUTH IF UNCONSCIOUS.

Flash Point Method:PMCC

Flash Point:280F,138C

Lower Limits:NO DATA

Upper Limits:NO DATA

Extinguishing Media:USE EXTINGUISHING MEDIA APPROPRIATE FOR SURROUNDING FIRE.

Fi

re Fighting Procedures:WEAR NIOSH/MSHA APPROVED SELF-CONTAINED BREATHING APPARATUS & FULL PROTECTIVE CLOTHING. COOLFIRE EXPOSED CONTAINERS W/WATER SPRAY. CONTAIN RUNOFF.

Unusual Fire/Explosion Hazard:COMBUSTION GENERATES TOXIC FUMES OF THE FOLLOWING: HYDROGEN CHLORIDE, NITROGEN OXIDES AND SULFUR OXIDES.

Spill Release Procedures: KEEP SPILLS OUT OF SEWERS & BODIES OF WATER. CONTAIN SPILL. TRANSFER LIQUID & DIKING

MATERIAL TO CONTAINERS FOR RECOVERY & DISPOSAL. DECONTAMINATE AREA W/NEUTRALIZER. RINSE TO CHEMICAL SEWER AFTER 30 MIN. Neutralizing Agent:10% SODIUM BISULFITE SOLUTION

Handling and Storage Precautions:STORE IN A WELL VENTILATED AREA BETWEEN 0C(32F) & 55C(131F). DO NOT STORE IN STEEL CONTAINERS.
Other Precautions:CONTAINERS HAZARDOUS WHEN EMPTY. SINCE EMPTIED CONTAINERS RETAIN PRODUCT RESIDUE, FOLLOW ALL MSDS
& LABEL

WARNINGS. WASH THOROUGHLY AFTER HANDLING. KEEP OUT OF REACH OF CHILDREN. AVOID CONTACT WITH EY ES & SKIN. DO NOT BREATHE MIST/VAPORS.

======= Exposure Controls/Personal Protection ==========

Respiratory Protection:NONE REQUIRED IF AIRBORNE CONCENTRATIONS ARE MAINTAINED BELOW EXPOSURE LIMITS. IF RESPIRATORS ARE USED, COMPLY W/OSHA 29CFR1910.134 & ANSI Z88.2. Ventilation:PROVIDE SUFFICIENT LOCAL EXHAUST VENTILATION TO CONTROL

INHALATION EXPOSURES BELOW

OSHA'S PEL.

Protective Gloves: BUTYL RUBBER, NITRILE

Eye Protection: CHEMICAL SPLASH GOGGLES & FACE SHIELD

Other Protective Equipment: CHEMICALLY RESISTANT APRON & OTHER

IMPERVIOUS CLOTHING. EYE WASH STATION AND SAFETY SHOWER.

Work Hygienic Practices:MFR GAVE NO INFORMATION OF MSDS. Supplemental Safety and Health

NONE

HCC:C2 NRC/State Lic Num:NONE Boiling Pt:B.P. Text:392F,200C Melt/Freeze Pt:M.P/F.P Text:NO DATA Vapor Pres :0.1 MM Vapor Density:0.65 Spec Gravity:1.044 pH:4.4 Evaporation Rate & amp; Reference: