

GE SILICONES -- DBT SILICONE CATALYST -- 8030-00-165-6550

===== Product Identification =====

Product ID:DBT SILICONE CATALYST

MSDS Date:05/28/1991

FSC:8030

NIIN:00-165-6550

Kit Part:Y

MSDS Number: BRKBL

=== Responsible Party ===

Company Name:GE SILICONES

Address:260 HUDSON RIVER ROAD

City:WATERFORD

State:NY

ZIP:12188

Country:US

Info Phone Num:518-237-3330

Emergency Phone Num:518-237-3330

Preparer

's Name:DA POLSINELLI

CAGE:GESIL

=== Contractor Identification ===

Company Name:GE SILICONES

Address:260 HUDSON RIVER ROAD

City:WATERFORD

State:NY

ZIP:12188

Country:US

Phone:518-237-3330

CAGE:GESIL

Company Name:GENERAL ELECTRIC CO, SILICONE PRODUCTS BUSINESS DEPT

Address:260 HUDSON RIVER RD

Box:City:WATERFORD

State:NY

ZIP:12188

Country:US

Phone:518-237-3330/800-332-3390

CAGE:01139

Company Name:R.H.CARLSON COMPANY,INC.

Address:41-CHESTNUT STREET

Box:1687

City:GREENWICH

State:CT

ZIP:06830-5921

Cou

Country:US
Phone:203-531-5500
CAGE:33530

=====
Composition/Information on Ingredients
=====

Ingredient Name:DIBUTYL TIN DILAURATE
CAS:77-58-7
RTECS #:WH7000000
Fraction by Wt: 80-99%
Other REC Limits:NONE SPECIFIED
OSHA PEL:0.1 MG/M3
ACGIH TLV:0.1 MG/M3

Ingredient Name:VOC (EPA METHOD 24): 27 G/L
RTECS #:9999999VO
Other REC Limits:NONE SPECIFIED

=====
Hazards Identification
=====

Routes of Entry: Inhalation:UNKNOWN Skin:YES Ingestion:YES

Reports of

Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE; INGESTION: HARMFUL IF

SWALLOWED, MAY BE FATAL IF SWALLOWED. SKIN CONTACT: CAUSES MODERATE SKIN IRRITATION. INHALATION: NONE KNOWN. EYE CONTACT: CAUSES SEVERE EYE IRRITATION. CHRONIC; CENTRAL NERVOUS SYSTEM DAMAGE. CUMULATIVE SYSTEMIC TOXICITY.

Medical Conditions Aggravated by Exposure:CENTRAL NERVOUS SYSTEM DISORDERS

=====
First Aid Measures
=====

First Aid:INGESTION:

IF SWALLOWED INDUCE VOMITING IMMEDIATELY BY GIVING

2 GLASSES OF WATER & STICKING FINGERS DOWN THROAT; NEVER GIVE ANYTHING TO AN UNCONSCIOUS PERSON. GET MEDICAL ATTENTION. SKIN: REMOVE CONTAMINATED CLOTHING AND LAUNDRY BEFORE REUSE. WASH WITH SOAP & WATER. GET MEDICAL ATTENTION IF IRRITATION PERSISTS. INHALATION: NONE KNOWN. EYES: IMMEDIATELY FLUSH WITH PLENTY OF WATER 15 MIN. GET MEDICAL AID.

=====
Fire Fighting Measures
=====

Flash Point M

ethod:COC

Flash Point:455F,235C

Extinguishing Media:ALL STANDARD FIREFIGHTING MEDIA

Fire Fighting Procedures:NONE KNOWN. WEAR RESPIRATORY PROTECTION IF IN A CONFINED AREA.

===== Accidental Release Measures =====

Spill Release Procedures:WIPE, SCRAPE OR SOAK UP IN AN INERT MATERIAL AND PUT IN A CONTAINER FOR DISPOSAL. WEAR PROPER PROTECTIVE EQUIPMENT AS SPECIFIED IN PROTECTIVE EQUIPMENT SECTION. WARN OTHER WORKERS OF SPILL.

===== Handling and Storage =====

Handling and Storage Precautions:KEEP CONTAINER CLOSED WHEN NOT IN USE. AVOID CONTACT WITH SKIN AND EYES. WASH HANDS BEFORE EATING AND SMOKING. CAUTION!

===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE IN A WELL VENTILATED AREA.

Ventilation:USE IN A WELL VENTILATED AREA.

Protective Gloves:RUBBER GLOVES

Eye Protection:SAFETY GLASSES, MONOGOGGLES

Other Protective Equipment:RUBBER APRON

Work Hygienic

Practices:SHOWERS. EYEWASH STATIONS.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:N1

Boiling Pt:B.P. Text:400F,204C

Melt/Freeze Pt:M.P/F.P Text:65.0F,18.3C

Vapor Pres:NEGL

Vapor Density:21.8

Spec Gravity:1.035 (WATER=1)

Evaporation Rate & Reference: